FOR THE CASE OF Board of Boiler Rules Meeting

TRANSCRIPT OF

Board of Boiler

December 14, 2016

Stone & George COURT REPORTING

2020 Fieldstone Pkwy

Suite 900 - PMB 234

Franklin, TN 37069

(615) 268-1244

This transcript is intended for your law firm's own use. If you wish to share this transcript with an outside law firm, log back in to your CasePlanner account and click the **Share** button.

For questions, call (615) 268-1244 or send an email to nangeorge@stoneandgeorge.com

	Page 1	P_2	age 3
1.	STATE OF TENNESSEE	1. APPEARANCES	150 3
	DEPARTMENT OF LABOR AND WORKFORCE DEVELOPMENT	2.	
2.	BOILER UNIT DIVISION	3. Brian Morelock, Chairman	
3.		Eugene Robinson, Board Member, Insurance Representative	
4. 5.		5.	
5. 6.		David Baughman, Board Member, Owner/User 6. Representative	
7.		7. Dr. S. Keith Hargrove, Board Member, Mechanical	
8.	TRANSCRIPT OF PROCEEDINGS	Engineer Representative	
9.	OF	8. Michael Jay Pischke, Board Member, Boiler	
10.	BOARD OF BOILER RULES	9. Manufacturer Representative	
11.	December 14, 2016	10. Sam Chapman, Assistant Chief Boiler Inspector	
12.	BEFORE: Brian Morelock, Chairman	 Kim Y. Jefferson, Esq., Administrator Dan Bailey, Esq., Legal Counsel 	
13.		13. Carlene T. Bennett, Board Secretary	
14.		14. Deborah Rhone, Department of Labor and Workforce	
15.		Development, WRC	
16. 17.		15. James Neville, Neville Engineering	
18.		16.	
19.		Jim Golden, StoneCrest Medical Center 17.	
20.		Marty Toth, Boiler Supply Company and the Boisco	
21.		18. Training Group	
22.		 David Flowers, Combustion and Control Solutions Lional Dunnavant, Combustion and Control Solutions 	
		21. Rick Kinser, Mayfield Dairy Farm	
23.	DOMINIQUE A. DUBOIS, LCR# 686	22. Christopher Hartford, Hartford Steam Boiler	
24.	STONE & GEORGE COURT REPORTING 2020 Fieldstone Parkway	Inspection Insurance Company	
	Suite 900 - PMB 234	23. John Swezy, Boiler Code Tech, LLC	
25.	Franklin, Tennessee 37069	24.	
	(615) 221-1089	25.	
1	Page 2	Pa 1. AGENDA	age 4
1.	The above-styled cause came on for	2. I. Call Meeting to Order	
2.	hearing on this the 14th day of December, 2016,	II. Introductions and Announcements III. Annual Conflict of Interest Policy,	
3.	before the Board of Boiler Rules of Tennessee	Acknowledgment and Disclosure	
4.	Department of Labor and Workforce Development, at	5. IV. Adoption of the Agenda	
5.	220 French Landing Drive, PEARL Room, 1st Floor,	6. V. Chief Boiler Inspector's Report	
6.	Nashville, Tennessee, when and where the following	7. VI. Old Business	
7.	proceedings were had, to wit:	8.	
8.		* None 9.	
9.		VII. New Business 10.	
10.		* 16-15 11.	
11.		* 16-16	
12.		12. * 16-17	
13.		13. VIII. Open Discussion Items	
14.		14. * Proposed 2017 meeting dates	
15.		15.	
16.		- Wednesday, March 15th 16.	
17.		- Wednesday, June 14th 17.	
18.		- Wednesday, September 20th 18.	
19.		- Wednesday, December 13th	
20.		19. * Job description for Boiler Inspector 4	
		(Chief) position. *Approved Role/Responsibility for Board	
21.		Board Members.	
22.		22. * The National Board Synopsis, NB-370,	
23.		needs to be updated for Tennessee. 24. * Editorial revision to the recently	
24.		revised TN Rule 0800-03-03.	
25.		25. * Revision to T.C.A. 68-122-109(a) due to	
		•	

	Page 5		Page 7
1.	changes in how the National Board	1.	Stone & George Court Reporting.
2	Commissioning Exam is given.	2.	MS. BENNETT: Carlene Bennett, Board
2.	IX. Rule Cases and Interpretations	3.	secretary.
3.	The cases and merpremions	4.	MR. CHAPMAN: Sam Chapman, Chief
	* Postpone until March 15, 2017 meeting	5.	Inspector.
4.	X. The next Board of Boiler Rules Meeting is	6.	MR. PISCHKE: Mike Pishke. GE Power,
5.	scheduled for 9:00 a.m. (CT), Wednesday,	7.	representing manufacturers.
	March 15, 2017, at the Department of	8.	MR. ROBINSON: Eugene Robinson,
6.	Labor & Workforce Development Office Building located at 220 French Landing	9.	Tennessee Board member.
7.	Drive, Nashville, TN.	10.	CHAIRMAN MORELOCK: Brian Morelock,
8.	XI. Adjournment	11.	Board chair.
9.		12.	MR. HARGROVE: Good morning. Keith
10.		13.	Hargrove, Board member.
11. 12.		14.	MR. BAUGHMAN: Dave Baughman, Board
13.		15.	member.
14.		16.	MS. RHONE: Deborah Rhone, Boiler
15.		17.	Office Supervisor.
16.		18.	MS. JEFFERSON: Kim Jefferson,
17.		19.	Administrator.
18.		20.	MR. BAILEY: Dan Bailey, Legal
19. 20.		$\begin{bmatrix} 20. \\ 21. \end{bmatrix}$	Counsel.
21.		$\begin{bmatrix} 21. \\ 22. \end{bmatrix}$	CHAIRMAN MORELOCK: Our visitor. Go
22.			
23.		23.	ahead and introduce yourself.
24.		24.	MR. GOLDEN: Hi, I'm Jim Golden.
25.		25.	StoneCrest Medical Center.
	Page 6	+	Page 8
1.	PROCEEDINGS	1.	MR. TOTH: Marty Toth, Boiler Supply
2.	CHAIRMAN MORELOCK: Good morning,	2.	Company and the Boisco Training Group.
3.	everybody. Welcome to the December Tennessee Board	3.	MR. NEVILLE: James Neville, Neville
<i>4</i> .	of Boiler Rules meeting, and we're going to get	4.	Engineering.
5.	started here. Just some housekeeping items before I	5.	MR. KINSER: (Inaudible comment.)
	1 0		MIX. IXINSEIX. (Illaudible collillelli.)
6. 7	go to the agenda. The Board members need to	6.	THE REPORTER: I'm sorry, sir. Could
7.	complete their conflict of interest documents and	6. 7.	THE REPORTER: I'm sorry, sir. Could you speak up? I can't I didn't I couldn't
7. 8.	complete their conflict of interest documents and any expense reports and get those to Carlene. There	6. 7. 8.	THE REPORTER: I'm sorry, sir. Could you speak up? I can't I didn't I couldn't hear you.
7. 8. 9.	complete their conflict of interest documents and any expense reports and get those to Carlene. There will be an attendance sheet routing here	6. 7. 8. 9.	THE REPORTER: I'm sorry, sir. Could you speak up? I can't I didn't I couldn't hear you. MR. KINSER: Oh, I'm sorry.
7. 8. 9.	complete their conflict of interest documents and any expense reports and get those to Carlene. There will be an attendance sheet routing here momentarily, so everybody can sign in and record	6. 7. 8. 9. 10.	THE REPORTER: I'm sorry, sir. Could you speak up? I can't I didn't I couldn't hear you. MR. KINSER: Oh, I'm sorry. Rick Kinser, Mayfield Dairy Farms planning plant
7. 8. 9. 10.	complete their conflict of interest documents and any expense reports and get those to Carlene. There will be an attendance sheet routing here momentarily, so everybody can sign in and record your attendance.	6. 7. 8. 9. 10.	THE REPORTER: I'm sorry, sir. Could you speak up? I can't I didn't I couldn't hear you. MR. KINSER: Oh, I'm sorry. Rick Kinser, Mayfield Dairy Farms planning plant manager of engineering.
7. 8. 9. 10. 11.	complete their conflict of interest documents and any expense reports and get those to Carlene. There will be an attendance sheet routing here momentarily, so everybody can sign in and record your attendance. If you don't have an agenda, they're	6. 7. 8. 9. 10. 11.	THE REPORTER: I'm sorry, sir. Could you speak up? I can't I didn't I couldn't hear you. MR. KINSER: Oh, I'm sorry. Rick Kinser, Mayfield Dairy Farms planning plant manager of engineering. MR. FLOWERS: David Flowers,
7. 8. 9. 10. 11. 12.	complete their conflict of interest documents and any expense reports and get those to Carlene. There will be an attendance sheet routing here momentarily, so everybody can sign in and record your attendance. If you don't have an agenda, they're on the back table for our visitors. Please make	6. 7. 8. 9. 10. 11. 12.	THE REPORTER: I'm sorry, sir. Could you speak up? I can't I didn't I couldn't hear you. MR. KINSER: Oh, I'm sorry. Rick Kinser, Mayfield Dairy Farms planning plant manager of engineering. MR. FLOWERS: David Flowers, Combustion and Control Solutions.
7. 8. 9. 10. 11. 12. 13.	complete their conflict of interest documents and any expense reports and get those to Carlene. There will be an attendance sheet routing here momentarily, so everybody can sign in and record your attendance. If you don't have an agenda, they're on the back table for our visitors. Please make yourself available to those. We have	6. 7. 8. 9. 10. 11. 12. 13.	THE REPORTER: I'm sorry, sir. Could you speak up? I can't I didn't I couldn't hear you. MR. KINSER: Oh, I'm sorry. Rick Kinser, Mayfield Dairy Farms planning plant manager of engineering. MR. FLOWERS: David Flowers, Combustion and Control Solutions. MR. DUNNAVANT: Lional Dunnavant,
7. 8. 9. 10. 11. 12. 13. 14.	complete their conflict of interest documents and any expense reports and get those to Carlene. There will be an attendance sheet routing here momentarily, so everybody can sign in and record your attendance. If you don't have an agenda, they're on the back table for our visitors. Please make yourself available to those. We have refreshments, as well.	6. 7. 8. 9. 10. 11. 12. 13. 14.	THE REPORTER: I'm sorry, sir. Could you speak up? I can't I didn't I couldn't hear you. MR. KINSER: Oh, I'm sorry. Rick Kinser, Mayfield Dairy Farms planning plant manager of engineering. MR. FLOWERS: David Flowers, Combustion and Control Solutions. MR. DUNNAVANT: Lional Dunnavant, Combustion and Control Solutions.
7. 8. 9. 10. 11. 12. 13. 14. 15.	complete their conflict of interest documents and any expense reports and get those to Carlene. There will be an attendance sheet routing here momentarily, so everybody can sign in and record your attendance. If you don't have an agenda, they're on the back table for our visitors. Please make yourself available to those. We have refreshments, as well. And with that, I'm going to go ahead	6. 7. 8. 9. 10. 11. 12. 13. 14. 15.	THE REPORTER: I'm sorry, sir. Could you speak up? I can't I didn't I couldn't hear you. MR. KINSER: Oh, I'm sorry. Rick Kinser, Mayfield Dairy Farms planning plant manager of engineering. MR. FLOWERS: David Flowers, Combustion and Control Solutions. MR. DUNNAVANT: Lional Dunnavant, Combustion and Control Solutions. MR. HARTFORD: Christopher Hartford,
7. 8. 9. 10. 11. 12. 13. 14. 15. 16.	complete their conflict of interest documents and any expense reports and get those to Carlene. There will be an attendance sheet routing here momentarily, so everybody can sign in and record your attendance. If you don't have an agenda, they're on the back table for our visitors. Please make yourself available to those. We have refreshments, as well. And with that, I'm going to go ahead and call the meeting to order. And we'll start	6. 7. 8. 9. 10. 11. 12. 13. 14. 15. 16.	THE REPORTER: I'm sorry, sir. Could you speak up? I can't I didn't I couldn't hear you. MR. KINSER: Oh, I'm sorry. Rick Kinser, Mayfield Dairy Farms planning plant manager of engineering. MR. FLOWERS: David Flowers, Combustion and Control Solutions. MR. DUNNAVANT: Lional Dunnavant, Combustion and Control Solutions. MR. HARTFORD: Christopher Hartford, Hartford Steam Boiler Inspection Insurance Company.
7. 8. 9. 10. 11. 12. 13. 14. 15. 16. 17.	complete their conflict of interest documents and any expense reports and get those to Carlene. There will be an attendance sheet routing here momentarily, so everybody can sign in and record your attendance. If you don't have an agenda, they're on the back table for our visitors. Please make yourself available to those. We have refreshments, as well. And with that, I'm going to go ahead and call the meeting to order. And we'll start with just a short safety item. In the event of an	6. 7. 8. 9. 10. 11. 12. 13. 14. 15. 16. 17.	THE REPORTER: I'm sorry, sir. Could you speak up? I can't I didn't I couldn't hear you. MR. KINSER: Oh, I'm sorry. Rick Kinser, Mayfield Dairy Farms planning plant manager of engineering. MR. FLOWERS: David Flowers, Combustion and Control Solutions. MR. DUNNAVANT: Lional Dunnavant, Combustion and Control Solutions. MR. HARTFORD: Christopher Hartford, Hartford Steam Boiler Inspection Insurance Company. MR. SWEZY: John Swezy, Boiler Code
7. 8. 9. 10. 11. 12. 13. 14. 15. 16. 17.	complete their conflict of interest documents and any expense reports and get those to Carlene. There will be an attendance sheet routing here momentarily, so everybody can sign in and record your attendance. If you don't have an agenda, they're on the back table for our visitors. Please make yourself available to those. We have refreshments, as well. And with that, I'm going to go ahead and call the meeting to order. And we'll start with just a short safety item. In the event of an emergency or natural disaster, security personnel	6. 7. 8. 9. 10. 11. 12. 13. 14. 15. 16. 17.	THE REPORTER: I'm sorry, sir. Could you speak up? I can't I didn't I couldn't hear you. MR. KINSER: Oh, I'm sorry. Rick Kinser, Mayfield Dairy Farms planning plant manager of engineering. MR. FLOWERS: David Flowers, Combustion and Control Solutions. MR. DUNNAVANT: Lional Dunnavant, Combustion and Control Solutions. MR. HARTFORD: Christopher Hartford, Hartford Steam Boiler Inspection Insurance Company. MR. SWEZY: John Swezy, Boiler Code Tech, LLC.
7. 8. 9. 10. 11. 12. 13. 14. 15. 16. 17. 18.	complete their conflict of interest documents and any expense reports and get those to Carlene. There will be an attendance sheet routing here momentarily, so everybody can sign in and record your attendance. If you don't have an agenda, they're on the back table for our visitors. Please make yourself available to those. We have refreshments, as well. And with that, I'm going to go ahead and call the meeting to order. And we'll start with just a short safety item. In the event of an emergency or natural disaster, security personnel will take attendees to a safe place in the	6. 7. 8. 9. 10. 11. 12. 13. 14. 15. 16. 17. 18. 19.	THE REPORTER: I'm sorry, sir. Could you speak up? I can't I didn't I couldn't hear you. MR. KINSER: Oh, I'm sorry. Rick Kinser, Mayfield Dairy Farms planning plant manager of engineering. MR. FLOWERS: David Flowers, Combustion and Control Solutions. MR. DUNNAVANT: Lional Dunnavant, Combustion and Control Solutions. MR. HARTFORD: Christopher Hartford, Hartford Steam Boiler Inspection Insurance Company. MR. SWEZY: John Swezy, Boiler Code Tech, LLC. CHAIRMAN MORELOCK: Okay. Again,
7. 8. 9. 11. 11. 12. 13. 14. 15. 16. 17. 18. 19. 20.	complete their conflict of interest documents and any expense reports and get those to Carlene. There will be an attendance sheet routing here momentarily, so everybody can sign in and record your attendance. If you don't have an agenda, they're on the back table for our visitors. Please make yourself available to those. We have refreshments, as well. And with that, I'm going to go ahead and call the meeting to order. And we'll start with just a short safety item. In the event of an emergency or natural disaster, security personnel will take attendees to a safe place in the building or direct them to exit the building on	6. 7. 8. 9. 10. 11. 12. 13. 14. 15. 16. 17. 18. 19. 20. 21.	THE REPORTER: I'm sorry, sir. Could you speak up? I can't I didn't I couldn't hear you. MR. KINSER: Oh, I'm sorry. Rick Kinser, Mayfield Dairy Farms planning plant manager of engineering. MR. FLOWERS: David Flowers, Combustion and Control Solutions. MR. DUNNAVANT: Lional Dunnavant, Combustion and Control Solutions. MR. HARTFORD: Christopher Hartford, Hartford Steam Boiler Inspection Insurance Company. MR. SWEZY: John Swezy, Boiler Code Tech, LLC. CHAIRMAN MORELOCK: Okay. Again, welcome everyone. We have an agenda before us.
7. 8. 9. 110. 111. 112. 113. 114. 115. 116. 117. 118. 119. 220. 221.	complete their conflict of interest documents and any expense reports and get those to Carlene. There will be an attendance sheet routing here momentarily, so everybody can sign in and record your attendance. If you don't have an agenda, they're on the back table for our visitors. Please make yourself available to those. We have refreshments, as well. And with that, I'm going to go ahead and call the meeting to order. And we'll start with just a short safety item. In the event of an emergency or natural disaster, security personnel will take attendees to a safe place in the building or direct them to exit the building on the Rosa Parks side. So then, as far as	6. 7. 8. 9. 10. 11. 12. 13. 14. 15. 16. 17. 18. 19. 20.	THE REPORTER: I'm sorry, sir. Could you speak up? I can't I didn't I couldn't hear you. MR. KINSER: Oh, I'm sorry. Rick Kinser, Mayfield Dairy Farms planning plant manager of engineering. MR. FLOWERS: David Flowers, Combustion and Control Solutions. MR. DUNNAVANT: Lional Dunnavant, Combustion and Control Solutions. MR. HARTFORD: Christopher Hartford, Hartford Steam Boiler Inspection Insurance Company. MR. SWEZY: John Swezy, Boiler Code Tech, LLC. CHAIRMAN MORELOCK: Okay. Again, welcome everyone. We have an agenda before us. So
7. 8. 9. 10. 11. 12. 13. 14. 15. 16. 17. 18. 19. 20. 21. 22.	complete their conflict of interest documents and any expense reports and get those to Carlene. There will be an attendance sheet routing here momentarily, so everybody can sign in and record your attendance. If you don't have an agenda, they're on the back table for our visitors. Please make yourself available to those. We have refreshments, as well. And with that, I'm going to go ahead and call the meeting to order. And we'll start with just a short safety item. In the event of an emergency or natural disaster, security personnel will take attendees to a safe place in the building or direct them to exit the building on the Rosa Parks side. So then, as far as introductions go, I will begin with Dominique.	6. 7. 8. 9. 10. 11. 12. 13. 14. 15. 16. 17. 18. 19. 20. 21.	THE REPORTER: I'm sorry, sir. Could you speak up? I can't I didn't I couldn't hear you. MR. KINSER: Oh, I'm sorry. Rick Kinser, Mayfield Dairy Farms planning plant manager of engineering. MR. FLOWERS: David Flowers, Combustion and Control Solutions. MR. DUNNAVANT: Lional Dunnavant, Combustion and Control Solutions. MR. HARTFORD: Christopher Hartford, Hartford Steam Boiler Inspection Insurance Company. MR. SWEZY: John Swezy, Boiler Code Tech, LLC. CHAIRMAN MORELOCK: Okay. Again, welcome everyone. We have an agenda before us. So MR. ROBINSON: Motion to adopt the
7. 8. 9. 10. 11. 12. 13. 14. 15. 16. 17. 18. 19. 20. 21. 22. 23.	complete their conflict of interest documents and any expense reports and get those to Carlene. There will be an attendance sheet routing here momentarily, so everybody can sign in and record your attendance. If you don't have an agenda, they're on the back table for our visitors. Please make yourself available to those. We have refreshments, as well. And with that, I'm going to go ahead and call the meeting to order. And we'll start with just a short safety item. In the event of an emergency or natural disaster, security personnel will take attendees to a safe place in the building or direct them to exit the building on the Rosa Parks side. So then, as far as introductions go, I will begin with Dominique. So	6. 7. 8. 9. 10. 11. 12. 13. 14. 15. 16. 17. 18. 19. 20. 21. 22. 23. 24.	THE REPORTER: I'm sorry, sir. Could you speak up? I can't I didn't I couldn't hear you. MR. KINSER: Oh, I'm sorry. Rick Kinser, Mayfield Dairy Farms planning plant manager of engineering. MR. FLOWERS: David Flowers, Combustion and Control Solutions. MR. DUNNAVANT: Lional Dunnavant, Combustion and Control Solutions. MR. HARTFORD: Christopher Hartford, Hartford Steam Boiler Inspection Insurance Company. MR. SWEZY: John Swezy, Boiler Code Tech, LLC. CHAIRMAN MORELOCK: Okay. Again, welcome everyone. We have an agenda before us. So MR. ROBINSON: Motion to adopt the agenda.
7. 8. 9. 10. 111. 112. 113. 114. 115. 116. 117. 118. 119. 220. 221. 222.	complete their conflict of interest documents and any expense reports and get those to Carlene. There will be an attendance sheet routing here momentarily, so everybody can sign in and record your attendance. If you don't have an agenda, they're on the back table for our visitors. Please make yourself available to those. We have refreshments, as well. And with that, I'm going to go ahead and call the meeting to order. And we'll start with just a short safety item. In the event of an emergency or natural disaster, security personnel will take attendees to a safe place in the building or direct them to exit the building on the Rosa Parks side. So then, as far as introductions go, I will begin with Dominique.	6. 7. 8. 9. 10. 11. 12. 13. 14. 15. 16. 17. 18. 19. 20. 21. 22. 23.	THE REPORTER: I'm sorry, sir. Could you speak up? I can't I didn't I couldn't hear you. MR. KINSER: Oh, I'm sorry. Rick Kinser, Mayfield Dairy Farms planning plant manager of engineering. MR. FLOWERS: David Flowers, Combustion and Control Solutions. MR. DUNNAVANT: Lional Dunnavant, Combustion and Control Solutions. MR. HARTFORD: Christopher Hartford, Hartford Steam Boiler Inspection Insurance Company. MR. SWEZY: John Swezy, Boiler Code Tech, LLC. CHAIRMAN MORELOCK: Okay. Again, welcome everyone. We have an agenda before us. So MR. ROBINSON: Motion to adopt the

		Page 9		Page 11
1.	have a second?		1.	changes to the National Board website. On the
2.	MR. BAUGHMAN: Second.		2.	laws passing, we did add the unfired pressure
3.	CHAIRMAN MORELOCK: Are there any		3.	vessel, which was dated in 1955. We added that to
4.	additions, corrections, changes to the agenda? All		4.	it. And we for the CSD1, we added to the
5.	right. Hearing none, I'm going to call the		5.	current condition current addition. I'm having
6.	question. All in favor, say "aye."		6.	trouble talking today.
7.	MR. BAUGHMAN: Aye.		7.	Okay. Also on number six, under the
8.	MR. HARGROVE: Aye.		8.	miscellaneous, we did add to where we do a set
9.	MR. PISCHKE: Aye.		9.	routine repair. And that is the Chief's Report.
10.	MR. ROBINSON: Aye.		10.	CHAIRMAN MORELOCK: Okay. Thank you.
11.	CHAIRMAN MORELOCK: Opposed?		11.	Any questions, comments about the Chief's Report?
12.	Abstentions? Not voting? We do have an approved		12.	Okay. Very good.
13.	agenda.		13.	Moving on to Item six, which is old
14.	One thing I would ask is if you do		14.	business. There is no old business. Just moving
15.	have your cell phone, which I'm sure most of us		15.	on to Item seven, which is new business, and so
16.	have, if you'd put that on silent, please, out of		16.	everybody keeps me honest, I will ask on each item
17.	respect for the presenters and the proceedings		17.	if there is a conflict of interest, and so just
18.	today?		18.	keep that in mind. And then for the presenters,
19.	And Item four is conflict of		19.	when your item comes up for discussion, please
20.	interest, and the Board members are working on		20.	come to the table up here, introduce yourself for
21.	those and getting those to Carlene.		21.	Dominique so she can record who you are. And then
22.	So that moves us to Item five, which		22.	present your item and then we'll discuss it and
23.	is the Chief Inspector's report, and I'll hand		23.	take any action on that.
24.	that off to Mr. Chapman.		24.	So with all that said, our first item
25.	MR. CHAPMAN: Not yet.		25.	is 16-15, which is Wacker Polysilicon North
	·			·
		Page 10		Page 12
1.	CHAIRMAN MORELOCK: Not yet?	Page 10	1.	_
1. 2.	CHAIRMAN MORELOCK: Not yet?	Page 10	1. 2.	Page 12 America, and they were going to make a presentation on their RBI status. And in the
1		Page 10	l	America, and they were going to make a
2.	CHAIRMAN MORELOCK: Not yet? MR. CHAPMAN: You haven't given me my	Page 10	2.	America, and they were going to make a presentation on their RBI status. And in the
2. 3.	CHAIRMAN MORELOCK: Not yet? MR. CHAPMAN: You haven't given me my folder back.	Page 10	2. 3.	America, and they were going to make a presentation on their RBI status. And in the interest of fairness to them, I'm probably certain
2. 3. 4.	CHAIRMAN MORELOCK: Not yet? MR. CHAPMAN: You haven't given me my folder back. MS. RHONE: Here.	Page 10	2. 3. 4.	America, and they were going to make a presentation on their RBI status. And in the interest of fairness to them, I'm probably certain they're stuck in traffic right now, so let's if
2. 3. 4. 5.	CHAIRMAN MORELOCK: Not yet? MR. CHAPMAN: You haven't given me my folder back. MS. RHONE: Here. MR. HARGROVE: There we go.	Page 10	2. 3. 4. 5.	America, and they were going to make a presentation on their RBI status. And in the interest of fairness to them, I'm probably certain they're stuck in traffic right now, so let's if it's okay, I'd like to move their item down on the
2. 3. 4. 5. 6.	CHAIRMAN MORELOCK: Not yet? MR. CHAPMAN: You haven't given me my folder back. MS. RHONE: Here. MR. HARGROVE: There we go. MR. CHAPMAN: Thank you.	Page 10	2. 3. 4. 5. 6.	America, and they were going to make a presentation on their RBI status. And in the interest of fairness to them, I'm probably certain they're stuck in traffic right now, so let's if it's okay, I'd like to move their item down on the agenda and give them time to get here. And so
2. 3. 4. 5. 6. 7.	CHAIRMAN MORELOCK: Not yet? MR. CHAPMAN: You haven't given me my folder back. MS. RHONE: Here. MR. HARGROVE: There we go. MR. CHAPMAN: Thank you. CHAIRMAN MORELOCK: Oh, okay. All	Page 10	2. 3. 4. 5. 6. 7.	America, and they were going to make a presentation on their RBI status. And in the interest of fairness to them, I'm probably certain they're stuck in traffic right now, so let's if it's okay, I'd like to move their item down on the agenda and give them time to get here. And so we'll just table their item here and see if they
2. 3. 4. 5. 6. 7. 8.	CHAIRMAN MORELOCK: Not yet? MR. CHAPMAN: You haven't given me my folder back. MS. RHONE: Here. MR. HARGROVE: There we go. MR. CHAPMAN: Thank you. CHAIRMAN MORELOCK: Oh, okay. All right.	Page 10	2. 3. 4. 5. 6. 7. 8.	America, and they were going to make a presentation on their RBI status. And in the interest of fairness to them, I'm probably certain they're stuck in traffic right now, so let's if it's okay, I'd like to move their item down on the agenda and give them time to get here. And so we'll just table their item here and see if they can arrive.
2. 3. 4. 5. 6. 7. 8. 9.	CHAIRMAN MORELOCK: Not yet? MR. CHAPMAN: You haven't given me my folder back. MS. RHONE: Here. MR. HARGROVE: There we go. MR. CHAPMAN: Thank you. CHAIRMAN MORELOCK: Oh, okay. All right. MR. CHAPMAN: We found it.	Page 10	2. 3. 4. 5. 6. 7. 8. 9.	America, and they were going to make a presentation on their RBI status. And in the interest of fairness to them, I'm probably certain they're stuck in traffic right now, so let's if it's okay, I'd like to move their item down on the agenda and give them time to get here. And so we'll just table their item here and see if they can arrive. So I'm going to move on to Item
2. 3. 4. 5. 6. 7. 8. 9.	CHAIRMAN MORELOCK: Not yet? MR. CHAPMAN: You haven't given me my folder back. MS. RHONE: Here. MR. HARGROVE: There we go. MR. CHAPMAN: Thank you. CHAIRMAN MORELOCK: Oh, okay. All right. MR. CHAPMAN: We found it. MR. PISCHKE: We found it.	Page 10	2. 3. 4. 5. 6. 7. 8. 9.	America, and they were going to make a presentation on their RBI status. And in the interest of fairness to them, I'm probably certain they're stuck in traffic right now, so let's if it's okay, I'd like to move their item down on the agenda and give them time to get here. And so we'll just table their item here and see if they can arrive. So I'm going to move on to Item 16-16, which is Mayfield Dairy Farm, Athens,
2. 3. 4. 5. 6. 7. 8. 9. 10.	CHAIRMAN MORELOCK: Not yet? MR. CHAPMAN: You haven't given me my folder back. MS. RHONE: Here. MR. HARGROVE: There we go. MR. CHAPMAN: Thank you. CHAIRMAN MORELOCK: Oh, okay. All right. MR. CHAPMAN: We found it. MR. PISCHKE: We found it. CHAIRMAN MORELOCK: Good.	Page 10	2. 3. 4. 5. 6. 7. 8. 9. 10.	America, and they were going to make a presentation on their RBI status. And in the interest of fairness to them, I'm probably certain they're stuck in traffic right now, so let's if it's okay, I'd like to move their item down on the agenda and give them time to get here. And so we'll just table their item here and see if they can arrive. So I'm going to move on to Item 16-16, which is Mayfield Dairy Farm, Athens, Tennessee.
2. 3. 4. 5. 6. 7. 8. 9. 10. 11.	CHAIRMAN MORELOCK: Not yet? MR. CHAPMAN: You haven't given me my folder back. MS. RHONE: Here. MR. HARGROVE: There we go. MR. CHAPMAN: Thank you. CHAIRMAN MORELOCK: Oh, okay. All right. MR. CHAPMAN: We found it. MR. PISCHKE: We found it. CHAIRMAN MORELOCK: Good. MR. CHAPMAN: I'm sorry about that.	Page 10	2. 3. 4. 5. 6. 7. 8. 9. 10. 11.	America, and they were going to make a presentation on their RBI status. And in the interest of fairness to them, I'm probably certain they're stuck in traffic right now, so let's if it's okay, I'd like to move their item down on the agenda and give them time to get here. And so we'll just table their item here and see if they can arrive. So I'm going to move on to Item 16-16, which is Mayfield Dairy Farm, Athens, Tennessee. MR. FLOWERS: Good morning. I'm
2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12.	CHAIRMAN MORELOCK: Not yet? MR. CHAPMAN: You haven't given me my folder back. MS. RHONE: Here. MR. HARGROVE: There we go. MR. CHAPMAN: Thank you. CHAIRMAN MORELOCK: Oh, okay. All right. MR. CHAPMAN: We found it. MR. PISCHKE: We found it. CHAIRMAN MORELOCK: Good. MR. CHAPMAN: I'm sorry about that. Okay. For the Chief's Report. All right.	Page 10	2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13.	America, and they were going to make a presentation on their RBI status. And in the interest of fairness to them, I'm probably certain they're stuck in traffic right now, so let's if it's okay, I'd like to move their item down on the agenda and give them time to get here. And so we'll just table their item here and see if they can arrive. So I'm going to move on to Item 16-16, which is Mayfield Dairy Farm, Athens, Tennessee. MR. FLOWERS: Good morning. I'm David Flowers from Combustion and Control Solutions.
2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13.	CHAIRMAN MORELOCK: Not yet? MR. CHAPMAN: You haven't given me my folder back. MS. RHONE: Here. MR. HARGROVE: There we go. MR. CHAPMAN: Thank you. CHAIRMAN MORELOCK: Oh, okay. All right. MR. CHAPMAN: We found it. MR. PISCHKE: We found it. CHAIRMAN MORELOCK: Good. MR. CHAPMAN: I'm sorry about that. Okay. For the Chief's Report. All right. Inspections performed by the State inspector is	Page 10	2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13.	America, and they were going to make a presentation on their RBI status. And in the interest of fairness to them, I'm probably certain they're stuck in traffic right now, so let's if it's okay, I'd like to move their item down on the agenda and give them time to get here. And so we'll just table their item here and see if they can arrive. So I'm going to move on to Item 16-16, which is Mayfield Dairy Farm, Athens, Tennessee. MR. FLOWERS: Good morning. I'm David Flowers from Combustion and Control Solutions. With me is Rick Kinser who is the plant engineering
2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14.	CHAIRMAN MORELOCK: Not yet? MR. CHAPMAN: You haven't given me my folder back. MS. RHONE: Here. MR. HARGROVE: There we go. MR. CHAPMAN: Thank you. CHAIRMAN MORELOCK: Oh, okay. All right. MR. CHAPMAN: We found it. MR. PISCHKE: We found it. CHAIRMAN MORELOCK: Good. MR. CHAPMAN: I'm sorry about that. Okay. For the Chief's Report. All right. Inspections performed by the State inspector is 2,101. For the inspection insurance, it's 5,709	Page 10	2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15.	America, and they were going to make a presentation on their RBI status. And in the interest of fairness to them, I'm probably certain they're stuck in traffic right now, so let's if it's okay, I'd like to move their item down on the agenda and give them time to get here. And so we'll just table their item here and see if they can arrive. So I'm going to move on to Item 16-16, which is Mayfield Dairy Farm, Athens, Tennessee. MR. FLOWERS: Good morning. I'm David Flowers from Combustion and Control Solutions. With me is Rick Kinser who is the plant engineering manager with Mayfield Dairy. With us also is
2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15.	CHAIRMAN MORELOCK: Not yet? MR. CHAPMAN: You haven't given me my folder back. MS. RHONE: Here. MR. HARGROVE: There we go. MR. CHAPMAN: Thank you. CHAIRMAN MORELOCK: Oh, okay. All right. MR. CHAPMAN: We found it. MR. PISCHKE: We found it. CHAIRMAN MORELOCK: Good. MR. CHAPMAN: I'm sorry about that. Okay. For the Chief's Report. All right. Inspections performed by the State inspector is 2,101. For the inspection insurance, it's 5,709 inspections, giving us a total of 7,810. Total	Page 10	2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15. 16.	America, and they were going to make a presentation on their RBI status. And in the interest of fairness to them, I'm probably certain they're stuck in traffic right now, so let's if it's okay, I'd like to move their item down on the agenda and give them time to get here. And so we'll just table their item here and see if they can arrive. So I'm going to move on to Item 16-16, which is Mayfield Dairy Farm, Athens, Tennessee. MR. FLOWERS: Good morning. I'm David Flowers from Combustion and Control Solutions. With me is Rick Kinser who is the plant engineering manager with Mayfield Dairy. With us also is Lional Dunnavant, our controls technician. He's
2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15. 16.	CHAIRMAN MORELOCK: Not yet? MR. CHAPMAN: You haven't given me my folder back. MS. RHONE: Here. MR. HARGROVE: There we go. MR. CHAPMAN: Thank you. CHAIRMAN MORELOCK: Oh, okay. All right. MR. CHAPMAN: We found it. MR. PISCHKE: We found it. CHAIRMAN MORELOCK: Good. MR. CHAPMAN: I'm sorry about that. Okay. For the Chief's Report. All right. Inspections performed by the State inspector is 2,101. For the inspection insurance, it's 5,709 inspections, giving us a total of 7,810. Total number of vessels from the State is 635 and 291.	Page 10	2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15. 16.	America, and they were going to make a presentation on their RBI status. And in the interest of fairness to them, I'm probably certain they're stuck in traffic right now, so let's if it's okay, I'd like to move their item down on the agenda and give them time to get here. And so we'll just table their item here and see if they can arrive. So I'm going to move on to Item 16-16, which is Mayfield Dairy Farm, Athens, Tennessee. MR. FLOWERS: Good morning. I'm David Flowers from Combustion and Control Solutions. With me is Rick Kinser who is the plant engineering manager with Mayfield Dairy. With us also is Lional Dunnavant, our controls technician. He's here to answer any technical questions regarding the
2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15. 16. 17.	CHAIRMAN MORELOCK: Not yet? MR. CHAPMAN: You haven't given me my folder back. MS. RHONE: Here. MR. HARGROVE: There we go. MR. CHAPMAN: Thank you. CHAIRMAN MORELOCK: Oh, okay. All right. MR. CHAPMAN: We found it. MR. PISCHKE: We found it. CHAIRMAN MORELOCK: Good. MR. CHAPMAN: I'm sorry about that. Okay. For the Chief's Report. All right. Inspections performed by the State inspector is 2,101. For the inspection insurance, it's 5,709 inspections, giving us a total of 7,810. Total number of vessels from the State is 635 and 291. Those are delinquent. Giving us a total of 926	Page 10	2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15. 16. 17.	America, and they were going to make a presentation on their RBI status. And in the interest of fairness to them, I'm probably certain they're stuck in traffic right now, so let's if it's okay, I'd like to move their item down on the agenda and give them time to get here. And so we'll just table their item here and see if they can arrive. So I'm going to move on to Item 16-16, which is Mayfield Dairy Farm, Athens, Tennessee. MR. FLOWERS: Good morning. I'm David Flowers from Combustion and Control Solutions. With me is Rick Kinser who is the plant engineering manager with Mayfield Dairy. With us also is Lional Dunnavant, our controls technician. He's here to answer any technical questions regarding the control scheme and the way we've got this proposed.
2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15. 16. 17.	CHAIRMAN MORELOCK: Not yet? MR. CHAPMAN: You haven't given me my folder back. MS. RHONE: Here. MR. HARGROVE: There we go. MR. CHAPMAN: Thank you. CHAIRMAN MORELOCK: Oh, okay. All right. MR. CHAPMAN: We found it. MR. PISCHKE: We found it. CHAIRMAN MORELOCK: Good. MR. CHAPMAN: I'm sorry about that. Okay. For the Chief's Report. All right. Inspections performed by the State inspector is 2,101. For the inspection insurance, it's 5,709 inspections, giving us a total of 7,810. Total number of vessels from the State is 635 and 291. Those are delinquent. Giving us a total of 926 vessels. That's on the delinquent list.	Page 10	2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15. 16. 17. 18.	America, and they were going to make a presentation on their RBI status. And in the interest of fairness to them, I'm probably certain they're stuck in traffic right now, so let's if it's okay, I'd like to move their item down on the agenda and give them time to get here. And so we'll just table their item here and see if they can arrive. So I'm going to move on to Item 16-16, which is Mayfield Dairy Farm, Athens, Tennessee. MR. FLOWERS: Good morning. I'm David Flowers from Combustion and Control Solutions. With me is Rick Kinser who is the plant engineering manager with Mayfield Dairy. With us also is Lional Dunnavant, our controls technician. He's here to answer any technical questions regarding the control scheme and the way we've got this proposed. CHAIRMAN MORELOCK: Okay.
2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15. 16. 17. 18. 19. 20.	CHAIRMAN MORELOCK: Not yet? MR. CHAPMAN: You haven't given me my folder back. MS. RHONE: Here. MR. HARGROVE: There we go. MR. CHAPMAN: Thank you. CHAIRMAN MORELOCK: Oh, okay. All right. MR. CHAPMAN: We found it. MR. PISCHKE: We found it. CHAIRMAN MORELOCK: Good. MR. CHAPMAN: I'm sorry about that. Okay. For the Chief's Report. All right. Inspections performed by the State inspector is 2,101. For the inspection insurance, it's 5,709 inspections, giving us a total of 7,810. Total number of vessels from the State is 635 and 291. Those are delinquent. Giving us a total of 926 vessels. That's on the delinquent list. Okay. Number of code violations were	Page 10	2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15. 16. 17. 18. 19. 20.	America, and they were going to make a presentation on their RBI status. And in the interest of fairness to them, I'm probably certain they're stuck in traffic right now, so let's if it's okay, I'd like to move their item down on the agenda and give them time to get here. And so we'll just table their item here and see if they can arrive. So I'm going to move on to Item 16-16, which is Mayfield Dairy Farm, Athens, Tennessee. MR. FLOWERS: Good morning. I'm David Flowers from Combustion and Control Solutions. With me is Rick Kinser who is the plant engineering manager with Mayfield Dairy. With us also is Lional Dunnavant, our controls technician. He's here to answer any technical questions regarding the control scheme and the way we've got this proposed. CHAIRMAN MORELOCK: Okay. MR. FLOWERS: This is a request
2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15. 16. 17. 18. 19. 20. 21.	CHAIRMAN MORELOCK: Not yet? MR. CHAPMAN: You haven't given me my folder back. MS. RHONE: Here. MR. HARGROVE: There we go. MR. CHAPMAN: Thank you. CHAIRMAN MORELOCK: Oh, okay. All right. MR. CHAPMAN: We found it. MR. PISCHKE: We found it. CHAIRMAN MORELOCK: Good. MR. CHAPMAN: I'm sorry about that. Okay. For the Chief's Report. All right. Inspections performed by the State inspector is 2,101. For the inspection insurance, it's 5,709 inspections, giving us a total of 7,810. Total number of vessels from the State is 635 and 291. Those are delinquent. Giving us a total of 926 vessels. That's on the delinquent list. Okay. Number of code violations were	Page 10	2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15. 16. 17. 18. 19. 20. 21.	America, and they were going to make a presentation on their RBI status. And in the interest of fairness to them, I'm probably certain they're stuck in traffic right now, so let's if it's okay, I'd like to move their item down on the agenda and give them time to get here. And so we'll just table their item here and see if they can arrive. So I'm going to move on to Item 16-16, which is Mayfield Dairy Farm, Athens, Tennessee. MR. FLOWERS: Good morning. I'm David Flowers from Combustion and Control Solutions. With me is Rick Kinser who is the plant engineering manager with Mayfield Dairy. With us also is Lional Dunnavant, our controls technician. He's here to answer any technical questions regarding the control scheme and the way we've got this proposed. CHAIRMAN MORELOCK: Okay. MR. FLOWERS: This is a request for
2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15. 16. 17. 18. 19. 20. 21. 22.	CHAIRMAN MORELOCK: Not yet? MR. CHAPMAN: You haven't given me my folder back. MS. RHONE: Here. MR. HARGROVE: There we go. MR. CHAPMAN: Thank you. CHAIRMAN MORELOCK: Oh, okay. All right. MR. CHAPMAN: We found it. MR. PISCHKE: We found it. CHAIRMAN MORELOCK: Good. MR. CHAPMAN: I'm sorry about that. Okay. For the Chief's Report. All right. Inspections performed by the State inspector is 2,101. For the inspection insurance, it's 5,709 inspections, giving us a total of 7,810. Total number of vessels from the State is 635 and 291. Those are delinquent. Giving us a total of 926 vessels. That's on the delinquent list. Okay. Number of code violations were 15, and we have five that are uncorrected. Boiler variance that was performed during this cycle was	Page 10	2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15. 16. 17. 18. 19. 20. 21. 22.	America, and they were going to make a presentation on their RBI status. And in the interest of fairness to them, I'm probably certain they're stuck in traffic right now, so let's if it's okay, I'd like to move their item down on the agenda and give them time to get here. And so we'll just table their item here and see if they can arrive. So I'm going to move on to Item 16-16, which is Mayfield Dairy Farm, Athens, Tennessee. MR. FLOWERS: Good morning. I'm David Flowers from Combustion and Control Solutions. With me is Rick Kinser who is the plant engineering manager with Mayfield Dairy. With us also is Lional Dunnavant, our controls technician. He's here to answer any technical questions regarding the control scheme and the way we've got this proposed. CHAIRMAN MORELOCK: Okay. MR. FLOWERS: This is a request for MR. PISCHKE: Hey, Brian, declare
2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15. 16. 17. 18. 19. 20. 21. 22. 23.	CHAIRMAN MORELOCK: Not yet? MR. CHAPMAN: You haven't given me my folder back. MS. RHONE: Here. MR. HARGROVE: There we go. MR. CHAPMAN: Thank you. CHAIRMAN MORELOCK: Oh, okay. All right. MR. CHAPMAN: We found it. MR. PISCHKE: We found it. CHAIRMAN MORELOCK: Good. MR. CHAPMAN: I'm sorry about that. Okay. For the Chief's Report. All right. Inspections performed by the State inspector is 2,101. For the inspection insurance, it's 5,709 inspections, giving us a total of 7,810. Total number of vessels from the State is 635 and 291. Those are delinquent. Giving us a total of 926 vessels. That's on the delinquent list. Okay. Number of code violations were 15, and we have five that are uncorrected. Boiler variance that was performed during this cycle was four on that.	Page 10	2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15. 16. 17. 18. 19. 20. 21. 22. 23.	America, and they were going to make a presentation on their RBI status. And in the interest of fairness to them, I'm probably certain they're stuck in traffic right now, so let's if it's okay, I'd like to move their item down on the agenda and give them time to get here. And so we'll just table their item here and see if they can arrive. So I'm going to move on to Item 16-16, which is Mayfield Dairy Farm, Athens, Tennessee. MR. FLOWERS: Good morning. I'm David Flowers from Combustion and Control Solutions. With me is Rick Kinser who is the plant engineering manager with Mayfield Dairy. With us also is Lional Dunnavant, our controls technician. He's here to answer any technical questions regarding the control scheme and the way we've got this proposed. CHAIRMAN MORELOCK: Okay. MR. FLOWERS: This is a request for MR. PISCHKE: Hey, Brian, declare conflict.

	Page 13		Page 15
1.	MR. BAUGHMAN: Yes.	1.	vulnerability
2.	CHAIRMAN MORELOCK: Okay. We do have	2.	MR. DUNNAVANT: The password
3.	one conflict of interest. All right. Thank you.	3.	protection itself is based on a plant level. They
4.	Proceed.	4.	will decide who has access to different levels and
5.	MR. FLOWERS: This is a request for a	5.	how far it can go. As far as the vulnerability of
6.	new variance, as stated in our cover letter, for	6.	the system, the e-stop situation is still basically
7.	Mayfield Dairy. They have two boilers, one	7.	on site. The communications through the cellular
8.	300-horsepower Cleaver-Brooks, one 500-horsepower	8.	network is strictly notification. At the point
9.	Cleaver-Brooks, uses a Fireye E110 flame safeguard.	9.	where the ZOOM FleetZOOM comes into action, the
10.	The FleetZOOM system is the notification system we	10.	boilers are already down. They're simply notifying
11.	will use to alert the various trained personnel who	11.	maintenance personnel that there is an issue to
12.	will respond in the emergency procedures. You	12.	address. So which would require hands on eyes
13.	should have our manual, and we'll be happy to answer	13.	on the boiler and a physical reset before anything
14.	any questions you might have.	14.	can be restarted.
15.	CHAIRMAN MORELOCK: Okay. Do I have	15.	MR. HARGROVE: Okay. And how would
16.	a motion for this item so we can discuss it?	16.	you describe the response of the team of a network
17.	MR. ROBINSON: Motion to discuss.	17.	failure?
18.	CHAIRMAN MORELOCK: Okay. Do I have	18.	MR. DUNNAVANT: In the event of a
19.	a second?	19.	network failure, everything goes back to local
20.	MR. HARGROVE: Second.	20.	control. You would still have an operator present.
21.	CHAIRMAN MORELOCK: Okay. So the	21.	Someone would be at the facility. Even though
22.	floor is open. Anybody have any questions or	22.	they're not monitoring the boiler every 20 minutes,
23.	comments about this system operation manual for	23.	they are still there on site and would be notified,
24.	Mayfield?	24.	because the just the way it's a manual system
25.	MR. HARGROVE: Yeah.	25.	as far as on the plant.
	Page 14		Page 16
1.	Page 14 CHAIRMAN MORELOCK: Yes.	1.	Page 16 CHAIRMAN MORELOCK: And let me
1. 2.	_	1. 2.	-
1	CHAIRMAN MORELOCK: Yes.	1	CHAIRMAN MORELOCK: And let me
2.	CHAIRMAN MORELOCK: Yes. MR. HARGROVE: I have a question. So	2.	CHAIRMAN MORELOCK: And let me clarify. If there ever is any issue with any
2. 3.	CHAIRMAN MORELOCK: Yes. MR. HARGROVE: I have a question. So on behalf of the Board, excellent description of	2. 3.	CHAIRMAN MORELOCK: And let me clarify. If there ever is any issue with any variance that we do, any issue, communication issue,
2. 3. 4.	CHAIRMAN MORELOCK: Yes. MR. HARGROVE: I have a question. So on behalf of the Board, excellent description of your system that you have.	2. 3. 4.	CHAIRMAN MORELOCK: And let me clarify. If there ever is any issue with any variance that we do, any issue, communication issue, network issue, whatever, everything reverts back to
2. 3. 4. 5.	CHAIRMAN MORELOCK: Yes. MR. HARGROVE: I have a question. So on behalf of the Board, excellent description of your system that you have. MR. FLOWERS: Thank you. MR. HARGROVE: One of the issues that we as Board members have discussed with the	2. 3. 4. 5. 6. 7.	CHAIRMAN MORELOCK: And let me clarify. If there ever is any issue with any variance that we do, any issue, communication issue, network issue, whatever, everything reverts back to the 20-minute rule and they will have people on site. MR. DUNNAVANT: Right.
2. 3. 4. 5. 6.	CHAIRMAN MORELOCK: Yes. MR. HARGROVE: I have a question. So on behalf of the Board, excellent description of your system that you have. MR. FLOWERS: Thank you. MR. HARGROVE: One of the issues that we as Board members have discussed with the emergence of IT and the use of remote monitoring	2. 3. 4. 5. 6.	CHAIRMAN MORELOCK: And let me clarify. If there ever is any issue with any variance that we do, any issue, communication issue, network issue, whatever, everything reverts back to the 20-minute rule and they will have people on site. MR. DUNNAVANT: Right. MR. HARGROVE: That's what I was
2. 3. 4. 5. 6. 7. 8. 9.	CHAIRMAN MORELOCK: Yes. MR. HARGROVE: I have a question. So on behalf of the Board, excellent description of your system that you have. MR. FLOWERS: Thank you. MR. HARGROVE: One of the issues that we as Board members have discussed with the emergence of IT and the use of remote monitoring systems is a developing issue of cyber	2. 3. 4. 5. 6. 7. 8. 9.	CHAIRMAN MORELOCK: And let me clarify. If there ever is any issue with any variance that we do, any issue, communication issue, network issue, whatever, everything reverts back to the 20-minute rule and they will have people on site. MR. DUNNAVANT: Right. MR. HARGROVE: That's what I was looking for.
2. 3. 4. 5. 6. 7. 8. 9.	CHAIRMAN MORELOCK: Yes. MR. HARGROVE: I have a question. So on behalf of the Board, excellent description of your system that you have. MR. FLOWERS: Thank you. MR. HARGROVE: One of the issues that we as Board members have discussed with the emergence of IT and the use of remote monitoring systems is a developing issue of cyber vulnerability. In other words, the IT structure of	2. 3. 4. 5. 6. 7. 8. 9.	CHAIRMAN MORELOCK: And let me clarify. If there ever is any issue with any variance that we do, any issue, communication issue, network issue, whatever, everything reverts back to the 20-minute rule and they will have people on site. MR. DUNNAVANT: Right. MR. HARGROVE: That's what I was looking for. MR. FLOWERS: Okay.
2. 3. 4. 5. 6. 7. 8. 9. 10.	CHAIRMAN MORELOCK: Yes. MR. HARGROVE: I have a question. So on behalf of the Board, excellent description of your system that you have. MR. FLOWERS: Thank you. MR. HARGROVE: One of the issues that we as Board members have discussed with the emergence of IT and the use of remote monitoring systems is a developing issue of cyber vulnerability. In other words, the IT structure of these systems that are becoming more prevalent, are	2. 3. 4. 5. 6. 7. 8. 9. 10.	CHAIRMAN MORELOCK: And let me clarify. If there ever is any issue with any variance that we do, any issue, communication issue, network issue, whatever, everything reverts back to the 20-minute rule and they will have people on site. MR. DUNNAVANT: Right. MR. HARGROVE: That's what I was looking for. MR. FLOWERS: Okay. MR. HARGROVE: Okay. All right.
2. 3. 4. 5. 6. 7. 8. 9. 10. 11.	CHAIRMAN MORELOCK: Yes. MR. HARGROVE: I have a question. So on behalf of the Board, excellent description of your system that you have. MR. FLOWERS: Thank you. MR. HARGROVE: One of the issues that we as Board members have discussed with the emergence of IT and the use of remote monitoring systems is a developing issue of cyber vulnerability. In other words, the IT structure of these systems that are becoming more prevalent, are they protected internally as well as externally?	2. 3. 4. 5. 6. 7. 8. 9. 10. 11.	CHAIRMAN MORELOCK: And let me clarify. If there ever is any issue with any variance that we do, any issue, communication issue, network issue, whatever, everything reverts back to the 20-minute rule and they will have people on site. MR. DUNNAVANT: Right. MR. HARGROVE: That's what I was looking for. MR. FLOWERS: Okay. MR. HARGROVE: Okay. All right. MR. FLOWERS: And we state that in
2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12.	CHAIRMAN MORELOCK: Yes. MR. HARGROVE: I have a question. So on behalf of the Board, excellent description of your system that you have. MR. FLOWERS: Thank you. MR. HARGROVE: One of the issues that we as Board members have discussed with the emergence of IT and the use of remote monitoring systems is a developing issue of cyber vulnerability. In other words, the IT structure of these systems that are becoming more prevalent, are they protected internally as well as externally? I want to ask a couple of questions.	2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12.	CHAIRMAN MORELOCK: And let me clarify. If there ever is any issue with any variance that we do, any issue, communication issue, network issue, whatever, everything reverts back to the 20-minute rule and they will have people on site. MR. DUNNAVANT: Right. MR. HARGROVE: That's what I was looking for. MR. FLOWERS: Okay. MR. HARGROVE: Okay. All right. MR. FLOWERS: And we state that in the manual.
2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13.	CHAIRMAN MORELOCK: Yes. MR. HARGROVE: I have a question. So on behalf of the Board, excellent description of your system that you have. MR. FLOWERS: Thank you. MR. HARGROVE: One of the issues that we as Board members have discussed with the emergence of IT and the use of remote monitoring systems is a developing issue of cyber vulnerability. In other words, the IT structure of these systems that are becoming more prevalent, are they protected internally as well as externally? I want to ask a couple of questions. One is, do you have any documentation on the	2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13.	CHAIRMAN MORELOCK: And let me clarify. If there ever is any issue with any variance that we do, any issue, communication issue, network issue, whatever, everything reverts back to the 20-minute rule and they will have people on site. MR. DUNNAVANT: Right. MR. HARGROVE: That's what I was looking for. MR. FLOWERS: Okay. MR. HARGROVE: Okay. All right. MR. FLOWERS: And we state that in the manual. CHAIRMAN MORELOCK: Uh-huh. You do.
2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14.	CHAIRMAN MORELOCK: Yes. MR. HARGROVE: I have a question. So on behalf of the Board, excellent description of your system that you have. MR. FLOWERS: Thank you. MR. HARGROVE: One of the issues that we as Board members have discussed with the emergence of IT and the use of remote monitoring systems is a developing issue of cyber vulnerability. In other words, the IT structure of these systems that are becoming more prevalent, are they protected internally as well as externally? I want to ask a couple of questions. One is, do you have any documentation on the frequency on password protection or how often that	2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15.	CHAIRMAN MORELOCK: And let me clarify. If there ever is any issue with any variance that we do, any issue, communication issue, network issue, whatever, everything reverts back to the 20-minute rule and they will have people on site. MR. DUNNAVANT: Right. MR. HARGROVE: That's what I was looking for. MR. FLOWERS: Okay. MR. HARGROVE: Okay. All right. MR. FLOWERS: And we state that in the manual. CHAIRMAN MORELOCK: Uh-huh. You do. MR. HARGROVE: Okay. And
2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15.	CHAIRMAN MORELOCK: Yes. MR. HARGROVE: I have a question. So on behalf of the Board, excellent description of your system that you have. MR. FLOWERS: Thank you. MR. HARGROVE: One of the issues that we as Board members have discussed with the emergence of IT and the use of remote monitoring systems is a developing issue of cyber vulnerability. In other words, the IT structure of these systems that are becoming more prevalent, are they protected internally as well as externally? I want to ask a couple of questions. One is, do you have any documentation on the frequency on password protection or how often that is changed or what kind of methods? Or is there a	2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15. 16.	CHAIRMAN MORELOCK: And let me clarify. If there ever is any issue with any variance that we do, any issue, communication issue, network issue, whatever, everything reverts back to the 20-minute rule and they will have people on site. MR. DUNNAVANT: Right. MR. HARGROVE: That's what I was looking for. MR. FLOWERS: Okay. MR. HARGROVE: Okay. All right. MR. FLOWERS: And we state that in the manual. CHAIRMAN MORELOCK: Uh-huh. You do. MR. HARGROVE: Okay. And CHAIRMAN MORELOCK: Any other oh,
2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15. 16.	CHAIRMAN MORELOCK: Yes. MR. HARGROVE: I have a question. So on behalf of the Board, excellent description of your system that you have. MR. FLOWERS: Thank you. MR. HARGROVE: One of the issues that we as Board members have discussed with the emergence of IT and the use of remote monitoring systems is a developing issue of cyber vulnerability. In other words, the IT structure of these systems that are becoming more prevalent, are they protected internally as well as externally? I want to ask a couple of questions. One is, do you have any documentation on the frequency on password protection or how often that is changed or what kind of methods? Or is there a protocol to protect the vulnerability of that	2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15. 16.	CHAIRMAN MORELOCK: And let me clarify. If there ever is any issue with any variance that we do, any issue, communication issue, network issue, whatever, everything reverts back to the 20-minute rule and they will have people on site. MR. DUNNAVANT: Right. MR. HARGROVE: That's what I was looking for. MR. FLOWERS: Okay. MR. HARGROVE: Okay. All right. MR. FLOWERS: And we state that in the manual. CHAIRMAN MORELOCK: Uh-huh. You do. MR. HARGROVE: Okay. And CHAIRMAN MORELOCK: Any other oh, I'm sorry. Go right ahead.
2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15. 16. 17.	CHAIRMAN MORELOCK: Yes. MR. HARGROVE: I have a question. So on behalf of the Board, excellent description of your system that you have. MR. FLOWERS: Thank you. MR. HARGROVE: One of the issues that we as Board members have discussed with the emergence of IT and the use of remote monitoring systems is a developing issue of cyber vulnerability. In other words, the IT structure of these systems that are becoming more prevalent, are they protected internally as well as externally? I want to ask a couple of questions. One is, do you have any documentation on the frequency on password protection or how often that is changed or what kind of methods? Or is there a protocol to protect the vulnerability of that remote monitoring system?	2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15. 16. 17. 18.	CHAIRMAN MORELOCK: And let me clarify. If there ever is any issue with any variance that we do, any issue, communication issue, network issue, whatever, everything reverts back to the 20-minute rule and they will have people on site. MR. DUNNAVANT: Right. MR. HARGROVE: That's what I was looking for. MR. FLOWERS: Okay. MR. HARGROVE: Okay. All right. MR. FLOWERS: And we state that in the manual. CHAIRMAN MORELOCK: Uh-huh. You do. MR. HARGROVE: Okay. And CHAIRMAN MORELOCK: Any other oh, I'm sorry. Go right ahead. MR. HARGROVE: And second question
2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15. 16. 17.	CHAIRMAN MORELOCK: Yes. MR. HARGROVE: I have a question. So on behalf of the Board, excellent description of your system that you have. MR. FLOWERS: Thank you. MR. HARGROVE: One of the issues that we as Board members have discussed with the emergence of IT and the use of remote monitoring systems is a developing issue of cyber vulnerability. In other words, the IT structure of these systems that are becoming more prevalent, are they protected internally as well as externally? I want to ask a couple of questions. One is, do you have any documentation on the frequency on password protection or how often that is changed or what kind of methods? Or is there a protocol to protect the vulnerability of that remote monitoring system? MR. FLOWERS: Well, first I would say	2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15. 16. 17.	CHAIRMAN MORELOCK: And let me clarify. If there ever is any issue with any variance that we do, any issue, communication issue, network issue, whatever, everything reverts back to the 20-minute rule and they will have people on site. MR. DUNNAVANT: Right. MR. HARGROVE: That's what I was looking for. MR. FLOWERS: Okay. MR. HARGROVE: Okay. All right. MR. FLOWERS: And we state that in the manual. CHAIRMAN MORELOCK: Uh-huh. You do. MR. HARGROVE: Okay. And CHAIRMAN MORELOCK: Any other oh, I'm sorry. Go right ahead. MR. HARGROVE: And second question is, training is done once a year for the group or is
2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15. 16. 17. 18. 19.	CHAIRMAN MORELOCK: Yes. MR. HARGROVE: I have a question. So on behalf of the Board, excellent description of your system that you have. MR. FLOWERS: Thank you. MR. HARGROVE: One of the issues that we as Board members have discussed with the emergence of IT and the use of remote monitoring systems is a developing issue of cyber vulnerability. In other words, the IT structure of these systems that are becoming more prevalent, are they protected internally as well as externally? I want to ask a couple of questions. One is, do you have any documentation on the frequency on password protection or how often that is changed or what kind of methods? Or is there a protocol to protect the vulnerability of that remote monitoring system? MR. FLOWERS: Well, first I would say that, you know, the way that this system will	2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15. 16. 17. 18. 19. 20.	CHAIRMAN MORELOCK: And let me clarify. If there ever is any issue with any variance that we do, any issue, communication issue, network issue, whatever, everything reverts back to the 20-minute rule and they will have people on site. MR. DUNNAVANT: Right. MR. HARGROVE: That's what I was looking for. MR. FLOWERS: Okay. MR. HARGROVE: Okay. All right. MR. FLOWERS: And we state that in the manual. CHAIRMAN MORELOCK: Uh-huh. You do. MR. HARGROVE: Okay. And CHAIRMAN MORELOCK: Any other oh, I'm sorry. Go right ahead. MR. HARGROVE: And second question is, training is done once a year for the group or is it more frequent?
2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15. 16. 17. 18. 19. 20. 21.	CHAIRMAN MORELOCK: Yes. MR. HARGROVE: I have a question. So on behalf of the Board, excellent description of your system that you have. MR. FLOWERS: Thank you. MR. HARGROVE: One of the issues that we as Board members have discussed with the emergence of IT and the use of remote monitoring systems is a developing issue of cyber vulnerability. In other words, the IT structure of these systems that are becoming more prevalent, are they protected internally as well as externally? I want to ask a couple of questions. One is, do you have any documentation on the frequency on password protection or how often that is changed or what kind of methods? Or is there a protocol to protect the vulnerability of that remote monitoring system? MR. FLOWERS: Well, first I would say that, you know, the way that this system will operate, the notification system, is over a cellular	2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15. 16. 17. 18. 19. 20. 21.	CHAIRMAN MORELOCK: And let me clarify. If there ever is any issue with any variance that we do, any issue, communication issue, network issue, whatever, everything reverts back to the 20-minute rule and they will have people on site. MR. DUNNAVANT: Right. MR. HARGROVE: That's what I was looking for. MR. FLOWERS: Okay. MR. HARGROVE: Okay. All right. MR. FLOWERS: And we state that in the manual. CHAIRMAN MORELOCK: Uh-huh. You do. MR. HARGROVE: Okay. And CHAIRMAN MORELOCK: Any other oh, I'm sorry. Go right ahead. MR. HARGROVE: And second question is, training is done once a year for the group or is it more frequent? MR. FLOWERS: Training will be done
2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15. 16. 17. 18. 19. 20. 21. 22.	CHAIRMAN MORELOCK: Yes. MR. HARGROVE: I have a question. So on behalf of the Board, excellent description of your system that you have. MR. FLOWERS: Thank you. MR. HARGROVE: One of the issues that we as Board members have discussed with the emergence of IT and the use of remote monitoring systems is a developing issue of cyber vulnerability. In other words, the IT structure of these systems that are becoming more prevalent, are they protected internally as well as externally? I want to ask a couple of questions. One is, do you have any documentation on the frequency on password protection or how often that is changed or what kind of methods? Or is there a protocol to protect the vulnerability of that remote monitoring system? MR. FLOWERS: Well, first I would say that, you know, the way that this system will operate, the notification system, is over a cellular system. So	2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15. 16. 17. 18. 19. 20. 21. 22.	CHAIRMAN MORELOCK: And let me clarify. If there ever is any issue with any variance that we do, any issue, communication issue, network issue, whatever, everything reverts back to the 20-minute rule and they will have people on site. MR. DUNNAVANT: Right. MR. HARGROVE: That's what I was looking for. MR. FLOWERS: Okay. MR. HARGROVE: Okay. All right. MR. FLOWERS: And we state that in the manual. CHAIRMAN MORELOCK: Uh-huh. You do. MR. HARGROVE: Okay. And CHAIRMAN MORELOCK: Any other oh, I'm sorry. Go right ahead. MR. HARGROVE: And second question is, training is done once a year for the group or is it more frequent? MR. FLOWERS: Training will be done initially, before the inspection is called for, on
2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15. 16. 17. 18. 19. 20. 21. 22. 23.	CHAIRMAN MORELOCK: Yes. MR. HARGROVE: I have a question. So on behalf of the Board, excellent description of your system that you have. MR. FLOWERS: Thank you. MR. HARGROVE: One of the issues that we as Board members have discussed with the emergence of IT and the use of remote monitoring systems is a developing issue of cyber vulnerability. In other words, the IT structure of these systems that are becoming more prevalent, are they protected internally as well as externally? I want to ask a couple of questions. One is, do you have any documentation on the frequency on password protection or how often that is changed or what kind of methods? Or is there a protocol to protect the vulnerability of that remote monitoring system? MR. FLOWERS: Well, first I would say that, you know, the way that this system will operate, the notification system, is over a cellular system. So MR. HARGROVE: Okay.	2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15. 16. 17. 18. 19. 20. 21. 22. 23.	CHAIRMAN MORELOCK: And let me clarify. If there ever is any issue with any variance that we do, any issue, communication issue, network issue, whatever, everything reverts back to the 20-minute rule and they will have people on site. MR. DUNNAVANT: Right. MR. HARGROVE: That's what I was looking for. MR. FLOWERS: Okay. MR. HARGROVE: Okay. All right. MR. FLOWERS: And we state that in the manual. CHAIRMAN MORELOCK: Uh-huh. You do. MR. HARGROVE: Okay. And CHAIRMAN MORELOCK: Any other oh, I'm sorry. Go right ahead. MR. HARGROVE: And second question is, training is done once a year for the group or is it more frequent? MR. FLOWERS: Training will be done initially, before the inspection is called for, on all personnel related to normal and emergency
2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15. 16. 17. 18. 19. 20. 21. 22. 23. 24.	CHAIRMAN MORELOCK: Yes. MR. HARGROVE: I have a question. So on behalf of the Board, excellent description of your system that you have. MR. FLOWERS: Thank you. MR. HARGROVE: One of the issues that we as Board members have discussed with the emergence of IT and the use of remote monitoring systems is a developing issue of cyber vulnerability. In other words, the IT structure of these systems that are becoming more prevalent, are they protected internally as well as externally? I want to ask a couple of questions. One is, do you have any documentation on the frequency on password protection or how often that is changed or what kind of methods? Or is there a protocol to protect the vulnerability of that remote monitoring system? MR. FLOWERS: Well, first I would say that, you know, the way that this system will operate, the notification system, is over a cellular system. So— MR. HARGROVE: Okay. MR. FLOWERS: But I'll let Lional	2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15. 16. 17. 18. 19. 20. 21. 22. 23. 24.	CHAIRMAN MORELOCK: And let me clarify. If there ever is any issue with any variance that we do, any issue, communication issue, network issue, whatever, everything reverts back to the 20-minute rule and they will have people on site. MR. DUNNAVANT: Right. MR. HARGROVE: That's what I was looking for. MR. FLOWERS: Okay. MR. HARGROVE: Okay. All right. MR. FLOWERS: And we state that in the manual. CHAIRMAN MORELOCK: Uh-huh. You do. MR. HARGROVE: Okay. And CHAIRMAN MORELOCK: Any other oh, I'm sorry. Go right ahead. MR. HARGROVE: And second question is, training is done once a year for the group or is it more frequent? MR. FLOWERS: Training will be done initially, before the inspection is called for, on all personnel related to normal and emergency operations. It will then be redone on an annual
2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15. 16. 17. 18. 19. 20. 21. 22. 23.	CHAIRMAN MORELOCK: Yes. MR. HARGROVE: I have a question. So on behalf of the Board, excellent description of your system that you have. MR. FLOWERS: Thank you. MR. HARGROVE: One of the issues that we as Board members have discussed with the emergence of IT and the use of remote monitoring systems is a developing issue of cyber vulnerability. In other words, the IT structure of these systems that are becoming more prevalent, are they protected internally as well as externally? I want to ask a couple of questions. One is, do you have any documentation on the frequency on password protection or how often that is changed or what kind of methods? Or is there a protocol to protect the vulnerability of that remote monitoring system? MR. FLOWERS: Well, first I would say that, you know, the way that this system will operate, the notification system, is over a cellular system. So MR. HARGROVE: Okay.	2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15. 16. 17. 18. 19. 20. 21. 22. 23.	CHAIRMAN MORELOCK: And let me clarify. If there ever is any issue with any variance that we do, any issue, communication issue, network issue, whatever, everything reverts back to the 20-minute rule and they will have people on site. MR. DUNNAVANT: Right. MR. HARGROVE: That's what I was looking for. MR. FLOWERS: Okay. MR. HARGROVE: Okay. All right. MR. FLOWERS: And we state that in the manual. CHAIRMAN MORELOCK: Uh-huh. You do. MR. HARGROVE: Okay. And CHAIRMAN MORELOCK: Any other oh, I'm sorry. Go right ahead. MR. HARGROVE: And second question is, training is done once a year for the group or is it more frequent? MR. FLOWERS: Training will be done initially, before the inspection is called for, on all personnel related to normal and emergency

	Page	e 17			Page 1
1.	that would be a part of the variance or operating		1.	expressed is that there's six subject matter experts	
2.	under the emergency or normal operations would be		2.	at the table. If we take one of those subject	
3.	trained, as well.		3.	matter experts out of the picture, we may lose part	
4.	MR. HARGROVE: Okay. Thank you, sir.		4.	of the content of the item. So but I do see your	
5.	MR. FLOWERS: Yes, sir.		5.	point, as well. But ultimately, it's your decision,	
5.	CHAIRMAN MORELOCK: Any other		6.	Mr. Bailey.	
7.	questions, comments?		7.	MR. BAILEY: No. Ultimately, it's	
3.	MR. BAUGHMAN: Yes. David, does the		8.	your decision. I'm just all I can give is legal	
).	DA get monitored in this proposition?		9.	advice	
).	MR. FLOWERS: It does not. We have	1	10.	CHAIRMAN MORELOCK: Okay.	
•	that capability, but if that's something the Board	- 1	11.	MR. BAILEY: and counsel.	
2.	would like to see if I'm understanding correctly,	- 1	12.	CHAIRMAN MORELOCK: Okay.	
3.	we can notify.	1	13.	MR. BAILEY: And I'm not saying it's	
١.	MR. DUNNAVANT: We can that's	- 1	14.	absolutely forbidden. I just think it gives the	
5.	something that was discussed. We've looked at the	- 1	15.	appearance.	
ó.	possibility of adding that. That's why I have so	- 1	16.	CHAIRMAN MORELOCK: Well, initially	
	many options and inputs on that. At this time,	- 1	17.	when Ms. Yule agreed with your current opinion, we	
3.	we're not going to do it, because we are	- 1	18.	abided by that. We didn't if you declared a	
).	implementing pump shutdown in different situations		19.	conflict, you did not speak to the item. In my	
).	with the boiler like a normal flame safeguard would		20.	you know, we've got four people that are	
1.	do.	- 1	21.	boiler-related, one academia, and one pressure	
2.	MR. BAILEY: Mr. Chairman, if he's	- 1	22.	vessel person. So if there's an item that comes	
3.	declared a conflict, I'm not so sure it's	- 1	23.	before the Board and it's pressure vessel-related	
4.	appropriate for him to be part of the discussion.	- 1	24.	and I have a conflict of interest, then there is no	
5.	CHAIRMAN MORELOCK: Well, Ms. Yule		25.	pressure vessel discussion coming from the Board,	
	Page	e 18			Page 2
l.	(phonetic) we've discussed this in the past.		1.	because I can't speak to it. So that's just	
2.	With conflicts of interest, they can participate in		2.	that's what we've discussed.	
3.	the discussion but no voting. They have to abstain		3.	MR. BAILEY: Okay.	
1.	from voting. Now, if you want to change that		4.	CHAIRMAN MORELOCK: So	
5.	MR. BAILEY: That was her opinion?		5.	MR. BAILEY: Well, I mean, if that's	
6.	CHAIRMAN MORELOCK: That was her		6.	been the practice, then, you know, I'm not saying	
7.	opinion, yes.		7.	it's got to change, but	
3.	MR. BAILEY: Well, I can see if		8.	CHAIRMAN MORELOCK: Okay. Okay.	All
€.	someone has a conflict and they're participating in		9.	right.	
0.	the discussion, that could be perceived as trying to	1	10.	MR. BAUGHMAN: Good. And thanks for	
1.	influence the decision in some way. And I think	1	11.	that, too, because we definitely want to stay within	
2.	that appears certainly has an appearance of a	1	12.	the bounds of what we're doing. My end of it's from	
3.	conflict.	1	13.	the technical side, even though I'm not voting. My	
4.	CHAIRMAN MORELOCK: Okay.	1	14.	interest in the question with the DA is that we've	
5.	MR. BAILEY: And that's my opinion.	1	15.	been ongoing with this since the incident a few	
5.	So I mean, lawyers can disagree, but I think there's	1	16.	years ago with the DA. So even though it's not part	
7.	a problem with that, personally.	1	17.	of our variance, we've talked about making that an	
8.	CHAIRMAN MORELOCK: Okay.		18.	inclusion at some point in time, but I'll leave that	
9.	MR. BAILEY: But I mean	1	19.	within your own discretion to think about whether or	
).	CHAIRMAN MORELOCK: Well, and the		20.	not in the best interest of safety for Mayfield that	
1.	concern is		21.	the DA does, at least, get monitored in some	
2.	MR. BAILEY: you're the chairman.	2	22.	respect. But I'll leave that up to you guys on	
3.	I'm just	- 1	23.	whether to implement that or not.	
4.	CHAIRMAN MORELOCK: Well, and I		24.	MR. FLOWERS: Well, to your point, we	
5.	understand. But the concerns that the Board had	- 1	25.	as a mechanical company and a boiler company, we	
	Provided by Stone & Georg				

	Page 21	_	Page 23
1.	would agree with that. And there are inputs	1.	CHAIRMAN MORELOCK: Right. Right.
2.	available on this system if Mayfield elects to go	2.	MR. FLOWERS: vessel inspections,
3.	forward with that in the future. But as you stated,	3.	obviously, but I would say that from a
4.	that's not a part of the requirement for the	4.	MR. ROBINSON: It needs to be caught
5.	variance, so it's not included in the manual. But	5.	_
-	we believe it's also good practice.	6.	up. MR. FLOWERS: Yes.
6. 7.	CHAIRMAN MORELOCK: Yeah.	7.	
8.	MR. BAUGHMAN: Good. Thanks, David.	8.	MR. ROBINSON: Very good. Okay. And
9.	CHAIRMAN MORELOCK: And I would echo	9.	you can do that. CHAIRMAN MORELOCK: And that's
10.	that. I mean, it's the Board's not going to	10.	something they can follow up with their AI.
11.	require you to do that, because it's not part of the	11.	MR. ROBINSON: AI.
12.	variance process today. So if you choose to do it,	12.	CHAIRMAN MORELOCK: Yeah. Yeah. So
13.	that's your choice.	13.	they yeah, that you can address that with your
14.	MR. FLOWERS: Yeah.	14.	AI. It's not a Board item. So
15.	MR. DUNNAVANT: Okay.	15.	MR. ROBINSON: I noticed your shift
16.	CHAIRMAN MORELOCK: Okay.	16.	•
17.	MR. DUNNAVANT: Thank you.	17.	maintenance duties on page 37. Let's see. Number one really stood out as being responsible for the
18.	CHAIRMAN MORELOCK: Any other	18.	boiler. I read through, you know, the different
19.	questions or comments?	19.	titles, but I was looking for somebody that would
20.	MR. ROBINSON: Yes. I have a few.	20.	he's the guy, and I didn't see that.
21.	Sir, how many boilers are here?	21.	MR. FLOWERS: I believe it is stated
22.	MR. FLOWERS: Two.	22.	elsewhere, and I would have to find it for you. But
23.	MR. ROBINSON: Two?	23.	Rick Kinser
24.	MR. FLOWERS: Yes, sir.	24.	MR. ROBINSON: And the reason why,
25.	MR. ROBINSON: I noted that you had	25.	again is because here's what you had. You had
-0.	771 1622 601		again to cocase note a man you man tou ma
	Page 22		Page 24
1.	several pressure vessels that were expired. Is	1.	and I want for example, go to number three on 37.
2.	there a reason for that as far as the State	2.	Let's see. This is the guy I thought was the
3.	requirements?	3.	person, the shift maintenance supervisor, but he
4.	MR. FLOWERS: At Mayfield Dairy?	4.	actually directs the maintenance department
5.	MR. ROBINSON: Yes.	5.	necessary to assure ensure safe and reliable
6.	MR. FLOWERS: I'm not aware of that.	6.	operation of the boiler room and associated parts.
7.	MR. ROBINSON: There are gosh, it	7.	Then there was a couple of areas
8.	must have been about 11. And it could have been	8.	where you had a shift maintenance
9.	from your refrigeration systems.	9.	supervisor/maintenance person. So I didn't in
10.	MR. KINSER: That's very likely	10.	other words, if you'd have a list and I don't
11.	that's where it's from. And it might have been just	11.	know how do you assign your duties?
12.	a thing that was in the mail and it got lost. And	12.	MR. FLOWERS: Well, it's if you
13.	that part of it	13.	look at the organizational chart I mean and
14.	MR. ROBINSON: I've seen where you	14.	that's what the at least on the previous page,
15.	had recent forgive me. I've seen where you had	15.	you know, it that's the chain of command there.
16.	recent boiler inspections, but then, you know, as I	16.	MR. ROBINSON: Where does it say
17.	scrolled down a little bit lower, I noted that you	17.	boiler?
18.	had several. So you definitely want to get that	18.	MR. FLOWERS: It does not and
19.	caught up. It more or less gave me an appearance of	19.	CHAIRMAN MORELOCK: Yeah.
20.	your maintenance program. When I've seen that, I	20.	MR. FLOWERS: we would be happy to
21.	said wow, why would you do the boilers and not the	21.	clarify that on this page
22.	PVs?	22.	CHAIRMAN MORELOCK: Yeah.
23.	MR. FLOWERS: Well, we as their to	23.	MR. FLOWERS: if that's what you'd
24.	answer your question, we as their vendor don't get	24.	like to see. It's in the manual here where it says
25.	involved in all of their pressure	25.	Mike McGrew is responsible for the boilers,
L			
	Provided by Stone & George C	COLLI	rt Reporting (615) 268-1244
		. .	

1.	Page 2	5	Page
	ultimately responsible for the boilers themselves.	1.	four people, and you know what they could tell me?
2.	And I'm trying to locate that. I don't recall	2.	They're not responsible.
3.	exactly what	3.	CHAIRMAN MORELOCK: Yeah.
4.	CHAIRMAN MORELOCK: Yeah. To build	4.	MR. FLOWERS: Right. I understand.
5.	off Eugene's comment, your organizational chart	5.	MR. DUNNAVANT: Okay.
6.	should show the different organizations, like you've	6.	MR. FLOWERS: We'll be and I
7.	got, but also show who is serving as a boiler	7.	understand. I get that. We'll be happy to clarify
8.	attendant, who's serving as a remote monitor. So	8.	that. I mean, like you said, it's clear in our
9.	it's clear to you, but it's not clear to us	9.	mind, but we didn't obviously
0.	MR. FLOWERS: I understand.	10.	CHAIRMAN MORELOCK: Right. Right.
1.	CHAIRMAN MORELOCK: when we read	11.	MR. FLOWERS: convey that. So
2.	the manual.	12.	I'll be happy to make that clarification.
3.	MR. FLOWERS: Okay.	13.	CHAIRMAN MORELOCK: Yeah. Appreciate
4.	CHAIRMAN MORELOCK: And to build off	14.	that. Go ahead, Eugene.
5.	of that, on page 38, you do talk about normal duties	15.	MR. ROBINSON: Okay. I didn't have a
6.	as far as the shift maintenance supervisor/shift	16.	problem you're going to placard. Are you going
7.	lead man shall contact maintenance personnel at the	17.	to put something next to your monitoring station?
8.	remote monitoring station.	18.	MR. FLOWERS: Yes, sir.
9.	And then your emergency procedures on	19.	MR. ROBINSON: Are you like this
20.	page 43 adds a little more detail. It says,	20.	emergency procedure?
21.	remote monitoring station remote station shall	21.	MR. FLOWERS: Yes, sir.
22.	be continuously manned or monitored by plant	22.	MR. ROBINSON: Okay. Normally what
23.	engineering manager, maintenance manager, shift	23.	we ask for is we try to get a colored sheet inside
	supervisor, security personnel who have been	24.	the manual where you can easily identify it in the
24. 25.	trained in procedures.	25.	case of an emergency. Now, I see this. Okay? I'm
23.	trained in procedures.	23.	case of all emergency. Now, I see this. Okay? This
	Page 2	6	Page
1.	And but what your job descriptions	1.	okay with it. But at the same time, I would love to
2.	and your organizational chart does not show is the	2.	see the colored sheet. Y'all want to maintain
3.	maintenance personnel, but they're a vital part of	3.	consistency.
4.	this system. So you need to show them on the	4.	MR. FLOWERS: Okay.
5.	organizational chart. And I would also to	5.	MR. DUNNAVANT: Okay.
6.	Eugene's comment, you need to show what their	6.	CHAIRMAN MORELOCK: Okay.
7	duties are as maintenance supervisor, shift	7.	MR. ROBINSON: And
/.	which you have, but list specific job duties in		
7. 8.		l 8.	
8.		8.	MR. FLOWERS: By colored sheet, you
8. 9.	that job description for their remote monitoring	9.	MR. FLOWERS: By colored sheet, you mean, like the whole sheet red or the whole
8. 9. 0.	that job description for their remote monitoring and boiler attendant duties, as well, so when	9. 10.	MR. FLOWERS: By colored sheet, you mean, like the whole sheet red or the whole MR. ROBINSON: Yeah. Yeah. Like
8. 9. 0.	that job description for their remote monitoring and boiler attendant duties, as well, so when people read your manual, it's clear who's doing	9. 10. 11.	MR. FLOWERS: By colored sheet, you mean, like the whole sheet red or the whole MR. ROBINSON: Yeah. Yeah. Like yeah. A sheet that you could visibly turn and
8. 9. 0. 1.	that job description for their remote monitoring and boiler attendant duties, as well, so when people read your manual, it's clear who's doing what.	9. 10. 11. 12.	MR. FLOWERS: By colored sheet, you mean, like the whole sheet red or the whole MR. ROBINSON: Yeah. Yeah. Like yeah. A sheet that you could visibly turn and then I'm nervous. I'm looking. I'm looking.
8. 9. 0. 1. 2.	that job description for their remote monitoring and boiler attendant duties, as well, so when people read your manual, it's clear who's doing what. MR. FLOWERS: Okay.	9. 10. 11. 12. 13.	MR. FLOWERS: By colored sheet, you mean, like the whole sheet red or the whole MR. ROBINSON: Yeah. Yeah. Like yeah. A sheet that you could visibly turn and then I'm nervous. I'm looking. I'm looking. The boilers going kiddywampus. Oh, the red sheet.
8. 9. 10. 11. 12. 13.	that job description for their remote monitoring and boiler attendant duties, as well, so when people read your manual, it's clear who's doing what. MR. FLOWERS: Okay. MR. ROBINSON: Right. And that's	9. 10. 11. 12. 13. 14.	MR. FLOWERS: By colored sheet, you mean, like the whole sheet red or the whole MR. ROBINSON: Yeah. Yeah. Like yeah. A sheet that you could visibly turn and then I'm nervous. I'm looking. I'm looking. The boilers going kiddywampus. Oh, the red sheet. MR. FLOWERS: Okay. We can do that.
8. 9. 10. 11. 12. 13. 14.	that job description for their remote monitoring and boiler attendant duties, as well, so when people read your manual, it's clear who's doing what. MR. FLOWERS: Okay. MR. ROBINSON: Right. And that's what I	9. 10. 11. 12. 13. 14.	MR. FLOWERS: By colored sheet, you mean, like the whole sheet red or the whole MR. ROBINSON: Yeah. Yeah. Like yeah. A sheet that you could visibly turn and then I'm nervous. I'm looking. I'm looking. The boilers going kiddywampus. Oh, the red sheet. MR. FLOWERS: Okay. We can do that. We'll be happy to do that.
8. 9. 0. 1. 2. 3. 4. 5.	that job description for their remote monitoring and boiler attendant duties, as well, so when people read your manual, it's clear who's doing what. MR. FLOWERS: Okay. MR. ROBINSON: Right. And that's what I CHAIRMAN MORELOCK: Yeah.	9. 10. 11. 12. 13. 14. 15.	MR. FLOWERS: By colored sheet, you mean, like the whole sheet red or the whole MR. ROBINSON: Yeah. Yeah. Like yeah. A sheet that you could visibly turn and then I'm nervous. I'm looking. I'm looking. The boilers going kiddywampus. Oh, the red sheet. MR. FLOWERS: Okay. We can do that. We'll be happy to do that. MR. DUNNAVANT: And a lot of times,
8. 9. 0. 1. 2. 3. 4. 5. 6. 7.	that job description for their remote monitoring and boiler attendant duties, as well, so when people read your manual, it's clear who's doing what. MR. FLOWERS: Okay. MR. ROBINSON: Right. And that's what I CHAIRMAN MORELOCK: Yeah. MR. ROBINSON: That was the	9. 10. 11. 12. 13. 14. 15. 16.	MR. FLOWERS: By colored sheet, you mean, like the whole sheet red or the whole MR. ROBINSON: Yeah. Yeah. Like yeah. A sheet that you could visibly turn and then I'm nervous. I'm looking. I'm looking. The boilers going kiddywampus. Oh, the red sheet. MR. FLOWERS: Okay. We can do that. We'll be happy to do that. MR. DUNNAVANT: And a lot of times, too, we'll also have a placard made that's beside
8. 9. 0. 1. 2. 3. 4. 5. 6. 7. 8.	that job description for their remote monitoring and boiler attendant duties, as well, so when people read your manual, it's clear who's doing what. MR. FLOWERS: Okay. MR. ROBINSON: Right. And that's what I CHAIRMAN MORELOCK: Yeah. MR. ROBINSON: That was the primary I had a lot of difficulty trying to	9. 10. 11. 12. 13. 14. 15. 16. 17.	MR. FLOWERS: By colored sheet, you mean, like the whole sheet red or the whole MR. ROBINSON: Yeah. Yeah. Like yeah. A sheet that you could visibly turn and then I'm nervous. I'm looking. I'm looking. The boilers going kiddywampus. Oh, the red sheet. MR. FLOWERS: Okay. We can do that. We'll be happy to do that. MR. DUNNAVANT: And a lot of times, too, we'll also have a placard made that's beside the panel.
8. 9. 0. 1. 2. 3. 4. 5. 6. 7. 8. 9.	that job description for their remote monitoring and boiler attendant duties, as well, so when people read your manual, it's clear who's doing what. MR. FLOWERS: Okay. MR. ROBINSON: Right. And that's what I CHAIRMAN MORELOCK: Yeah. MR. ROBINSON: That was the primary I had a lot of difficulty trying to relate who I was going to talk to	9. 10. 11. 12. 13. 14. 15. 16. 17. 18.	MR. FLOWERS: By colored sheet, you mean, like the whole sheet red or the whole MR. ROBINSON: Yeah. Yeah. Like yeah. A sheet that you could visibly turn and then I'm nervous. I'm looking. I'm looking. The boilers going kiddywampus. Oh, the red sheet. MR. FLOWERS: Okay. We can do that. We'll be happy to do that. MR. DUNNAVANT: And a lot of times, too, we'll also have a placard made that's beside the panel. CHAIRMAN MORELOCK: Yes.
8. 9. 0. 1. 2. 3. 4. 5. 6. 7. 8. 9. 20.	that job description for their remote monitoring and boiler attendant duties, as well, so when people read your manual, it's clear who's doing what. MR. FLOWERS: Okay. MR. ROBINSON: Right. And that's what I CHAIRMAN MORELOCK: Yeah. MR. ROBINSON: That was the primary I had a lot of difficulty trying to relate who I was going to talk to CHAIRMAN MORELOCK: Yeah.	9. 10. 11. 12. 13. 14. 15. 16. 17. 18. 19.	MR. FLOWERS: By colored sheet, you mean, like the whole sheet red or the whole MR. ROBINSON: Yeah. Yeah. Like yeah. A sheet that you could visibly turn and then I'm nervous. I'm looking. I'm looking. The boilers going kiddywampus. Oh, the red sheet. MR. FLOWERS: Okay. We can do that. We'll be happy to do that. MR. DUNNAVANT: And a lot of times, too, we'll also have a placard made that's beside the panel. CHAIRMAN MORELOCK: Yes. MR. ROBINSON: That's perfect.
8. 9. 0. 1. 2. 3. 4. 5. 6. 7. 8. 9. 20. 21.	that job description for their remote monitoring and boiler attendant duties, as well, so when people read your manual, it's clear who's doing what. MR. FLOWERS: Okay. MR. ROBINSON: Right. And that's what I CHAIRMAN MORELOCK: Yeah. MR. ROBINSON: That was the primary I had a lot of difficulty trying to relate who I was going to talk to CHAIRMAN MORELOCK: Yeah. MR. FLOWERS: Right. I understand.	9. 10. 11. 12. 13. 14. 15. 16. 17. 18. 19. 20. 21.	MR. FLOWERS: By colored sheet, you mean, like the whole sheet red or the whole MR. ROBINSON: Yeah. Yeah. Like yeah. A sheet that you could visibly turn and then I'm nervous. I'm looking. I'm looking. The boilers going kiddywampus. Oh, the red sheet. MR. FLOWERS: Okay. We can do that. We'll be happy to do that. MR. DUNNAVANT: And a lot of times, too, we'll also have a placard made that's beside the panel. CHAIRMAN MORELOCK: Yes. MR. ROBINSON: That's perfect. CHAIRMAN MORELOCK: Yeah.
8. 9. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1.	that job description for their remote monitoring and boiler attendant duties, as well, so when people read your manual, it's clear who's doing what. MR. FLOWERS: Okay. MR. ROBINSON: Right. And that's what I CHAIRMAN MORELOCK: Yeah. MR. ROBINSON: That was the primary I had a lot of difficulty trying to relate who I was going to talk to CHAIRMAN MORELOCK: Yeah. MR. FLOWERS: Right. I understand. MR. ROBINSON: because I didn't	9. 10. 11. 12. 13. 14. 15. 16. 17. 18. 19. 20. 21. 22.	MR. FLOWERS: By colored sheet, you mean, like the whole sheet red or the whole MR. ROBINSON: Yeah. Yeah. Like yeah. A sheet that you could visibly turn and then I'm nervous. I'm looking. I'm looking. The boilers going kiddywampus. Oh, the red sheet. MR. FLOWERS: Okay. We can do that. We'll be happy to do that. MR. DUNNAVANT: And a lot of times, too, we'll also have a placard made that's beside the panel. CHAIRMAN MORELOCK: Yes. MR. ROBINSON: That's perfect. CHAIRMAN MORELOCK: Yeah. MR. DUNNAVANT: And it actually is
8. 9. 1. 12. 13. 14. 15. 16. 17. 18. 19. 21. 22. 23.	that job description for their remote monitoring and boiler attendant duties, as well, so when people read your manual, it's clear who's doing what. MR. FLOWERS: Okay. MR. ROBINSON: Right. And that's what I CHAIRMAN MORELOCK: Yeah. MR. ROBINSON: That was the primary I had a lot of difficulty trying to relate who I was going to talk to CHAIRMAN MORELOCK: Yeah. MR. FLOWERS: Right. I understand. MR. ROBINSON: because I didn't know.	9. 10. 11. 12. 13. 14. 15. 16. 17. 18. 19. 20. 21. 22. 23.	MR. FLOWERS: By colored sheet, you mean, like the whole sheet red or the whole MR. ROBINSON: Yeah. Yeah. Like yeah. A sheet that you could visibly turn and then I'm nervous. I'm looking. I'm looking. The boilers going kiddywampus. Oh, the red sheet. MR. FLOWERS: Okay. We can do that. We'll be happy to do that. MR. DUNNAVANT: And a lot of times, too, we'll also have a placard made that's beside the panel. CHAIRMAN MORELOCK: Yes. MR. ROBINSON: That's perfect. CHAIRMAN MORELOCK: Yeah. MR. DUNNAVANT: And it actually is just like
8.	that job description for their remote monitoring and boiler attendant duties, as well, so when people read your manual, it's clear who's doing what. MR. FLOWERS: Okay. MR. ROBINSON: Right. And that's what I CHAIRMAN MORELOCK: Yeah. MR. ROBINSON: That was the primary I had a lot of difficulty trying to relate who I was going to talk to CHAIRMAN MORELOCK: Yeah. MR. FLOWERS: Right. I understand. MR. ROBINSON: because I didn't	9. 10. 11. 12. 13. 14. 15. 16. 17. 18. 19. 20. 21. 22.	MR. FLOWERS: By colored sheet, you mean, like the whole sheet red or the whole MR. ROBINSON: Yeah. Yeah. Like yeah. A sheet that you could visibly turn and then I'm nervous. I'm looking. I'm looking. The boilers going kiddywampus. Oh, the red sheet. MR. FLOWERS: Okay. We can do that. We'll be happy to do that. MR. DUNNAVANT: And a lot of times, too, we'll also have a placard made that's beside the panel. CHAIRMAN MORELOCK: Yes. MR. ROBINSON: That's perfect. CHAIRMAN MORELOCK: Yeah. MR. DUNNAVANT: And it actually is

		Page 29		Pa	age 31
1.	defibrillator or anything else. You can go	- 181 -	1.	your hard controls associated with the boiler, but	
2.	CHAIRMAN MORELOCK: Yes.		2.	now, you know, I think back to one of our	
3.	MR. ROBINSON: I'm just looking for		3.	predecessors, Mr. Lung (phonetic). He had made	
4.	that guy. He's going to lock it out.		4.	mention years ago, we had contacted somebody from	
5.	MR. DUNNAVANT: Right. In a panic.		5.	Homeland Security. Shiply (phonetic), I believe his	
6.	CHAIRMAN MORELOCK: Yes.		6.	last name was. And Mr. Shiply explained to us that	
7.	MR. ROBINSON: Yeah.		7.	there was vital threats at the time associated with	
8.	CHAIRMAN MORELOCK: Yes.		8.	the United States and possible Internet attacks on	
9.	MR. DUNNAVANT: Okay. Okay.		9.	boilers. And this was about the time 9/11 occurred.	
10.	MR. ROBINSON: Yeah.		10.	And then Mr. Lung he had mentioned	
11.	MR. FLOWERS: We'll be happy to do		11.	to us the fact that had that location been	
12.	that and submit that		12.	infiltrated, they could have brought down the	
13.	CHAIRMAN MORELOCK: Okay.		13.	entire building, because I think they had five	
14.	MR. FLOWERS: prior to inspection.		14.	boilers in the basement, in the mechanical room,	
15.	MR. ROBINSON: You guys have 24/7		15.	which now tells me that if you could go to your	
16.	security as well, right, around the building?		16.	hard controls, make changes to the hard controls,	
17.	MR. KINSER: We have Securitas is		17.	it could be catastrophic.	
18.	in there.		18.	MR. KINSER: Our boiler control	
19.	MR. ROBINSON: I'm sorry?		19.	system is not actually connected to the ethernet.	
20.	MR. KINSER: Currently, they're there		20.	It's not a it's a system that's never been it	
21.	24/7.		21.	doesn't have the abilities to it and we have no	
22.	MR. ROBINSON: I'm sorry, say that		22.	intention to go ahead and put that towards ethernet.	
23.	once secure what?		23.	MR. FLOWERS: Yeah. It's not tied to	
24.	MR. KINSER: We have Securitas. It's		24.	it with a building management system that's on a	
25.	a		25.	network anywhere. It's about as isolated as you can	
				100 100 100 100 100 100 100 100 100 100	
		Page 30		Pa	age 32
1.	MR. ROBINSON: Tosses?	Page 30	1.		age 32
1. 2.	MR. ROBINSON: Tosses? MR. KINSER: Securitas is the name of	Page 30	1. 2.	get with the exception of this annunciation system	age 32
1		Page 30	l		age 32
2.	MR. KINSER: Securitas is the name of	Page 30	2.	get with the exception of this annunciation system that we're talking about.	age 32
2. 3.	MR. KINSER: Securitas is the name of the company.	Page 30	2. 3.	get with the exception of this annunciation system that we're talking about. MR. DUNNAVANT: And the location of	age 32
2. 3. 4.	MR. KINSER: Securitas is the name of the company. MR. ROBINSON: Oh, okay.	Page 30	2. 3. 4.	get with the exception of this annunciation system that we're talking about. MR. DUNNAVANT: And the location of the boilers themselves is within a secure area.	age 32
2. 3. 4. 5.	MR. KINSER: Securitas is the name of the company. MR. ROBINSON: Oh, okay. MR. FLOWERS: They're the vendor.	Page 30	2. 3. 4. 5.	get with the exception of this annunciation system that we're talking about. MR. DUNNAVANT: And the location of the boilers themselves is within a secure area. It's not like someone can walk in off the street and	age 32
2. 3. 4. 5. 6.	MR. KINSER: Securitas is the name of the company. MR. ROBINSON: Oh, okay. MR. FLOWERS: They're the vendor. MR. KINSER: And currently, because	Page 30	2. 3. 4. 5. 6.	get with the exception of this annunciation system that we're talking about. MR. DUNNAVANT: And the location of the boilers themselves is within a secure area. It's not like someone can walk in off the street and get in there to the hard controls.	age 32
2. 3. 4. 5. 6. 7.	MR. KINSER: Securitas is the name of the company. MR. ROBINSON: Oh, okay. MR. FLOWERS: They're the vendor. MR. KINSER: And currently, because we were having to do it every 20 minutes, they were	Page 30	2. 3. 4. 5. 6. 7.	get with the exception of this annunciation system that we're talking about. MR. DUNNAVANT: And the location of the boilers themselves is within a secure area. It's not like someone can walk in off the street and get in there to the hard controls. MR. ROBINSON: Very well.	age 32
2. 3. 4. 5. 6. 7. 8.	MR. KINSER: Securitas is the name of the company. MR. ROBINSON: Oh, okay. MR. FLOWERS: They're the vendor. MR. KINSER: And currently, because we were having to do it every 20 minutes, they were the ones actually monitoring 24/7. Once we get this	Page 30	2. 3. 4. 5. 6. 7. 8.	get with the exception of this annunciation system that we're talking about. MR. DUNNAVANT: And the location of the boilers themselves is within a secure area. It's not like someone can walk in off the street and get in there to the hard controls. MR. ROBINSON: Very well. MR. DUNNAVANT: Not very easily. I'm	age 32
2. 3. 4. 5. 6. 7. 8. 9.	MR. KINSER: Securitas is the name of the company. MR. ROBINSON: Oh, okay. MR. FLOWERS: They're the vendor. MR. KINSER: And currently, because we were having to do it every 20 minutes, they were the ones actually monitoring 24/7. Once we get this appearance approved, hopefully approved, then	Page 30	2. 3. 4. 5. 6. 7. 8. 9.	get with the exception of this annunciation system that we're talking about. MR. DUNNAVANT: And the location of the boilers themselves is within a secure area. It's not like someone can walk in off the street and get in there to the hard controls. MR. ROBINSON: Very well. MR. DUNNAVANT: Not very easily. I'm not saying it can't happen	age 32
2. 3. 4. 5. 6. 7. 8. 9.	MR. KINSER: Securitas is the name of the company. MR. ROBINSON: Oh, okay. MR. FLOWERS: They're the vendor. MR. KINSER: And currently, because we were having to do it every 20 minutes, they were the ones actually monitoring 24/7. Once we get this appearance approved, hopefully approved, then they'll go back to just coming in when the	Page 30	2. 3. 4. 5. 6. 7. 8. 9.	get with the exception of this annunciation system that we're talking about. MR. DUNNAVANT: And the location of the boilers themselves is within a secure area. It's not like someone can walk in off the street and get in there to the hard controls. MR. ROBINSON: Very well. MR. DUNNAVANT: Not very easily. I'm not saying it can't happen CHAIRMAN MORELOCK: Right.	age 32
2. 3. 4. 5. 6. 7. 8. 9. 10.	MR. KINSER: Securitas is the name of the company. MR. ROBINSON: Oh, okay. MR. FLOWERS: They're the vendor. MR. KINSER: And currently, because we were having to do it every 20 minutes, they were the ones actually monitoring 24/7. Once we get this appearance approved, hopefully approved, then they'll go back to just coming in when the maintenance folks are no longer here to take care of	Page 30	2. 3. 4. 5. 6. 7. 8. 9. 10.	get with the exception of this annunciation system that we're talking about. MR. DUNNAVANT: And the location of the boilers themselves is within a secure area. It's not like someone can walk in off the street and get in there to the hard controls. MR. ROBINSON: Very well. MR. DUNNAVANT: Not very easily. I'm not saying it can't happen CHAIRMAN MORELOCK: Right. MR. DUNNAVANT: because you know	age 32
2. 3. 4. 5. 6. 7. 8. 9. 10. 11.	MR. KINSER: Securitas is the name of the company. MR. ROBINSON: Oh, okay. MR. FLOWERS: They're the vendor. MR. KINSER: And currently, because we were having to do it every 20 minutes, they were the ones actually monitoring 24/7. Once we get this appearance approved, hopefully approved, then they'll go back to just coming in when the maintenance folks are no longer here to take care of things. But usually, it's only during the week and	Page 30	2. 3. 4. 5. 6. 7. 8. 9. 10. 11.	get with the exception of this annunciation system that we're talking about. MR. DUNNAVANT: And the location of the boilers themselves is within a secure area. It's not like someone can walk in off the street and get in there to the hard controls. MR. ROBINSON: Very well. MR. DUNNAVANT: Not very easily. I'm not saying it can't happen CHAIRMAN MORELOCK: Right. MR. DUNNAVANT: because you know anything could happen. But it's not	age 32
2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12.	MR. KINSER: Securitas is the name of the company. MR. ROBINSON: Oh, okay. MR. FLOWERS: They're the vendor. MR. KINSER: And currently, because we were having to do it every 20 minutes, they were the ones actually monitoring 24/7. Once we get this appearance approved, hopefully approved, then they'll go back to just coming in when the maintenance folks are no longer here to take care of things. But usually, it's only during the week and the off hours, and then on the weekends when things	Page 30	2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12.	get with the exception of this annunciation system that we're talking about. MR. DUNNAVANT: And the location of the boilers themselves is within a secure area. It's not like someone can walk in off the street and get in there to the hard controls. MR. ROBINSON: Very well. MR. DUNNAVANT: Not very easily. I'm not saying it can't happen CHAIRMAN MORELOCK: Right. MR. DUNNAVANT: because you know anything could happen. But it's not MR. ROBINSON: It's going to be	age 32
2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13.	MR. KINSER: Securitas is the name of the company. MR. ROBINSON: Oh, okay. MR. FLOWERS: They're the vendor. MR. KINSER: And currently, because we were having to do it every 20 minutes, they were the ones actually monitoring 24/7. Once we get this appearance approved, hopefully approved, then they'll go back to just coming in when the maintenance folks are no longer here to take care of things. But usually, it's only during the week and the off hours, and then on the weekends when things are covered, otherwise.	Page 30	2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13.	get with the exception of this annunciation system that we're talking about. MR. DUNNAVANT: And the location of the boilers themselves is within a secure area. It's not like someone can walk in off the street and get in there to the hard controls. MR. ROBINSON: Very well. MR. DUNNAVANT: Not very easily. I'm not saying it can't happen CHAIRMAN MORELOCK: Right. MR. DUNNAVANT: because you know anything could happen. But it's not MR. ROBINSON: It's going to be difficult.	age 32
2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14.	MR. KINSER: Securitas is the name of the company. MR. ROBINSON: Oh, okay. MR. FLOWERS: They're the vendor. MR. KINSER: And currently, because we were having to do it every 20 minutes, they were the ones actually monitoring 24/7. Once we get this appearance approved, hopefully approved, then they'll go back to just coming in when the maintenance folks are no longer here to take care of things. But usually, it's only during the week and the off hours, and then on the weekends when things are covered, otherwise. MR. ROBINSON: Yes, sir. And the	Page 30	2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15.	get with the exception of this annunciation system that we're talking about. MR. DUNNAVANT: And the location of the boilers themselves is within a secure area. It's not like someone can walk in off the street and get in there to the hard controls. MR. ROBINSON: Very well. MR. DUNNAVANT: Not very easily. I'm not saying it can't happen CHAIRMAN MORELOCK: Right. MR. DUNNAVANT: because you know anything could happen. But it's not MR. ROBINSON: It's going to be difficult. MR. DUNNAVANT: something you	age 32
2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15.	MR. KINSER: Securitas is the name of the company. MR. ROBINSON: Oh, okay. MR. FLOWERS: They're the vendor. MR. KINSER: And currently, because we were having to do it every 20 minutes, they were the ones actually monitoring 24/7. Once we get this appearance approved, hopefully approved, then they'll go back to just coming in when the maintenance folks are no longer here to take care of things. But usually, it's only during the week and the off hours, and then on the weekends when things are covered, otherwise. MR. ROBINSON: Yes, sir. And the building is also secure, correct?	Page 30	2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15. 16.	get with the exception of this annunciation system that we're talking about. MR. DUNNAVANT: And the location of the boilers themselves is within a secure area. It's not like someone can walk in off the street and get in there to the hard controls. MR. ROBINSON: Very well. MR. DUNNAVANT: Not very easily. I'm not saying it can't happen CHAIRMAN MORELOCK: Right. MR. DUNNAVANT: because you know anything could happen. But it's not MR. ROBINSON: It's going to be difficult. MR. DUNNAVANT: something you typically see.	age 32
2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15. 16.	MR. KINSER: Securitas is the name of the company. MR. ROBINSON: Oh, okay. MR. FLOWERS: They're the vendor. MR. KINSER: And currently, because we were having to do it every 20 minutes, they were the ones actually monitoring 24/7. Once we get this appearance approved, hopefully approved, then they'll go back to just coming in when the maintenance folks are no longer here to take care of things. But usually, it's only during the week and the off hours, and then on the weekends when things are covered, otherwise. MR. ROBINSON: Yes, sir. And the building is also secure, correct? MR. FLOWERS: Yes, sir.	Page 30	2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15. 16.	get with the exception of this annunciation system that we're talking about. MR. DUNNAVANT: And the location of the boilers themselves is within a secure area. It's not like someone can walk in off the street and get in there to the hard controls. MR. ROBINSON: Very well. MR. DUNNAVANT: Not very easily. I'm not saying it can't happen CHAIRMAN MORELOCK: Right. MR. DUNNAVANT: because you know anything could happen. But it's not MR. ROBINSON: It's going to be difficult. MR. DUNNAVANT: something you typically see. MR. ROBINSON: You have a 500 and a	age 32
2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15. 16. 17.	MR. KINSER: Securitas is the name of the company. MR. ROBINSON: Oh, okay. MR. FLOWERS: They're the vendor. MR. KINSER: And currently, because we were having to do it every 20 minutes, they were the ones actually monitoring 24/7. Once we get this appearance approved, hopefully approved, then they'll go back to just coming in when the maintenance folks are no longer here to take care of things. But usually, it's only during the week and the off hours, and then on the weekends when things are covered, otherwise. MR. ROBINSON: Yes, sir. And the building is also secure, correct? MR. FLOWERS: Yes, sir. MR. DUNNAVANT: Yes.	Page 30	2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15. 16. 17.	get with the exception of this annunciation system that we're talking about. MR. DUNNAVANT: And the location of the boilers themselves is within a secure area. It's not like someone can walk in off the street and get in there to the hard controls. MR. ROBINSON: Very well. MR. DUNNAVANT: Not very easily. I'm not saying it can't happen CHAIRMAN MORELOCK: Right. MR. DUNNAVANT: because you know anything could happen. But it's not MR. ROBINSON: It's going to be difficult. MR. DUNNAVANT: something you typically see. MR. ROBINSON: You have a 500 and a 350?	age 32
2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15. 16. 17.	MR. KINSER: Securitas is the name of the company. MR. ROBINSON: Oh, okay. MR. FLOWERS: They're the vendor. MR. KINSER: And currently, because we were having to do it every 20 minutes, they were the ones actually monitoring 24/7. Once we get this appearance approved, hopefully approved, then they'll go back to just coming in when the maintenance folks are no longer here to take care of things. But usually, it's only during the week and the off hours, and then on the weekends when things are covered, otherwise. MR. ROBINSON: Yes, sir. And the building is also secure, correct? MR. FLOWERS: Yes, sir. MR. DUNNAVANT: Yes. MR. KINSER: It is.	Page 30	2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15. 16. 17. 18.	get with the exception of this annunciation system that we're talking about. MR. DUNNAVANT: And the location of the boilers themselves is within a secure area. It's not like someone can walk in off the street and get in there to the hard controls. MR. ROBINSON: Very well. MR. DUNNAVANT: Not very easily. I'm not saying it can't happen CHAIRMAN MORELOCK: Right. MR. DUNNAVANT: because you know anything could happen. But it's not MR. ROBINSON: It's going to be difficult. MR. DUNNAVANT: something you typically see. MR. ROBINSON: You have a 500 and a 350? MR. FLOWERS: A 500 and a 300.	age 32
2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15. 16. 17. 18.	MR. KINSER: Securitas is the name of the company. MR. ROBINSON: Oh, okay. MR. FLOWERS: They're the vendor. MR. KINSER: And currently, because we were having to do it every 20 minutes, they were the ones actually monitoring 24/7. Once we get this appearance approved, hopefully approved, then they'll go back to just coming in when the maintenance folks are no longer here to take care of things. But usually, it's only during the week and the off hours, and then on the weekends when things are covered, otherwise. MR. ROBINSON: Yes, sir. And the building is also secure, correct? MR. FLOWERS: Yes, sir. MR. DUNNAVANT: Yes. MR. KINSER: It is. MR. FLOWERS: It's fenced.	Page 30	2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15. 16. 17. 18. 19. 20.	get with the exception of this annunciation system that we're talking about. MR. DUNNAVANT: And the location of the boilers themselves is within a secure area. It's not like someone can walk in off the street and get in there to the hard controls. MR. ROBINSON: Very well. MR. DUNNAVANT: Not very easily. I'm not saying it can't happen CHAIRMAN MORELOCK: Right. MR. DUNNAVANT: because you know anything could happen. But it's not MR. ROBINSON: It's going to be difficult. MR. DUNNAVANT: something you typically see. MR. ROBINSON: You have a 500 and a 350? MR. FLOWERS: A 500 and a 300. MR. DUNNAVANT: 300.	age 32
2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15. 16. 17. 18. 19. 20. 21.	MR. KINSER: Securitas is the name of the company. MR. ROBINSON: Oh, okay. MR. FLOWERS: They're the vendor. MR. KINSER: And currently, because we were having to do it every 20 minutes, they were the ones actually monitoring 24/7. Once we get this appearance approved, hopefully approved, then they'll go back to just coming in when the maintenance folks are no longer here to take care of things. But usually, it's only during the week and the off hours, and then on the weekends when things are covered, otherwise. MR. ROBINSON: Yes, sir. And the building is also secure, correct? MR. FLOWERS: Yes, sir. MR. DUNNAVANT: Yes. MR. KINSER: It is. MR. FLOWERS: It's fenced. MR. ROBINSON: You know, we back	Page 30	2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15. 16. 17. 18. 19. 20. 21.	get with the exception of this annunciation system that we're talking about. MR. DUNNAVANT: And the location of the boilers themselves is within a secure area. It's not like someone can walk in off the street and get in there to the hard controls. MR. ROBINSON: Very well. MR. DUNNAVANT: Not very easily. I'm not saying it can't happen CHAIRMAN MORELOCK: Right. MR. DUNNAVANT: because you know anything could happen. But it's not MR. ROBINSON: It's going to be difficult. MR. DUNNAVANT: something you typically see. MR. ROBINSON: You have a 500 and a 350? MR. FLOWERS: A 500 and a 300. MR. DUNNAVANT: 300. MR. ROBINSON: Okay. 300. MR. FLOWERS: Yes, sir.	age 32
2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15. 16. 17. 18. 19. 20. 21. 22.	MR. KINSER: Securitas is the name of the company. MR. ROBINSON: Oh, okay. MR. FLOWERS: They're the vendor. MR. KINSER: And currently, because we were having to do it every 20 minutes, they were the ones actually monitoring 24/7. Once we get this appearance approved, hopefully approved, then they'll go back to just coming in when the maintenance folks are no longer here to take care of things. But usually, it's only during the week and the off hours, and then on the weekends when things are covered, otherwise. MR. ROBINSON: Yes, sir. And the building is also secure, correct? MR. FLOWERS: Yes, sir. MR. DUNNAVANT: Yes. MR. KINSER: It is. MR. FLOWERS: It's fenced. MR. ROBINSON: You know, we back to Mike's comment. He's right. We're in an age	Page 30	2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15. 16. 17. 18. 19. 20. 21. 22.	get with the exception of this annunciation system that we're talking about. MR. DUNNAVANT: And the location of the boilers themselves is within a secure area. It's not like someone can walk in off the street and get in there to the hard controls. MR. ROBINSON: Very well. MR. DUNNAVANT: Not very easily. I'm not saying it can't happen CHAIRMAN MORELOCK: Right. MR. DUNNAVANT: because you know anything could happen. But it's not MR. ROBINSON: It's going to be difficult. MR. DUNNAVANT: something you typically see. MR. ROBINSON: You have a 500 and a 350? MR. FLOWERS: A 500 and a 300. MR. DUNNAVANT: 300. MR. ROBINSON: Okay. 300. MR. ROBINSON: You did not list your	age 32
2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15. 16. 17. 20. 21. 22. 23.	MR. KINSER: Securitas is the name of the company. MR. ROBINSON: Oh, okay. MR. FLOWERS: They're the vendor. MR. KINSER: And currently, because we were having to do it every 20 minutes, they were the ones actually monitoring 24/7. Once we get this appearance approved, hopefully approved, then they'll go back to just coming in when the maintenance folks are no longer here to take care of things. But usually, it's only during the week and the off hours, and then on the weekends when things are covered, otherwise. MR. ROBINSON: Yes, sir. And the building is also secure, correct? MR. FLOWERS: Yes, sir. MR. DUNNAVANT: Yes. MR. KINSER: It is. MR. FLOWERS: It's fenced. MR. ROBINSON: You know, we back to Mike's comment. He's right. We're in an age right now where anything can happen across the	Page 30	2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15. 16. 17. 18. 19. 20. 21. 22. 23.	get with the exception of this annunciation system that we're talking about. MR. DUNNAVANT: And the location of the boilers themselves is within a secure area. It's not like someone can walk in off the street and get in there to the hard controls. MR. ROBINSON: Very well. MR. DUNNAVANT: Not very easily. I'm not saying it can't happen CHAIRMAN MORELOCK: Right. MR. DUNNAVANT: because you know anything could happen. But it's not MR. ROBINSON: It's going to be difficult. MR. DUNNAVANT: something you typically see. MR. ROBINSON: You have a 500 and a 350? MR. FLOWERS: A 500 and a 300. MR. DUNNAVANT: 300. MR. ROBINSON: Okay. 300. MR. FLOWERS: Yes, sir.	age 32

	Page 33		Page 3	35
1.	CHAIRMAN MORELOCK: No, I don't think	1.	the weekends. But that is the reason for the	
2.	so, but it's good to know. Make sure you're not	2.	FleetZOOM system that we have with the notification.	
3.	overpressuring.	3.	That security whoever is on duty at that time	
4.	MR. ROBINSON: Could you put your	4.	will have the cell phone. And there actually will	
5.	safety valves	5.	be multiple cell phones. We can address many that	
6.	MR. FLOWERS: I will.	6.	will be alerted if there is an issue. And the only	
7.	MR. ROBINSON: and capacity	7.	thing that the security personnel would be	
8.	MR. DUNNAVANT: Yes. We've got that.	8.	responsible for would be hitting an e-stop.	
9.	MR. ROBINSON: on the data sheet?	9.	We have also got it set up to where	
10.	MR. DUNNAVANT: I don't know that we	10.	if there is an issue, particularly on the	
11.	have it here, but we do have that information.	11.	weekends, the security personnel that is on duty,	
12.	MR. FLOWERS: We have that at our	12.	as well as the maintenance supervisor and Rick	
13.	shop and I'll	13.	here, are also notified at the same time.	
14.	MR. ROBINSON: And, that gives the	14.	CHAIRMAN MORELOCK: Well, to build	
15.	inspector an assurance to know that you're running	15.	off his comment, though, the only time security	
16.	one at 125 and the other one at 250.	16.	personnel are monitoring that boiler is when	
17.	MR. DUNNAVANT: Oh, no. Right.	17.	production is down; is that correct?	
18.	Okay.	18.	MR. FLOWERS: But when main	
19.	MR. ROBINSON: You get my point?	19.	production is there is some tank washing and	
20.	MR. FLOWERS: Yes, sir.	20.	things going on, but the production line is down.	
21.	MR. ROBINSON: Because now if	21.	That's correct.	
22.	you've got an imbalance, you're going to have	22.	CHAIRMAN MORELOCK: But the boilers	
23.	difficulty. Okay. And the DA tank is	23.	are running or a boiler is running.	
24.	open-to-atmosphere?	24.	MR. FLOWERS: That is correct.	
25.	MR. FLOWERS: No, sir. It's a	25.	MR. DUNNAVANT: The boiler is running	
	,			
1				
	Page 34		Page 3	36
1.	Page 34 pressurized DA.	1.	Page 3 24/7.	36
1. 2.	pressurized DA.	1. 2.	24/7.	36
1. 2. 3.	-	1	24/7. MR. KINSER: Yeah, they don't stop.	36
2.	pressurized DA. MR. ROBINSON: Is it?	2.	24/7. MR. KINSER: Yeah, they don't stop. CHAIRMAN MORELOCK: Okay. If the	36
2. 3.	pressurized DA. MR. ROBINSON: Is it? MR. FLOWERS: Yes, sir.	2. 3.	24/7. MR. KINSER: Yeah, they don't stop.	36
2. 3. 4.	pressurized DA. MR. ROBINSON: Is it? MR. FLOWERS: Yes, sir. MR. ROBINSON: List that, as well.	2. 3. 4.	24/7. MR. KINSER: Yeah, they don't stop. CHAIRMAN MORELOCK: Okay. If the boiler is running 24/7, you're going to have to have either the 20-minute rule or somebody continuously	36
2. 3. 4. 5.	pressurized DA. MR. ROBINSON: Is it? MR. FLOWERS: Yes, sir. MR. ROBINSON: List that, as well. MR. FLOWERS: Okay.	2. 3. 4. 5.	24/7. MR. KINSER: Yeah, they don't stop. CHAIRMAN MORELOCK: Okay. If the boiler is running 24/7, you're going to have to have	36
2. 3. 4. 5. 6.	pressurized DA. MR. ROBINSON: Is it? MR. FLOWERS: Yes, sir. MR. ROBINSON: List that, as well. MR. FLOWERS: Okay. MR. ROBINSON: Thank you. Okay. And	2. 3. 4. 5. 6.	24/7. MR. KINSER: Yeah, they don't stop. CHAIRMAN MORELOCK: Okay. If the boiler is running 24/7, you're going to have to have either the 20-minute rule or somebody continuously manning the remote station to satisfy your variance.	36
2. 3. 4. 5. 6. 7.	pressurized DA. MR. ROBINSON: Is it? MR. FLOWERS: Yes, sir. MR. ROBINSON: List that, as well. MR. FLOWERS: Okay. MR. ROBINSON: Thank you. Okay. And no more questions.	2. 3. 4. 5. 6. 7.	24/7. MR. KINSER: Yeah, they don't stop. CHAIRMAN MORELOCK: Okay. If the boiler is running 24/7, you're going to have to have either the 20-minute rule or somebody continuously manning the remote station to satisfy your variance. MR. ROBINSON: And that was	36
2. 3. 4. 5. 6. 7. 8.	pressurized DA. MR. ROBINSON: Is it? MR. FLOWERS: Yes, sir. MR. ROBINSON: List that, as well. MR. FLOWERS: Okay. MR. ROBINSON: Thank you. Okay. And no more questions. CHAIRMAN MORELOCK: Okay. Any other	2. 3. 4. 5. 6. 7. 8.	24/7. MR. KINSER: Yeah, they don't stop. CHAIRMAN MORELOCK: Okay. If the boiler is running 24/7, you're going to have to have either the 20-minute rule or somebody continuously manning the remote station to satisfy your variance. MR. ROBINSON: And that was MR. DUNNAVANT: On that, when the	36
2. 3. 4. 5. 6. 7. 8. 9.	pressurized DA. MR. ROBINSON: Is it? MR. FLOWERS: Yes, sir. MR. ROBINSON: List that, as well. MR. FLOWERS: Okay. MR. ROBINSON: Thank you. Okay. And no more questions. CHAIRMAN MORELOCK: Okay. Any other comments?	2. 3. 4. 5. 6. 7. 8. 9.	24/7. MR. KINSER: Yeah, they don't stop. CHAIRMAN MORELOCK: Okay. If the boiler is running 24/7, you're going to have to have either the 20-minute rule or somebody continuously manning the remote station to satisfy your variance. MR. ROBINSON: And that was MR. DUNNAVANT: On that, when the FleetZOOM in this situation where it is just the	36
2. 3. 4. 5. 6. 7. 8. 9.	pressurized DA. MR. ROBINSON: Is it? MR. FLOWERS: Yes, sir. MR. ROBINSON: List that, as well. MR. FLOWERS: Okay. MR. ROBINSON: Thank you. Okay. And no more questions. CHAIRMAN MORELOCK: Okay. Any other comments? MR. BAUGHMAN: Yes.	2. 3. 4. 5. 6. 7. 8. 9.	24/7. MR. KINSER: Yeah, they don't stop. CHAIRMAN MORELOCK: Okay. If the boiler is running 24/7, you're going to have to have either the 20-minute rule or somebody continuously manning the remote station to satisfy your variance. MR. ROBINSON: And that was MR. DUNNAVANT: On that, when the FleetZOOM in this situation where it is just the security personnel, in the event that there was an	36
2. 3. 4. 5. 6. 7. 8. 9. 10.	pressurized DA. MR. ROBINSON: Is it? MR. FLOWERS: Yes, sir. MR. ROBINSON: List that, as well. MR. FLOWERS: Okay. MR. ROBINSON: Thank you. Okay. And no more questions. CHAIRMAN MORELOCK: Okay. Any other comments? MR. BAUGHMAN: Yes. CHAIRMAN MORELOCK: Okay. Go ahead.	2. 3. 4. 5. 6. 7. 8. 9. 10.	MR. KINSER: Yeah, they don't stop. CHAIRMAN MORELOCK: Okay. If the boiler is running 24/7, you're going to have to have either the 20-minute rule or somebody continuously manning the remote station to satisfy your variance. MR. ROBINSON: And that was MR. DUNNAVANT: On that, when the FleetZOOM in this situation where it is just the security personnel, in the event that there was an alarm shutdown, they would be notified, and their	36
2. 3. 4. 5. 6. 7. 8. 9. 10. 11.	pressurized DA. MR. ROBINSON: Is it? MR. FLOWERS: Yes, sir. MR. ROBINSON: List that, as well. MR. FLOWERS: Okay. MR. ROBINSON: Thank you. Okay. And no more questions. CHAIRMAN MORELOCK: Okay. Any other comments? MR. BAUGHMAN: Yes. CHAIRMAN MORELOCK: Okay. Go ahead. MR. BAUGHMAN: In reference to the	2. 3. 4. 5. 6. 7. 8. 9. 10. 11.	MR. KINSER: Yeah, they don't stop. CHAIRMAN MORELOCK: Okay. If the boiler is running 24/7, you're going to have to have either the 20-minute rule or somebody continuously manning the remote station to satisfy your variance. MR. ROBINSON: And that was MR. DUNNAVANT: On that, when the FleetZOOM in this situation where it is just the security personnel, in the event that there was an alarm shutdown, they would be notified, and their initial job is to well, that was part of the	36
2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12.	pressurized DA. MR. ROBINSON: Is it? MR. FLOWERS: Yes, sir. MR. ROBINSON: List that, as well. MR. FLOWERS: Okay. MR. ROBINSON: Thank you. Okay. And no more questions. CHAIRMAN MORELOCK: Okay. Any other comments? MR. BAUGHMAN: Yes. CHAIRMAN MORELOCK: Okay. Go ahead. MR. BAUGHMAN: In reference to the security personnel, from what I understand, it	2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12.	MR. KINSER: Yeah, they don't stop. CHAIRMAN MORELOCK: Okay. If the boiler is running 24/7, you're going to have to have either the 20-minute rule or somebody continuously manning the remote station to satisfy your variance. MR. ROBINSON: And that was MR. DUNNAVANT: On that, when the FleetZOOM in this situation where it is just the security personnel, in the event that there was an alarm shutdown, they would be notified, and their initial job is to well, that was part of the password security is to remotely break an e-stop.	36
2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13.	pressurized DA. MR. ROBINSON: Is it? MR. FLOWERS: Yes, sir. MR. ROBINSON: List that, as well. MR. FLOWERS: Okay. MR. ROBINSON: Thank you. Okay. And no more questions. CHAIRMAN MORELOCK: Okay. Any other comments? MR. BAUGHMAN: Yes. CHAIRMAN MORELOCK: Okay. Go ahead. MR. BAUGHMAN: In reference to the security personnel, from what I understand, it doesn't sound like there's typically maintenance	2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13.	MR. KINSER: Yeah, they don't stop. CHAIRMAN MORELOCK: Okay. If the boiler is running 24/7, you're going to have to have either the 20-minute rule or somebody continuously manning the remote station to satisfy your variance. MR. ROBINSON: And that was MR. DUNNAVANT: On that, when the FleetZOOM in this situation where it is just the security personnel, in the event that there was an alarm shutdown, they would be notified, and their initial job is to well, that was part of the password security is to remotely break an e-stop. The boiler's already down. But what that ensures is	36
2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14.	pressurized DA. MR. ROBINSON: Is it? MR. FLOWERS: Yes, sir. MR. ROBINSON: List that, as well. MR. FLOWERS: Okay. MR. ROBINSON: Thank you. Okay. And no more questions. CHAIRMAN MORELOCK: Okay. Any other comments? MR. BAUGHMAN: Yes. CHAIRMAN MORELOCK: Okay. Go ahead. MR. BAUGHMAN: In reference to the security personnel, from what I understand, it doesn't sound like there's typically maintenance personnel on the weekends but just security	2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14.	MR. KINSER: Yeah, they don't stop. CHAIRMAN MORELOCK: Okay. If the boiler is running 24/7, you're going to have to have either the 20-minute rule or somebody continuously manning the remote station to satisfy your variance. MR. ROBINSON: And that was MR. DUNNAVANT: On that, when the FleetZOOM in this situation where it is just the security personnel, in the event that there was an alarm shutdown, they would be notified, and their initial job is to well, that was part of the password security is to remotely break an e-stop. The boiler's already down. But what that ensures is that someone from maintenance, a responsible person,	36
2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15.	pressurized DA. MR. ROBINSON: Is it? MR. FLOWERS: Yes, sir. MR. ROBINSON: List that, as well. MR. FLOWERS: Okay. MR. ROBINSON: Thank you. Okay. And no more questions. CHAIRMAN MORELOCK: Okay. Any other comments? MR. BAUGHMAN: Yes. CHAIRMAN MORELOCK: Okay. Go ahead. MR. BAUGHMAN: In reference to the security personnel, from what I understand, it doesn't sound like there's typically maintenance personnel on the weekends but just security personnel?	2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15.	MR. KINSER: Yeah, they don't stop. CHAIRMAN MORELOCK: Okay. If the boiler is running 24/7, you're going to have to have either the 20-minute rule or somebody continuously manning the remote station to satisfy your variance. MR. ROBINSON: And that was MR. DUNNAVANT: On that, when the FleetZOOM in this situation where it is just the security personnel, in the event that there was an alarm shutdown, they would be notified, and their initial job is to well, that was part of the password security is to remotely break an e-stop. The boiler's already down. But what that ensures is that someone from maintenance, a responsible person, a trained person, has to go in and put eyes on the	36
2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15. 16.	pressurized DA. MR. ROBINSON: Is it? MR. FLOWERS: Yes, sir. MR. ROBINSON: List that, as well. MR. FLOWERS: Okay. MR. ROBINSON: Thank you. Okay. And no more questions. CHAIRMAN MORELOCK: Okay. Any other comments? MR. BAUGHMAN: Yes. CHAIRMAN MORELOCK: Okay. Go ahead. MR. BAUGHMAN: In reference to the security personnel, from what I understand, it doesn't sound like there's typically maintenance personnel on the weekends but just security personnel? MR. FLOWERS: That is correct.	2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15. 16.	MR. KINSER: Yeah, they don't stop. CHAIRMAN MORELOCK: Okay. If the boiler is running 24/7, you're going to have to have either the 20-minute rule or somebody continuously manning the remote station to satisfy your variance. MR. ROBINSON: And that was MR. DUNNAVANT: On that, when the FleetZOOM in this situation where it is just the security personnel, in the event that there was an alarm shutdown, they would be notified, and their initial job is to well, that was part of the password security is to remotely break an e-stop. The boiler's already down. But what that ensures is that someone from maintenance, a responsible person, a trained person, has to go in and put eyes on the boiler, identify the problem, correct the problem,	336
2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15. 16. 17.	pressurized DA. MR. ROBINSON: Is it? MR. FLOWERS: Yes, sir. MR. ROBINSON: List that, as well. MR. FLOWERS: Okay. MR. ROBINSON: Thank you. Okay. And no more questions. CHAIRMAN MORELOCK: Okay. Any other comments? MR. BAUGHMAN: Yes. CHAIRMAN MORELOCK: Okay. Go ahead. MR. BAUGHMAN: In reference to the security personnel, from what I understand, it doesn't sound like there's typically maintenance personnel on the weekends but just security personnel? MR. FLOWERS: That is correct. MR. BAUGHMAN: Okay. The security	2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15. 16. 17.	MR. KINSER: Yeah, they don't stop. CHAIRMAN MORELOCK: Okay. If the boiler is running 24/7, you're going to have to have either the 20-minute rule or somebody continuously manning the remote station to satisfy your variance. MR. ROBINSON: And that was MR. DUNNAVANT: On that, when the FleetZOOM in this situation where it is just the security personnel, in the event that there was an alarm shutdown, they would be notified, and their initial job is to well, that was part of the password security is to remotely break an e-stop. The boiler's already down. But what that ensures is that someone from maintenance, a responsible person, a trained person, has to go in and put eyes on the boiler, identify the problem, correct the problem, reset the e-stop, then contact security who would	36
2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15. 16. 17.	pressurized DA. MR. ROBINSON: Is it? MR. FLOWERS: Yes, sir. MR. ROBINSON: List that, as well. MR. FLOWERS: Okay. MR. ROBINSON: Thank you. Okay. And no more questions. CHAIRMAN MORELOCK: Okay. Any other comments? MR. BAUGHMAN: Yes. CHAIRMAN MORELOCK: Okay. Go ahead. MR. BAUGHMAN: In reference to the security personnel, from what I understand, it doesn't sound like there's typically maintenance personnel on the weekends but just security personnel? MR. FLOWERS: That is correct. MR. BAUGHMAN: Okay. The security personnel are manning a security station?	2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15. 16. 17.	MR. KINSER: Yeah, they don't stop. CHAIRMAN MORELOCK: Okay. If the boiler is running 24/7, you're going to have to have either the 20-minute rule or somebody continuously manning the remote station to satisfy your variance. MR. ROBINSON: And that was MR. DUNNAVANT: On that, when the FleetZOOM in this situation where it is just the security personnel, in the event that there was an alarm shutdown, they would be notified, and their initial job is to well, that was part of the password security is to remotely break an e-stop. The boiler's already down. But what that ensures is that someone from maintenance, a responsible person, a trained person, has to go in and put eyes on the boiler, identify the problem, correct the problem, reset the e-stop, then contact security who would reset or release their e-stop. It's two means of	336
2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15. 16. 17. 18.	pressurized DA. MR. ROBINSON: Is it? MR. FLOWERS: Yes, sir. MR. ROBINSON: List that, as well. MR. FLOWERS: Okay. MR. ROBINSON: Thank you. Okay. And no more questions. CHAIRMAN MORELOCK: Okay. Any other comments? MR. BAUGHMAN: Yes. CHAIRMAN MORELOCK: Okay. Go ahead. MR. BAUGHMAN: In reference to the security personnel, from what I understand, it doesn't sound like there's typically maintenance personnel on the weekends but just security personnel? MR. FLOWERS: That is correct. MR. BAUGHMAN: Okay. The security personnel are manning a security station? MR. FLOWERS: No. They actually are	2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15. 16. 17. 18.	MR. KINSER: Yeah, they don't stop. CHAIRMAN MORELOCK: Okay. If the boiler is running 24/7, you're going to have to have either the 20-minute rule or somebody continuously manning the remote station to satisfy your variance. MR. ROBINSON: And that was MR. DUNNAVANT: On that, when the FleetZOOM in this situation where it is just the security personnel, in the event that there was an alarm shutdown, they would be notified, and their initial job is to well, that was part of the password security is to remotely break an e-stop. The boiler's already down. But what that ensures is that someone from maintenance, a responsible person, a trained person, has to go in and put eyes on the boiler, identify the problem, correct the problem, reset the e-stop, then contact security who would reset or release their e-stop. It's two means of reset.	336
2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15. 16. 17. 18. 19. 20. 21.	pressurized DA. MR. ROBINSON: Is it? MR. FLOWERS: Yes, sir. MR. ROBINSON: List that, as well. MR. FLOWERS: Okay. MR. ROBINSON: Thank you. Okay. And no more questions. CHAIRMAN MORELOCK: Okay. Any other comments? MR. BAUGHMAN: Yes. CHAIRMAN MORELOCK: Okay. Go ahead. MR. BAUGHMAN: In reference to the security personnel, from what I understand, it doesn't sound like there's typically maintenance personnel on the weekends but just security personnel? MR. FLOWERS: That is correct. MR. BAUGHMAN: Okay. The security personnel are manning a security station? MR. FLOWERS: No. They actually are constantly moving around the facility.	2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15. 16. 17. 18. 19. 20. 21.	MR. KINSER: Yeah, they don't stop. CHAIRMAN MORELOCK: Okay. If the boiler is running 24/7, you're going to have to have either the 20-minute rule or somebody continuously manning the remote station to satisfy your variance. MR. ROBINSON: And that was MR. DUNNAVANT: On that, when the FleetZOOM in this situation where it is just the security personnel, in the event that there was an alarm shutdown, they would be notified, and their initial job is to well, that was part of the password security is to remotely break an e-stop. The boiler's already down. But what that ensures is that someone from maintenance, a responsible person, a trained person, has to go in and put eyes on the boiler, identify the problem, correct the problem, reset the e-stop, then contact security who would reset or release their e-stop. It's two means of reset. CHAIRMAN MORELOCK: But what's the	336
2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15. 16. 17. 18. 19. 20. 21. 22.	mr. ROBINSON: Is it? Mr. FLOWERS: Yes, sir. Mr. ROBINSON: List that, as well. Mr. FLOWERS: Okay. Mr. ROBINSON: Thank you. Okay. And no more questions. CHAIRMAN MORELOCK: Okay. Any other comments? Mr. BAUGHMAN: Yes. CHAIRMAN MORELOCK: Okay. Go ahead. Mr. BAUGHMAN: In reference to the security personnel, from what I understand, it doesn't sound like there's typically maintenance personnel on the weekends but just security personnel? Mr. FLOWERS: That is correct. Mr. BAUGHMAN: Okay. The security personnel are manning a security station? Mr. FLOWERS: No. They actually are constantly moving around the facility. Mr. BAUGHMAN: Okay. But yet the	2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15. 16. 17. 18. 19. 20. 21. 22.	MR. KINSER: Yeah, they don't stop. CHAIRMAN MORELOCK: Okay. If the boiler is running 24/7, you're going to have to have either the 20-minute rule or somebody continuously manning the remote station to satisfy your variance. MR. ROBINSON: And that was MR. DUNNAVANT: On that, when the FleetZOOM in this situation where it is just the security personnel, in the event that there was an alarm shutdown, they would be notified, and their initial job is to well, that was part of the password security is to remotely break an e-stop. The boiler's already down. But what that ensures is that someone from maintenance, a responsible person, a trained person, has to go in and put eyes on the boiler, identify the problem, correct the problem, reset the e-stop, then contact security who would reset or release their e-stop. It's two means of reset. CHAIRMAN MORELOCK: But what's the timeframe for the security personnel to react to a	36
2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15. 16. 17. 20. 21. 22. 23.	MR. ROBINSON: Is it? MR. FLOWERS: Yes, sir. MR. ROBINSON: List that, as well. MR. FLOWERS: Okay. MR. ROBINSON: Thank you. Okay. And no more questions. CHAIRMAN MORELOCK: Okay. Any other comments? MR. BAUGHMAN: Yes. CHAIRMAN MORELOCK: Okay. Go ahead. MR. BAUGHMAN: In reference to the security personnel, from what I understand, it doesn't sound like there's typically maintenance personnel on the weekends but just security personnel? MR. FLOWERS: That is correct. MR. BAUGHMAN: Okay. The security personnel are manning a security station? MR. FLOWERS: No. They actually are constantly moving around the facility. MR. BAUGHMAN: Okay. But yet the remote monitoring is located in an area where there	2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15. 16. 17. 20. 21. 22. 23.	MR. KINSER: Yeah, they don't stop. CHAIRMAN MORELOCK: Okay. If the boiler is running 24/7, you're going to have to have either the 20-minute rule or somebody continuously manning the remote station to satisfy your variance. MR. ROBINSON: And that was MR. DUNNAVANT: On that, when the FleetZOOM in this situation where it is just the security personnel, in the event that there was an alarm shutdown, they would be notified, and their initial job is to well, that was part of the password security is to remotely break an e-stop. The boiler's already down. But what that ensures is that someone from maintenance, a responsible person, a trained person, has to go in and put eyes on the boiler, identify the problem, correct the problem, reset the e-stop, then contact security who would reset or release their e-stop. It's two means of reset. CHAIRMAN MORELOCK: But what's the timeframe for the security personnel to react to a boiler alarm if they're not in the monitoring	36

Page 3' be the max MR. DUNNAVANT: Worst case. MR. FLOWERS: is what we're Worst case. MR. DUNNAVANT: Yeah, and I don't MR. FLOWERS: But they are in the But the as we've seen, I know there iances. You know, on the McKee Foods in nooga or Ooltewah, brings up, you know, one here they're using a very similar system where ody is physically not at that remote station why we've chosen the communication system have that will actually alert multiple cell Again, if it's on the weekends, a security nel is on duty, as well as the maintenance ers. CHAIRMAN MORELOCK: Yeah, but McKee em also they do have that, but they have	1. 2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15. 16. 17.	e-stop. A limit MR. ROBINSON: So he has to so once he gets the alarm, he has to physically go to a panel and push an e-stop. MR. DUNNAVANT: No. He some MR. ROBINSON: And that could take up to five minutes. MR. DUNNAVANT: No. Some personnel would have a secure password to e-stop remotely, but that's all they can do, is an e-stop. And that e-stop can only be activated if there is a current alarm. So no one could come in and just hit that remote and e-stop the boiler. You can't just cut it off for, you know, a nuisance situation or something. It has to be an incident in which an	age 3
MR. FLOWERS: is what we're Worst case. MR. DUNNAVANT: Yeah, and I don't MR. FLOWERS: But they are in the But the as we've seen, I know there iances. You know, on the McKee Foods in mooga or Ooltewah, brings up, you know, one here they're using a very similar system where ody is physically not at that remote station why we've chosen the communication system have that will actually alert multiple cell Again, if it's on the weekends, a security mel is on duty, as well as the maintenance ers. CHAIRMAN MORELOCK: Yeah, but McKee	3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15. 16. 17.	once he gets the alarm, he has to physically go to a panel and push an e-stop. MR. DUNNAVANT: No. He some MR. ROBINSON: And that could take up to five minutes. MR. DUNNAVANT: No. Some personnel would have a secure password to e-stop remotely, but that's all they can do, is an e-stop. And that e-stop can only be activated if there is a current alarm. So no one could come in and just hit that remote and e-stop the boiler. You can't just cut it off for, you know, a nuisance situation or something. It has to be an incident in which an	
Worst case. MR. DUNNAVANT: Yeah, and I don't MR. FLOWERS: But they are in the . But the as we've seen, I know there iances. You know, on the McKee Foods in nooga or Ooltewah, brings up, you know, one here they're using a very similar system where ody is physically not at that remote station why we've chosen the communication system thave that will actually alert multiple cell . Again, if it's on the weekends, a security mel is on duty, as well as the maintenance ters. CHAIRMAN MORELOCK: Yeah, but McKee	4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15. 16. 17.	panel and push an e-stop. MR. DUNNAVANT: No. He some MR. ROBINSON: And that could take up to five minutes. MR. DUNNAVANT: No. Some personnel would have a secure password to e-stop remotely, but that's all they can do, is an e-stop. And that e-stop can only be activated if there is a current alarm. So no one could come in and just hit that remote and e-stop the boiler. You can't just cut it off for, you know, a nuisance situation or something. It has to be an incident in which an	
MR. DUNNAVANT: Yeah, and I don't MR. FLOWERS: But they are in the But the as we've seen, I know there iances. You know, on the McKee Foods in nooga or Ooltewah, brings up, you know, one here they're using a very similar system where ody is physically not at that remote station why we've chosen the communication system have that will actually alert multiple cell Again, if it's on the weekends, a security nel is on duty, as well as the maintenance ers. CHAIRMAN MORELOCK: Yeah, but McKee	5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15. 16.	MR. DUNNAVANT: No. He some MR. ROBINSON: And that could take up to five minutes. MR. DUNNAVANT: No. Some personnel would have a secure password to e-stop remotely, but that's all they can do, is an e-stop. And that e-stop can only be activated if there is a current alarm. So no one could come in and just hit that remote and e-stop the boiler. You can't just cut it off for, you know, a nuisance situation or something. It has to be an incident in which an	
MR. FLOWERS: But they are in the But the as we've seen, I know there iances. You know, on the McKee Foods in mooga or Ooltewah, brings up, you know, one here they're using a very similar system where ody is physically not at that remote station why we've chosen the communication system have that will actually alert multiple cell Again, if it's on the weekends, a security mel is on duty, as well as the maintenance ers. CHAIRMAN MORELOCK: Yeah, but McKee	6. 7. 8. 9. 10. 11. 12. 13. 14. 15. 16. 17.	MR. ROBINSON: And that could take up to five minutes. MR. DUNNAVANT: No. Some personnel would have a secure password to e-stop remotely, but that's all they can do, is an e-stop. And that e-stop can only be activated if there is a current alarm. So no one could come in and just hit that remote and e-stop the boiler. You can't just cut it off for, you know, a nuisance situation or something. It has to be an incident in which an	
MR. FLOWERS: But they are in the But the as we've seen, I know there iances. You know, on the McKee Foods in mooga or Ooltewah, brings up, you know, one here they're using a very similar system where ody is physically not at that remote station why we've chosen the communication system thave that will actually alert multiple cell . Again, if it's on the weekends, a security mel is on duty, as well as the maintenance ters. CHAIRMAN MORELOCK: Yeah, but McKee	7. 8. 9. 10. 11. 12. 13. 14. 15. 16.	MR. DUNNAVANT: No. Some personnel would have a secure password to e-stop remotely, but that's all they can do, is an e-stop. And that e-stop can only be activated if there is a current alarm. So no one could come in and just hit that remote and e-stop the boiler. You can't just cut it off for, you know, a nuisance situation or something. It has to be an incident in which an	
But the as we've seen, I know there iances. You know, on the McKee Foods in nooga or Ooltewah, brings up, you know, one here they're using a very similar system where ody is physically not at that remote station why we've chosen the communication system to have that will actually alert multiple cell again, if it's on the weekends, a security nel is on duty, as well as the maintenance ers. CHAIRMAN MORELOCK: Yeah, but McKee	8. 9. 10. 11. 12. 13. 14. 15. 16.	MR. DUNNAVANT: No. Some personnel would have a secure password to e-stop remotely, but that's all they can do, is an e-stop. And that e-stop can only be activated if there is a current alarm. So no one could come in and just hit that remote and e-stop the boiler. You can't just cut it off for, you know, a nuisance situation or something. It has to be an incident in which an	
iances. You know, on the McKee Foods in mooga or Ooltewah, brings up, you know, one here they're using a very similar system where ody is physically not at that remote station why we've chosen the communication system to have that will actually alert multiple cell. Again, if it's on the weekends, a security mel is on duty, as well as the maintenance ers. CHAIRMAN MORELOCK: Yeah, but McKee	9. 10. 11. 12. 13. 14. 15. 16.	would have a secure password to e-stop remotely, but that's all they can do, is an e-stop. And that e-stop can only be activated if there is a current alarm. So no one could come in and just hit that remote and e-stop the boiler. You can't just cut it off for, you know, a nuisance situation or something. It has to be an incident in which an	
hooga or Ooltewah, brings up, you know, one here they're using a very similar system where ody is physically not at that remote station	10. 11. 12. 13. 14. 15. 16.	that's all they can do, is an e-stop. And that e-stop can only be activated if there is a current alarm. So no one could come in and just hit that remote and e-stop the boiler. You can't just cut it off for, you know, a nuisance situation or something. It has to be an incident in which an	
here they're using a very similar system where ody is physically not at that remote station why we've chosen the communication system to have that will actually alert multiple cell and a security and is on duty, as well as the maintenance ers. CHAIRMAN MORELOCK: Yeah, but McKee	11. 12. 13. 14. 15. 16. 17.	e-stop can only be activated if there is a current alarm. So no one could come in and just hit that remote and e-stop the boiler. You can't just cut it off for, you know, a nuisance situation or something. It has to be an incident in which an	
ody is physically not at that remote station why we've chosen the communication system that will actually alert multiple cell . Again, if it's on the weekends, a security nel is on duty, as well as the maintenance ters. CHAIRMAN MORELOCK: Yeah, but McKee	12. 13. 14. 15. 16. 17.	alarm. So no one could come in and just hit that remote and e-stop the boiler. You can't just cut it off for, you know, a nuisance situation or something. It has to be an incident in which an	
ody is physically not at that remote station why we've chosen the communication system that will actually alert multiple cell . Again, if it's on the weekends, a security nel is on duty, as well as the maintenance ters. CHAIRMAN MORELOCK: Yeah, but McKee	13. 14. 15. 16. 17.	alarm. So no one could come in and just hit that remote and e-stop the boiler. You can't just cut it off for, you know, a nuisance situation or something. It has to be an incident in which an	
why we've chosen the communication system that will actually alert multiple cell . Again, if it's on the weekends, a security mel is on duty, as well as the maintenance ters. CHAIRMAN MORELOCK: Yeah, but McKee	14. 15. 16. 17.	remote and e-stop the boiler. You can't just cut it off for, you know, a nuisance situation or something. It has to be an incident in which an	
have that will actually alert multiple cell . Again, if it's on the weekends, a security nel is on duty, as well as the maintenance ers. CHAIRMAN MORELOCK: Yeah, but McKee	15. 16. 17.	off for, you know, a nuisance situation or something. It has to be an incident in which an	
. Again, if it's on the weekends, a security nel is on duty, as well as the maintenance ers. CHAIRMAN MORELOCK: Yeah, but McKee	16. 17.	something. It has to be an incident in which an	
nel is on duty, as well as the maintenance ers. CHAIRMAN MORELOCK: Yeah, but McKee	17.		
ers. CHAIRMAN MORELOCK: Yeah, but McKee	- 1	e-stop would be required.	
CHAIRMAN MORELOCK: Yeah, but McKee	- 1	MR. ROBINSON: And you have to have a	
•	18.	password?	
,	19.	MR. DUNNAVANT: Yes.	
anual says "continuously monitored," and your	20.	MR. ROBINSON: And how long?	
does not say "continuously monitored." It	21.	MR. DUNNAVANT: That could be	
s staffed but it's not continuously	22.	instantaneous.	
red, and we need to see continuously	23.	MR. FLOWERS: Instantaneous.	
red.	24.	MR. DUNNAVANT: As quick as you could	
MR. ROBINSON: 100 percent.	25.	get a text. As quick as you could receive a text.	
·			
Page 3	3	Pa	age 4
CHAIRMAN MORELOCK: However you	1.	MR. ROBINSON: So back to Chairman	
to do that. We're not going to tell you how	2.	More Brian's statement. Is the remote monitoring	
nat.	3.	station 100 percent occupied?	
MR. FLOWERS: Okay.	4.	MR. FLOWERS: Not on the weekends.	
CHAIRMAN MORELOCK: That's not our	5.	There's not someone physically I'm not going to	
ell you how to do it, but you need to	6.	say there's someone physically standing in front of	
modate that.	7.	that station, but they are on the facility, inside	
MR. ROBINSON: Five minutes is	8.	the building there, within minutes physically to the	
CHAIRMAN MORELOCK: That's too long.	9.	boiler, but also the ability to instantly e-stop if	
MR. ROBINSON: It's a lot. That's a	10.	there is an issue. Also will still be in place	
	11.	would be their horns and their physical alarms that	
MR. FLOWERS: Well, I that's five	12.	are there now, as well.	
s physically to the boiler room. As Lional	13.	CHAIRMAN MORELOCK: Well, I'm just	
	14.	going to maintain my statement. I'm going to leave	
	15.	it up to you. You need continuous monitoring	
MR. DUNNAVANT: Right.	16.	remote monitoring of the boiler.	
MR. DUNNAVANT: Right. MR. FLOWERS: the communication	17.	MR. FLOWERS: Okay.	
_	18.	CHAIRMAN MORELOCK: Or the 20-minute	е
MR. FLOWERS: the communication	19.	rule. And I'm going to leave that up to you. Okay?	
MR. FLOWERS: the communication will let us hit an e-stop	20.	MR. FLOWERS: And when you say	
MR. FLOWERS: the communication will let us hit an e-stop MR. DUNNAVANT: Immediately.	1 21.	continuous monitoring of the boiler, you mean of the	
MR. FLOWERS: the communication will let us hit an e-stop MR. DUNNAVANT: Immediately. MR. FLOWERS: immediately, just as	1	remote station?	
MR. FLOWERS: the communication will let us hit an e-stop MR. DUNNAVANT: Immediately. MR. FLOWERS: immediately, just as were there. I understand	22.	CHAIRMAN MORELOCK: Uh-huh.	
MR. FLOWERS: the communication will let us hit an e-stop MR. DUNNAVANT: Immediately. MR. FLOWERS: immediately, just as vere there. I understand MR. ROBINSON: Are you saying he has	- 1	MR. FLOWERS: Okav.	
MR. FLOWERS: the communication will let us hit an e-stop MR. DUNNAVANT: Immediately. MR. FLOWERS: immediately, just as vere there. I understand MR. ROBINSON: Are you saying he has te; that once the alarm goes off, he could	22.	in a second seco	3
	MR. DUNNAVANT: Immediately. MR. FLOWERS: immediately, just as there. I understand	MR. DUNNAVANT: Immediately. MR. FLOWERS: immediately, just as there. I understand MR. ROBINSON: Are you saying he has hat once the alarm goes off, he could e remote and that kills the boiler? 18. 19. 20. 21.	11. MR. FLOWERS: Okay. 12. MR. FLOWERS: Okay. 13. CHAIRMAN MORELOCK: Or the 20-minute 14. MR. FLOWERS: Okay. 15. MR. FLOWERS: Okay. 16. CHAIRMAN MORELOCK: Or the 20-minute 17. MR. FLOWERS: Okay. 18. CHAIRMAN MORELOCK: Or the 20-minute 19. rule. And I'm going to leave that up to you. Okay? 20. MR. FLOWERS: And when you say 21. continuous monitoring of the boiler, you mean of the 22. remote station? 23. CHAIRMAN MORELOCK: Uh-huh.

		Page 41		Page 43
1		rage 41	1	-
1.	20-minute rule, you've got your boiler attendant		1.	notification is faster than 20 minutes, but when
2.	checking it every 20 minutes with the remote, you've got a continuously manned remote monitoring system		2. 3.	you're using the variance, the 20-minute rule has been set aside to have continuous monitoring.
3.	with the boiler attendant checking the boiler every		3. 4.	MR. FLOWERS: That's correct.
5.	four hours. So you've got to satisfy those		4 . 5.	CHAIRMAN MORELOCK: So because
Ι.	requirements.		5. 6.	with that logic, we could say, as long as the remote
6. 7.	MR. FLOWERS: Okay.		7.	monitor acts in 20 minutes, we're okay, and
8.	CHAIRMAN MORELOCK: Okay?		7. 8.	that's
9.	MR. FLOWERS: Could that		o. 9.	MR. DUNNAVANT: Right.
10.	CHAIRMAN MORELOCK: I'll leave that		10.	MR. FLOWERS: No, no. No, no.
11.	up to you. Yes?		10.	CHAIRMAN MORELOCK: not what we're
12.	MR. HARGROVE: Just for		12.	going to say.
13.	clarification, when the alarm when there is an		13.	MR. FLOWERS: No, and I don't mean
14.	alarm, I heard a statement said that a text is sent		13. 14.	I guess the question that I would have is, what
15.	to who to respond?		15.	would you consider continuous monitoring? Because
16.	MR. FLOWERS: That would be the		16.	we, I guess, sort of interpret this control system
17.	whoever has the responsibility for the boiler during		17.	that we're using with instant notification as
18.	that time. During regular hours, production hours,		18.	continuous monitoring.
19.	it is the maintenance staff, or on the weekends, it		19.	CHAIRMAN MORELOCK: Well, the control
20.	is the security personnel.		20.	system is doing its job. No doubt about that. But
21.	MR. HARGROVE: So the alarm system		21.	you have a remote monitoring station that's part of
22.	sends a text.		22.	that, and it has to be manned continuously in some
23.	MR. DUNNAVANT: Yeah. It's many		23.	shape, form, or fashion so that when something
24.	forms of communication. It could be a text, an		24.	occurs, there's somebody to react to it. And, see,
25.	e-mail; there's I mean, there's probably 10		25.	their reaction then triggers something to the boiler
25.	e man, dieres - 1 mean, dieres producty 10		25.	ulen reaction then triggers something to the coner
		D 40		P 44
1		Page 42	1	Page 44
1.	different ways you could do it. It could actually	Page 42	1.	attendant that he's going to have anywhere from a
2.	different ways you could do it. It could actually be an old-fashioned phone call explaining what limit	Page 42	2.	attendant that he's going to have anywhere from a minute to three minutes to get to the boiler room.
2. 3.	different ways you could do it. It could actually be an old-fashioned phone call explaining what limit tripped and why the boiler was down. There's	Page 42	2. 3.	attendant that he's going to have anywhere from a minute to three minutes to get to the boiler room. So, you know, with a text or an
2. 3. 4.	different ways you could do it. It could actually be an old-fashioned phone call explaining what limit tripped and why the boiler was down. There's several different ways they could be notified.	Page 42	2.3.4.	attendant that he's going to have anywhere from a minute to three minutes to get to the boiler room. So, you know, with a text or an e-mail or something like that I mean, to me,
2. 3. 4. 5.	different ways you could do it. It could actually be an old-fashioned phone call explaining what limit tripped and why the boiler was down. There's several different ways they could be notified. But it would be the responsible	Page 42	2. 3. 4. 5.	attendant that he's going to have anywhere from a minute to three minutes to get to the boiler room. So, you know, with a text or an e-mail or something like that I mean, to me, this guy would have to be walking around looking
2. 3. 4. 5. 6.	different ways you could do it. It could actually be an old-fashioned phone call explaining what limit tripped and why the boiler was down. There's several different ways they could be notified. But it would be the responsible person or personnel on duty at that time, because	Page 42	 2. 3. 4. 5. 6. 	attendant that he's going to have anywhere from a minute to three minutes to get to the boiler room. So, you know, with a text or an e-mail or something like that I mean, to me, this guy would have to be walking around looking at his phone all the time. I mean, because I get
2. 3. 4. 5. 6. 7.	different ways you could do it. It could actually be an old-fashioned phone call explaining what limit tripped and why the boiler was down. There's several different ways they could be notified. But it would be the responsible person or personnel on duty at that time, because there are swing shifts involved. That's why it's	Page 42	 2. 3. 4. 6. 7. 	attendant that he's going to have anywhere from a minute to three minutes to get to the boiler room. So, you know, with a text or an e-mail or something like that I mean, to me, this guy would have to be walking around looking at his phone all the time. I mean, because I get texts and e-mails but sometimes I don't check them
2. 3. 4. 5. 6. 7. 8.	different ways you could do it. It could actually be an old-fashioned phone call explaining what limit tripped and why the boiler was down. There's several different ways they could be notified. But it would be the responsible person or personnel on duty at that time, because there are swing shifts involved. That's why it's difficult to say, okay, it's Bob you know, to	Page 42	2. 3. 4. 5. 6. 7.	attendant that he's going to have anywhere from a minute to three minutes to get to the boiler room. So, you know, with a text or an e-mail or something like that I mean, to me, this guy would have to be walking around looking at his phone all the time. I mean, because I get texts and e-mails but sometimes I don't check them for an hour later. You know? I mean, so I
2. 3. 4. 5. 6. 7. 8. 9.	different ways you could do it. It could actually be an old-fashioned phone call explaining what limit tripped and why the boiler was down. There's several different ways they could be notified. But it would be the responsible person or personnel on duty at that time, because there are swing shifts involved. That's why it's difficult to say, okay, it's Bob you know, to so-and-so to so-and-so, because there's going to	Page 42	2. 3. 4. 5. 6. 7. 8. 9.	attendant that he's going to have anywhere from a minute to three minutes to get to the boiler room. So, you know, with a text or an e-mail or something like that I mean, to me, this guy would have to be walking around looking at his phone all the time. I mean, because I get texts and e-mails but sometimes I don't check them for an hour later. You know? I mean, so I understand what you're doing, but I think in the
2. 3. 4. 5. 6. 7. 8. 9.	different ways you could do it. It could actually be an old-fashioned phone call explaining what limit tripped and why the boiler was down. There's several different ways they could be notified. But it would be the responsible person or personnel on duty at that time, because there are swing shifts involved. That's why it's difficult to say, okay, it's Bob you know, to so-and-so to so-and-so, because there's going to be a lot of training involved to make sure	Page 42	2. 3. 4. 5. 6. 7. 8. 9. 10.	attendant that he's going to have anywhere from a minute to three minutes to get to the boiler room. So, you know, with a text or an e-mail or something like that I mean, to me, this guy would have to be walking around looking at his phone all the time. I mean, because I get texts and e-mails but sometimes I don't check them for an hour later. You know? I mean, so I understand what you're doing, but I think in the interest of safety and maintaining the boiler, you
2. 3. 4. 5. 6. 7. 8. 9. 10.	different ways you could do it. It could actually be an old-fashioned phone call explaining what limit tripped and why the boiler was down. There's several different ways they could be notified. But it would be the responsible person or personnel on duty at that time, because there are swing shifts involved. That's why it's difficult to say, okay, it's Bob you know, to so-and-so to so-and-so, because there's going to be a lot of training involved to make sure everybody's on board.	Page 42	2. 3. 4. 5. 6. 7. 8. 9. 10.	attendant that he's going to have anywhere from a minute to three minutes to get to the boiler room. So, you know, with a text or an e-mail or something like that I mean, to me, this guy would have to be walking around looking at his phone all the time. I mean, because I get texts and e-mails but sometimes I don't check them for an hour later. You know? I mean, so I understand what you're doing, but I think in the interest of safety and maintaining the boiler, you just need to however you want to show that, but
2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12.	different ways you could do it. It could actually be an old-fashioned phone call explaining what limit tripped and why the boiler was down. There's several different ways they could be notified. But it would be the responsible person or personnel on duty at that time, because there are swing shifts involved. That's why it's difficult to say, okay, it's Bob you know, to so-and-so to so-and-so, because there's going to be a lot of training involved to make sure everybody's on board. MR. HARGROVE: Okay. All right.	Page 42	2. 3. 4. 5. 6. 7. 8. 9. 10. 11.	attendant that he's going to have anywhere from a minute to three minutes to get to the boiler room. So, you know, with a text or an e-mail or something like that I mean, to me, this guy would have to be walking around looking at his phone all the time. I mean, because I get texts and e-mails but sometimes I don't check them for an hour later. You know? I mean, so I understand what you're doing, but I think in the interest of safety and maintaining the boiler, you just need to however you want to show that, but you need to show that somebody is continually
2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12.	different ways you could do it. It could actually be an old-fashioned phone call explaining what limit tripped and why the boiler was down. There's several different ways they could be notified. But it would be the responsible person or personnel on duty at that time, because there are swing shifts involved. That's why it's difficult to say, okay, it's Bob you know, to so-and-so to so-and-so, because there's going to be a lot of training involved to make sure everybody's on board. MR. HARGROVE: Okay. All right. Thank you, sir.	Page 42	2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12.	attendant that he's going to have anywhere from a minute to three minutes to get to the boiler room. So, you know, with a text or an e-mail or something like that I mean, to me, this guy would have to be walking around looking at his phone all the time. I mean, because I get texts and e-mails but sometimes I don't check them for an hour later. You know? I mean, so I understand what you're doing, but I think in the interest of safety and maintaining the boiler, you just need to however you want to show that, but you need to show that somebody is continually manning your remote monitoring station.
2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13.	different ways you could do it. It could actually be an old-fashioned phone call explaining what limit tripped and why the boiler was down. There's several different ways they could be notified. But it would be the responsible person or personnel on duty at that time, because there are swing shifts involved. That's why it's difficult to say, okay, it's Bob you know, to so-and-so to so-and-so, because there's going to be a lot of training involved to make sure everybody's on board. MR. HARGROVE: Okay. All right. Thank you, sir. MR. FLOWERS: Yeah, and I do	Page 42	2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14.	attendant that he's going to have anywhere from a minute to three minutes to get to the boiler room. So, you know, with a text or an e-mail or something like that I mean, to me, this guy would have to be walking around looking at his phone all the time. I mean, because I get texts and e-mails but sometimes I don't check them for an hour later. You know? I mean, so I understand what you're doing, but I think in the interest of safety and maintaining the boiler, you just need to however you want to show that, but you need to show that somebody is continually manning your remote monitoring station. MR. DUNNAVANT: Well, that would
2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14.	different ways you could do it. It could actually be an old-fashioned phone call explaining what limit tripped and why the boiler was down. There's several different ways they could be notified. But it would be the responsible person or personnel on duty at that time, because there are swing shifts involved. That's why it's difficult to say, okay, it's Bob you know, to so-and-so to so-and-so, because there's going to be a lot of training involved to make sure everybody's on board. MR. HARGROVE: Okay. All right. Thank you, sir. MR. FLOWERS: Yeah, and I do understand your point. I would like to make one	Page 42	2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15.	attendant that he's going to have anywhere from a minute to three minutes to get to the boiler room. So, you know, with a text or an e-mail or something like that I mean, to me, this guy would have to be walking around looking at his phone all the time. I mean, because I get texts and e-mails but sometimes I don't check them for an hour later. You know? I mean, so I understand what you're doing, but I think in the interest of safety and maintaining the boiler, you just need to however you want to show that, but you need to show that somebody is continually manning your remote monitoring station. MR. DUNNAVANT: Well, that would technically be part of his job.
2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15.	different ways you could do it. It could actually be an old-fashioned phone call explaining what limit tripped and why the boiler was down. There's several different ways they could be notified. But it would be the responsible person or personnel on duty at that time, because there are swing shifts involved. That's why it's difficult to say, okay, it's Bob you know, to so-and-so to so-and-so, because there's going to be a lot of training involved to make sure everybody's on board. MR. HARGROVE: Okay. All right. Thank you, sir. MR. FLOWERS: Yeah, and I do understand your point. I would like to make one comment that the way that we've got this system set	Page 42	2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15.	attendant that he's going to have anywhere from a minute to three minutes to get to the boiler room. So, you know, with a text or an e-mail or something like that I mean, to me, this guy would have to be walking around looking at his phone all the time. I mean, because I get texts and e-mails but sometimes I don't check them for an hour later. You know? I mean, so I understand what you're doing, but I think in the interest of safety and maintaining the boiler, you just need to however you want to show that, but you need to show that somebody is continually manning your remote monitoring station. MR. DUNNAVANT: Well, that would technically be part of his job. CHAIRMAN MORELOCK: Yes.
2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15. 16.	different ways you could do it. It could actually be an old-fashioned phone call explaining what limit tripped and why the boiler was down. There's several different ways they could be notified. But it would be the responsible person or personnel on duty at that time, because there are swing shifts involved. That's why it's difficult to say, okay, it's Bob you know, to so-and-so to so-and-so, because there's going to be a lot of training involved to make sure everybody's on board. MR. HARGROVE: Okay. All right. Thank you, sir. MR. FLOWERS: Yeah, and I do understand your point. I would like to make one comment that the way that we've got this system set up actually reacts a little bit quicker than if	Page 42	2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15. 16.	attendant that he's going to have anywhere from a minute to three minutes to get to the boiler room. So, you know, with a text or an e-mail or something like that I mean, to me, this guy would have to be walking around looking at his phone all the time. I mean, because I get texts and e-mails but sometimes I don't check them for an hour later. You know? I mean, so I understand what you're doing, but I think in the interest of safety and maintaining the boiler, you just need to however you want to show that, but you need to show that somebody is continually manning your remote monitoring station. MR. DUNNAVANT: Well, that would technically be part of his job. CHAIRMAN MORELOCK: Yes. MR. FLOWERS: Yeah. And that will be
2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15. 16. 17.	different ways you could do it. It could actually be an old-fashioned phone call explaining what limit tripped and why the boiler was down. There's several different ways they could be notified. But it would be the responsible person or personnel on duty at that time, because there are swing shifts involved. That's why it's difficult to say, okay, it's Bob you know, to so-and-so to so-and-so, because there's going to be a lot of training involved to make sure everybody's on board. MR. HARGROVE: Okay. All right. Thank you, sir. MR. FLOWERS: Yeah, and I do understand your point. I would like to make one comment that the way that we've got this system set up actually reacts a little bit quicker than if someone were implementing the 20-minute rule.	Page 42	2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15. 16. 17.	attendant that he's going to have anywhere from a minute to three minutes to get to the boiler room. So, you know, with a text or an e-mail or something like that I mean, to me, this guy would have to be walking around looking at his phone all the time. I mean, because I get texts and e-mails but sometimes I don't check them for an hour later. You know? I mean, so I understand what you're doing, but I think in the interest of safety and maintaining the boiler, you just need to however you want to show that, but you need to show that somebody is continually manning your remote monitoring station. MR. DUNNAVANT: Well, that would technically be part of his job. CHAIRMAN MORELOCK: Yes. MR. FLOWERS: Yeah. And that will be a dedicated device.
2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15. 16. 17.	different ways you could do it. It could actually be an old-fashioned phone call explaining what limit tripped and why the boiler was down. There's several different ways they could be notified. But it would be the responsible person or personnel on duty at that time, because there are swing shifts involved. That's why it's difficult to say, okay, it's Bob you know, to so-and-so to so-and-so, because there's going to be a lot of training involved to make sure everybody's on board. MR. HARGROVE: Okay. All right. Thank you, sir. MR. FLOWERS: Yeah, and I do understand your point. I would like to make one comment that the way that we've got this system set up actually reacts a little bit quicker than if someone were implementing the 20-minute rule. CHAIRMAN MORELOCK: Right.	Page 42	2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15. 16. 17.	attendant that he's going to have anywhere from a minute to three minutes to get to the boiler room. So, you know, with a text or an e-mail or something like that I mean, to me, this guy would have to be walking around looking at his phone all the time. I mean, because I get texts and e-mails but sometimes I don't check them for an hour later. You know? I mean, so I understand what you're doing, but I think in the interest of safety and maintaining the boiler, you just need to however you want to show that, but you need to show that somebody is continually manning your remote monitoring station. MR. DUNNAVANT: Well, that would technically be part of his job. CHAIRMAN MORELOCK: Yes. MR. FLOWERS: Yeah. And that will be a dedicated device. CHAIRMAN MORELOCK: And that goes
2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15. 16. 17. 18. 19. 20.	different ways you could do it. It could actually be an old-fashioned phone call explaining what limit tripped and why the boiler was down. There's several different ways they could be notified. But it would be the responsible person or personnel on duty at that time, because there are swing shifts involved. That's why it's difficult to say, okay, it's Bob you know, to so-and-so to so-and-so, because there's going to be a lot of training involved to make sure everybody's on board. MR. HARGROVE: Okay. All right. Thank you, sir. MR. FLOWERS: Yeah, and I do understand your point. I would like to make one comment that the way that we've got this system set up actually reacts a little bit quicker than if someone were implementing the 20-minute rule. CHAIRMAN MORELOCK: Right. MR. FLOWERS: So we feel like we've		2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15. 16. 17. 18.	attendant that he's going to have anywhere from a minute to three minutes to get to the boiler room. So, you know, with a text or an e-mail or something like that I mean, to me, this guy would have to be walking around looking at his phone all the time. I mean, because I get texts and e-mails but sometimes I don't check them for an hour later. You know? I mean, so I understand what you're doing, but I think in the interest of safety and maintaining the boiler, you just need to however you want to show that, but you need to show that somebody is continually manning your remote monitoring station. MR. DUNNAVANT: Well, that would technically be part of his job. CHAIRMAN MORELOCK: Yes. MR. FLOWERS: Yeah. And that will be a dedicated device. CHAIRMAN MORELOCK: And that goes back to right.
2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15. 16. 17. 18. 19. 20. 21.	different ways you could do it. It could actually be an old-fashioned phone call explaining what limit tripped and why the boiler was down. There's several different ways they could be notified. But it would be the responsible person or personnel on duty at that time, because there are swing shifts involved. That's why it's difficult to say, okay, it's Bob you know, to so-and-so to so-and-so, because there's going to be a lot of training involved to make sure everybody's on board. MR. HARGROVE: Okay. All right. Thank you, sir. MR. FLOWERS: Yeah, and I do understand your point. I would like to make one comment that the way that we've got this system set up actually reacts a little bit quicker than if someone were implementing the 20-minute rule. CHAIRMAN MORELOCK: Right. MR. FLOWERS: So we feel like we've met the criteria. We'll be glad to, I guess,		2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15. 16. 17. 18. 19. 20. 21.	attendant that he's going to have anywhere from a minute to three minutes to get to the boiler room. So, you know, with a text or an e-mail or something like that I mean, to me, this guy would have to be walking around looking at his phone all the time. I mean, because I get texts and e-mails but sometimes I don't check them for an hour later. You know? I mean, so I understand what you're doing, but I think in the interest of safety and maintaining the boiler, you just need to however you want to show that, but you need to show that somebody is continually manning your remote monitoring station. MR. DUNNAVANT: Well, that would technically be part of his job. CHAIRMAN MORELOCK: Yes. MR. FLOWERS: Yeah. And that will be a dedicated device. CHAIRMAN MORELOCK: And that goes back to right. MR. FLOWERS: It won't be somebody's
2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15. 16. 17. 18. 19. 20. 21. 22.	different ways you could do it. It could actually be an old-fashioned phone call explaining what limit tripped and why the boiler was down. There's several different ways they could be notified. But it would be the responsible person or personnel on duty at that time, because there are swing shifts involved. That's why it's difficult to say, okay, it's Bob you know, to so-and-so to so-and-so, because there's going to be a lot of training involved to make sure everybody's on board. MR. HARGROVE: Okay. All right. Thank you, sir. MR. FLOWERS: Yeah, and I do understand your point. I would like to make one comment that the way that we've got this system set up actually reacts a little bit quicker than if someone were implementing the 20-minute rule. CHAIRMAN MORELOCK: Right. MR. FLOWERS: So we feel like we've met the criteria. We'll be glad to, I guess, clarify that in the manual about how we will address		2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15. 16. 17. 18. 19. 20. 21.	attendant that he's going to have anywhere from a minute to three minutes to get to the boiler room. So, you know, with a text or an e-mail or something like that I mean, to me, this guy would have to be walking around looking at his phone all the time. I mean, because I get texts and e-mails but sometimes I don't check them for an hour later. You know? I mean, so I understand what you're doing, but I think in the interest of safety and maintaining the boiler, you just need to however you want to show that, but you need to show that somebody is continually manning your remote monitoring station. MR. DUNNAVANT: Well, that would technically be part of his job. CHAIRMAN MORELOCK: Yes. MR. FLOWERS: Yeah. And that will be a dedicated device. CHAIRMAN MORELOCK: And that goes back to right. MR. FLOWERS: It won't be somebody's cell phone.
2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15. 16. 17. 18. 19. 20. 21. 22. 23.	different ways you could do it. It could actually be an old-fashioned phone call explaining what limit tripped and why the boiler was down. There's several different ways they could be notified. But it would be the responsible person or personnel on duty at that time, because there are swing shifts involved. That's why it's difficult to say, okay, it's Bob you know, to so-and-so to so-and-so, because there's going to be a lot of training involved to make sure everybody's on board. MR. HARGROVE: Okay. All right. Thank you, sir. MR. FLOWERS: Yeah, and I do understand your point. I would like to make one comment that the way that we've got this system set up actually reacts a little bit quicker than if someone were implementing the 20-minute rule. CHAIRMAN MORELOCK: Right. MR. FLOWERS: So we feel like we've met the criteria. We'll be glad to, I guess, clarify that in the manual about how we will address that issue.		2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15. 16. 17. 18. 19. 20. 21. 22. 23.	attendant that he's going to have anywhere from a minute to three minutes to get to the boiler room. So, you know, with a text or an e-mail or something like that I mean, to me, this guy would have to be walking around looking at his phone all the time. I mean, because I get texts and e-mails but sometimes I don't check them for an hour later. You know? I mean, so I understand what you're doing, but I think in the interest of safety and maintaining the boiler, you just need to however you want to show that, but you need to show that somebody is continually manning your remote monitoring station. MR. DUNNAVANT: Well, that would technically be part of his job. CHAIRMAN MORELOCK: Yes. MR. FLOWERS: Yeah. And that will be a dedicated device. CHAIRMAN MORELOCK: And that goes back to right. MR. FLOWERS: It won't be somebody's cell phone. CHAIRMAN MORELOCK: That goes back to
2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15. 16. 17. 18. 19. 20. 21. 22. 23. 24.	different ways you could do it. It could actually be an old-fashioned phone call explaining what limit tripped and why the boiler was down. There's several different ways they could be notified. But it would be the responsible person or personnel on duty at that time, because there are swing shifts involved. That's why it's difficult to say, okay, it's Bob you know, to so-and-so to so-and-so, because there's going to be a lot of training involved to make sure everybody's on board. MR. HARGROVE: Okay. All right. Thank you, sir. MR. FLOWERS: Yeah, and I do understand your point. I would like to make one comment that the way that we've got this system set up actually reacts a little bit quicker than if someone were implementing the 20-minute rule. CHAIRMAN MORELOCK: Right. MR. FLOWERS: So we feel like we've met the criteria. We'll be glad to, I guess, clarify that in the manual about how we will address that issue. CHAIRMAN MORELOCK: Well, I mean, I		2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15. 16. 17. 18. 19. 20. 21. 22. 23. 24.	attendant that he's going to have anywhere from a minute to three minutes to get to the boiler room. So, you know, with a text or an e-mail or something like that I mean, to me, this guy would have to be walking around looking at his phone all the time. I mean, because I get texts and e-mails but sometimes I don't check them for an hour later. You know? I mean, so I understand what you're doing, but I think in the interest of safety and maintaining the boiler, you just need to however you want to show that, but you need to show that somebody is continually manning your remote monitoring station. MR. DUNNAVANT: Well, that would technically be part of his job. CHAIRMAN MORELOCK: Yes. MR. FLOWERS: Yeah. And that will be a dedicated device. CHAIRMAN MORELOCK: And that goes back to right. MR. FLOWERS: It won't be somebody's cell phone. CHAIRMAN MORELOCK: That goes back to adding
2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15. 16. 17. 18. 19. 20. 21. 22. 23.	different ways you could do it. It could actually be an old-fashioned phone call explaining what limit tripped and why the boiler was down. There's several different ways they could be notified. But it would be the responsible person or personnel on duty at that time, because there are swing shifts involved. That's why it's difficult to say, okay, it's Bob you know, to so-and-so to so-and-so, because there's going to be a lot of training involved to make sure everybody's on board. MR. HARGROVE: Okay. All right. Thank you, sir. MR. FLOWERS: Yeah, and I do understand your point. I would like to make one comment that the way that we've got this system set up actually reacts a little bit quicker than if someone were implementing the 20-minute rule. CHAIRMAN MORELOCK: Right. MR. FLOWERS: So we feel like we've met the criteria. We'll be glad to, I guess, clarify that in the manual about how we will address that issue.		2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15. 16. 17. 18. 19. 20. 21. 22. 23.	attendant that he's going to have anywhere from a minute to three minutes to get to the boiler room. So, you know, with a text or an e-mail or something like that I mean, to me, this guy would have to be walking around looking at his phone all the time. I mean, because I get texts and e-mails but sometimes I don't check them for an hour later. You know? I mean, so I understand what you're doing, but I think in the interest of safety and maintaining the boiler, you just need to however you want to show that, but you need to show that somebody is continually manning your remote monitoring station. MR. DUNNAVANT: Well, that would technically be part of his job. CHAIRMAN MORELOCK: Yes. MR. FLOWERS: Yeah. And that will be a dedicated device. CHAIRMAN MORELOCK: And that goes back to right. MR. FLOWERS: It won't be somebody's cell phone. CHAIRMAN MORELOCK: That goes back to

1	Page 45	I		Page 47
1.	device	1.	and we basically, this same procedure we do	ruge 17
2.	CHAIRMAN MORELOCK: Yeah.	2.	with that would be with the boilers (verbatim).	
3.	MR. FLOWERS: specifically for	3.	MR. BAUGHMAN: Got you.	
4.	this purpose.	4.	MR. FLOWERS: Yeah, in no time would	
5.	CHAIRMAN MORELOCK: Yeah. Yeah. So	5.	security personnel ever be responsible for	
6.	I mean, you could have you know, you can have	6.	restarting the boilers.	
7.	people rotate in and out of the monitoring	7.	MR. DUNNAVANT: No.	
8.	station	8.	MR. BAUGHMAN: You knew that's what	
9.	MR. DUNNAVANT: Right.	9.	was coming. Okay.	
10.	MR. FLOWERS: Okay.	10.	MR. FLOWERS: Yeah. At no time	
11.	CHAIRMAN MORELOCK: but it's	11.	MR. BAUGHMAN: All right.	
12.	continuously monitored throughout the day,	12.	MR. FLOWERS: They have one job.	
13.	throughout the shift.	13.	MR. BAUGHMAN: Okay. Okay.	
14.	MR. FLOWERS: Okay. All right.	14.	MR. FLOWERS: That is to hit an	
15.	CHAIRMAN MORELOCK: And that's what	15.	e-stop and then the normal maintenance folks step	
16.	you see with McKee even has that. So again,	16.	in.	
17.	we're not going to tell you how to ride it, but	17.	MR. BAUGHMAN: Good. Then my next	
18.	just we just want and we're going to clarify	18.	question would be, it sounds like at times there may	
19.	that and it's being captured in the minutes that	19.	not be personnel on site, that they would be called	
20.	that's one of our comments about your manual. So	20.	to come in from off site to then identify it.	
21.	MR. FLOWERS: Understood.	21.	During that period of time, that boiler would	
22.	CHAIRMAN MORELOCK: Okay? Yes?	22.	operate under the 20-minute rule by somebody	
23.	MR. BAUGHMAN: Just thinking of a	23.	qualified; is that correct?	
24.	scenario, Lional and David, yourself. And my only	24.	MR. KINSER: That would be correct.	
25.	issue's on the weekends, not so much during the	25.	MR. FLOWERS: That is correct. Yeah.	
1		1		
	Dog 46	\vdash		Do 20 40
1	Page 46	1	MR RAUGHMAN: Okay	Page 48
1.	week. But on the weekends where there's security	1.	MR. BAUGHMAN: Okay. MR. FLOWERS: Let me clarify. If	Page 48
2.	week. But on the weekends where there's security personnel and not so much maintenance personnel	2.	MR. FLOWERS: Let me clarify. If	Page 48
2. 3.	week. But on the weekends where there's security personnel and not so much maintenance personnel available, should there be an alarm or a any kind	1	MR. FLOWERS: Let me clarify. If it's the weekend and security personnel has to hit	Page 48
2.	week. But on the weekends where there's security personnel and not so much maintenance personnel available, should there be an alarm or a any kind of incident where something goes on with the boiler,	2. 3. 4.	MR. FLOWERS: Let me clarify. If it's the weekend and security personnel has to hit an e-stop, that's as far as they go.	Page 48
2. 3. 4.	week. But on the weekends where there's security personnel and not so much maintenance personnel available, should there be an alarm or a any kind of incident where something goes on with the boiler, the security personnel have the ability and all to	2. 3. 4. 5.	MR. FLOWERS: Let me clarify. If it's the weekend and security personnel has to hit an e-stop, that's as far as they go. MR. DUNNAVANT: Exactly.	Page 48
2. 3. 4. 5.	week. But on the weekends where there's security personnel and not so much maintenance personnel available, should there be an alarm or a any kind of incident where something goes on with the boiler, the security personnel have the ability and all to shut things down. Who then, though, goes in and	2. 3. 4.	MR. FLOWERS: Let me clarify. If it's the weekend and security personnel has to hit an e-stop, that's as far as they go. MR. DUNNAVANT: Exactly. MR. FLOWERS: Maintenance comes in	Page 48
2. 3. 4. 5. 6.	week. But on the weekends where there's security personnel and not so much maintenance personnel available, should there be an alarm or a any kind of incident where something goes on with the boiler, the security personnel have the ability and all to	2. 3. 4. 5. 6.	MR. FLOWERS: Let me clarify. If it's the weekend and security personnel has to hit an e-stop, that's as far as they go. MR. DUNNAVANT: Exactly.	Page 48
2. 3. 4. 5. 6. 7.	week. But on the weekends where there's security personnel and not so much maintenance personnel available, should there be an alarm or a any kind of incident where something goes on with the boiler, the security personnel have the ability and all to shut things down. Who then, though, goes in and identifies the problem? Because that boiler's not	2. 3. 4. 5. 6. 7.	MR. FLOWERS: Let me clarify. If it's the weekend and security personnel has to hit an e-stop, that's as far as they go. MR. DUNNAVANT: Exactly. MR. FLOWERS: Maintenance comes in and any time the variance is suspended we say	Page 48
2. 3. 4. 5. 6. 7. 8.	week. But on the weekends where there's security personnel and not so much maintenance personnel available, should there be an alarm or a any kind of incident where something goes on with the boiler, the security personnel have the ability and all to shut things down. Who then, though, goes in and identifies the problem? Because that boiler's not supposed to come back on until the situation has	2. 3. 4. 5. 6. 7. 8.	MR. FLOWERS: Let me clarify. If it's the weekend and security personnel has to hit an e-stop, that's as far as they go. MR. DUNNAVANT: Exactly. MR. FLOWERS: Maintenance comes in and any time the variance is suspended we say this in the manual that we revert back to the	Page 48
2. 3. 4. 5. 6. 7. 8. 9.	week. But on the weekends where there's security personnel and not so much maintenance personnel available, should there be an alarm or a any kind of incident where something goes on with the boiler, the security personnel have the ability and all to shut things down. Who then, though, goes in and identifies the problem? Because that boiler's not supposed to come back on until the situation has been identified and rectified, not so much just	2. 3. 4. 5. 6. 7. 8. 9.	MR. FLOWERS: Let me clarify. If it's the weekend and security personnel has to hit an e-stop, that's as far as they go. MR. DUNNAVANT: Exactly. MR. FLOWERS: Maintenance comes in and any time the variance is suspended we say this in the manual that we revert back to the 20-minute rule.	
2. 3. 4. 5. 6. 7. 8. 9.	week. But on the weekends where there's security personnel and not so much maintenance personnel available, should there be an alarm or a any kind of incident where something goes on with the boiler, the security personnel have the ability and all to shut things down. Who then, though, goes in and identifies the problem? Because that boiler's not supposed to come back on until the situation has been identified and rectified, not so much just reset, but figured out what's gone on. Who does	2. 3. 4. 5. 6. 7. 8. 9.	MR. FLOWERS: Let me clarify. If it's the weekend and security personnel has to hit an e-stop, that's as far as they go. MR. DUNNAVANT: Exactly. MR. FLOWERS: Maintenance comes in and any time the variance is suspended we say this in the manual that we revert back to the 20-minute rule. MR. BAUGHMAN: Got you. How long of	
2. 3. 4. 5. 6. 7. 8. 9. 10.	week. But on the weekends where there's security personnel and not so much maintenance personnel available, should there be an alarm or a any kind of incident where something goes on with the boiler, the security personnel have the ability and all to shut things down. Who then, though, goes in and identifies the problem? Because that boiler's not supposed to come back on until the situation has been identified and rectified, not so much just reset, but figured out what's gone on. Who does that during that period of time on the weekend?	2. 3. 4. 5. 6. 7. 8. 9. 10.	MR. FLOWERS: Let me clarify. If it's the weekend and security personnel has to hit an e-stop, that's as far as they go. MR. DUNNAVANT: Exactly. MR. FLOWERS: Maintenance comes in and any time the variance is suspended we say this in the manual that we revert back to the 20-minute rule. MR. BAUGHMAN: Got you. How long of a time could it possibly be before somebody came in?	
2. 3. 4. 5. 6. 7. 8. 9. 10. 11.	week. But on the weekends where there's security personnel and not so much maintenance personnel available, should there be an alarm or a any kind of incident where something goes on with the boiler, the security personnel have the ability and all to shut things down. Who then, though, goes in and identifies the problem? Because that boiler's not supposed to come back on until the situation has been identified and rectified, not so much just reset, but figured out what's gone on. Who does that during that period of time on the weekend? MR. KINSER: That would be either the supervisor or it might be the plant the manager, the maintenance manager and/or anybody else that's	2. 3. 4. 5. 6. 7. 8. 9. 10. 11.	MR. FLOWERS: Let me clarify. If it's the weekend and security personnel has to hit an e-stop, that's as far as they go. MR. DUNNAVANT: Exactly. MR. FLOWERS: Maintenance comes in and any time the variance is suspended we say this in the manual that we revert back to the 20-minute rule. MR. BAUGHMAN: Got you. How long of a time could it possibly be before somebody came in? MR. KINSER: Well, it depends on	
2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12.	week. But on the weekends where there's security personnel and not so much maintenance personnel available, should there be an alarm or a any kind of incident where something goes on with the boiler, the security personnel have the ability and all to shut things down. Who then, though, goes in and identifies the problem? Because that boiler's not supposed to come back on until the situation has been identified and rectified, not so much just reset, but figured out what's gone on. Who does that during that period of time on the weekend? MR. KINSER: That would be either the supervisor or it might be the plant the manager, the maintenance manager and/or anybody else that's qualified to go in there. And in a lot of cases, we	2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12.	MR. FLOWERS: Let me clarify. If it's the weekend and security personnel has to hit an e-stop, that's as far as they go. MR. DUNNAVANT: Exactly. MR. FLOWERS: Maintenance comes in and any time the variance is suspended we say this in the manual that we revert back to the 20-minute rule. MR. BAUGHMAN: Got you. How long of a time could it possibly be before somebody came in? MR. KINSER: Well, it depends on which one is called, but I would say anywhere from	
2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13.	week. But on the weekends where there's security personnel and not so much maintenance personnel available, should there be an alarm or a any kind of incident where something goes on with the boiler, the security personnel have the ability and all to shut things down. Who then, though, goes in and identifies the problem? Because that boiler's not supposed to come back on until the situation has been identified and rectified, not so much just reset, but figured out what's gone on. Who does that during that period of time on the weekend? MR. KINSER: That would be either the supervisor or it might be the plant the manager, the maintenance manager and/or anybody else that's qualified to go in there. And in a lot of cases, we have folks that are on call in the maintenance	2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13.	MR. FLOWERS: Let me clarify. If it's the weekend and security personnel has to hit an e-stop, that's as far as they go. MR. DUNNAVANT: Exactly. MR. FLOWERS: Maintenance comes in and any time the variance is suspended we say this in the manual that we revert back to the 20-minute rule. MR. BAUGHMAN: Got you. How long of a time could it possibly be before somebody came in? MR. KINSER: Well, it depends on which one is called, but I would say anywhere from five minutes to maybe 20 minutes depending on where they're coming from. MR. BAUGHMAN: Okay. Thank you.	
2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15. 16.	week. But on the weekends where there's security personnel and not so much maintenance personnel available, should there be an alarm or a any kind of incident where something goes on with the boiler, the security personnel have the ability and all to shut things down. Who then, though, goes in and identifies the problem? Because that boiler's not supposed to come back on until the situation has been identified and rectified, not so much just reset, but figured out what's gone on. Who does that during that period of time on the weekend? MR. KINSER: That would be either the supervisor or it might be the plant the manager, the maintenance manager and/or anybody else that's qualified to go in there. And in a lot of cases, we have folks that are on call in the maintenance department and we might have one or two that, you	2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15. 16.	MR. FLOWERS: Let me clarify. If it's the weekend and security personnel has to hit an e-stop, that's as far as they go. MR. DUNNAVANT: Exactly. MR. FLOWERS: Maintenance comes in and any time the variance is suspended we say this in the manual that we revert back to the 20-minute rule. MR. BAUGHMAN: Got you. How long of a time could it possibly be before somebody came in? MR. KINSER: Well, it depends on which one is called, but I would say anywhere from five minutes to maybe 20 minutes depending on where they're coming from. MR. BAUGHMAN: Okay. Thank you. MR. PISCHKE: Mr. Chairman?	
2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15. 16. 17.	week. But on the weekends where there's security personnel and not so much maintenance personnel available, should there be an alarm or a any kind of incident where something goes on with the boiler, the security personnel have the ability and all to shut things down. Who then, though, goes in and identifies the problem? Because that boiler's not supposed to come back on until the situation has been identified and rectified, not so much just reset, but figured out what's gone on. Who does that during that period of time on the weekend? MR. KINSER: That would be either the supervisor or it might be the plant the manager, the maintenance manager and/or anybody else that's qualified to go in there. And in a lot of cases, we have folks that are on call in the maintenance department and we might have one or two that, you know, they have to choose. If they couldn't get	2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15. 16. 17.	MR. FLOWERS: Let me clarify. If it's the weekend and security personnel has to hit an e-stop, that's as far as they go. MR. DUNNAVANT: Exactly. MR. FLOWERS: Maintenance comes in and any time the variance is suspended we say this in the manual that we revert back to the 20-minute rule. MR. BAUGHMAN: Got you. How long of a time could it possibly be before somebody came in? MR. KINSER: Well, it depends on which one is called, but I would say anywhere from five minutes to maybe 20 minutes depending on where they're coming from. MR. BAUGHMAN: Okay. Thank you. MR. PISCHKE: Mr. Chairman? CHAIRMAN MORELOCK: Okay. Yes. Ge	
2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15. 16. 17.	week. But on the weekends where there's security personnel and not so much maintenance personnel available, should there be an alarm or a any kind of incident where something goes on with the boiler, the security personnel have the ability and all to shut things down. Who then, though, goes in and identifies the problem? Because that boiler's not supposed to come back on until the situation has been identified and rectified, not so much just reset, but figured out what's gone on. Who does that during that period of time on the weekend? MR. KINSER: That would be either the supervisor or it might be the plant the manager, the maintenance manager and/or anybody else that's qualified to go in there. And in a lot of cases, we have folks that are on call in the maintenance department and we might have one or two that, you know, they have to choose. If they couldn't get ahold of this one, they go down the list and say, we	2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15. 16. 17.	MR. FLOWERS: Let me clarify. If it's the weekend and security personnel has to hit an e-stop, that's as far as they go. MR. DUNNAVANT: Exactly. MR. FLOWERS: Maintenance comes in and any time the variance is suspended we say this in the manual that we revert back to the 20-minute rule. MR. BAUGHMAN: Got you. How long of a time could it possibly be before somebody came in? MR. KINSER: Well, it depends on which one is called, but I would say anywhere from five minutes to maybe 20 minutes depending on where they're coming from. MR. BAUGHMAN: Okay. Thank you. MR. PISCHKE: Mr. Chairman? CHAIRMAN MORELOCK: Okay. Yes. Gahead.	
2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15. 16. 17. 18.	week. But on the weekends where there's security personnel and not so much maintenance personnel available, should there be an alarm or a any kind of incident where something goes on with the boiler, the security personnel have the ability and all to shut things down. Who then, though, goes in and identifies the problem? Because that boiler's not supposed to come back on until the situation has been identified and rectified, not so much just reset, but figured out what's gone on. Who does that during that period of time on the weekend? MR. KINSER: That would be either the supervisor or it might be the plant the manager, the maintenance manager and/or anybody else that's qualified to go in there. And in a lot of cases, we have folks that are on call in the maintenance department and we might have one or two that, you know, they have to choose. If they couldn't get ahold of this one, they go down the list and say, we need somebody in here to come in.	2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15. 16. 17. 18. 19. 20.	MR. FLOWERS: Let me clarify. If it's the weekend and security personnel has to hit an e-stop, that's as far as they go. MR. DUNNAVANT: Exactly. MR. FLOWERS: Maintenance comes in and any time the variance is suspended we say this in the manual that we revert back to the 20-minute rule. MR. BAUGHMAN: Got you. How long of a time could it possibly be before somebody came in? MR. KINSER: Well, it depends on which one is called, but I would say anywhere from five minutes to maybe 20 minutes depending on where they're coming from. MR. BAUGHMAN: Okay. Thank you. MR. PISCHKE: Mr. Chairman? CHAIRMAN MORELOCK: Okay. Yes. Go ahead. MR. PISCHKE: I wanted to expand on	
2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15. 16. 17. 18. 19. 20. 21.	week. But on the weekends where there's security personnel and not so much maintenance personnel available, should there be an alarm or a any kind of incident where something goes on with the boiler, the security personnel have the ability and all to shut things down. Who then, though, goes in and identifies the problem? Because that boiler's not supposed to come back on until the situation has been identified and rectified, not so much just reset, but figured out what's gone on. Who does that during that period of time on the weekend? MR. KINSER: That would be either the supervisor or it might be the plant the manager, the maintenance manager and/or anybody else that's qualified to go in there. And in a lot of cases, we have folks that are on call in the maintenance department and we might have one or two that, you know, they have to choose. If they couldn't get ahold of this one, they go down the list and say, we need somebody in here to come in. And it's not uncommon that we have	2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15. 16. 17. 18. 19. 20. 21.	MR. FLOWERS: Let me clarify. If it's the weekend and security personnel has to hit an e-stop, that's as far as they go. MR. DUNNAVANT: Exactly. MR. FLOWERS: Maintenance comes in and any time the variance is suspended we say this in the manual that we revert back to the 20-minute rule. MR. BAUGHMAN: Got you. How long of a time could it possibly be before somebody came in? MR. KINSER: Well, it depends on which one is called, but I would say anywhere from five minutes to maybe 20 minutes depending on where they're coming from. MR. BAUGHMAN: Okay. Thank you. MR. PISCHKE: Mr. Chairman? CHAIRMAN MORELOCK: Okay. Yes. Gahead. MR. PISCHKE: I wanted to expand on the training a little bit. The security personnel,	
2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15. 16. 17. 18. 19. 20. 21. 22.	week. But on the weekends where there's security personnel and not so much maintenance personnel available, should there be an alarm or a any kind of incident where something goes on with the boiler, the security personnel have the ability and all to shut things down. Who then, though, goes in and identifies the problem? Because that boiler's not supposed to come back on until the situation has been identified and rectified, not so much just reset, but figured out what's gone on. Who does that during that period of time on the weekend? MR. KINSER: That would be either the supervisor or it might be the plant the manager, the maintenance manager and/or anybody else that's qualified to go in there. And in a lot of cases, we have folks that are on call in the maintenance department and we might have one or two that, you know, they have to choose. If they couldn't get ahold of this one, they go down the list and say, we need somebody in here to come in. And it's not uncommon that we have we have one new refrigeration system that has the	2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15. 16. 17. 18. 19. 20. 21. 22.	MR. FLOWERS: Let me clarify. If it's the weekend and security personnel has to hit an e-stop, that's as far as they go. MR. DUNNAVANT: Exactly. MR. FLOWERS: Maintenance comes in and any time the variance is suspended we say this in the manual that we revert back to the 20-minute rule. MR. BAUGHMAN: Got you. How long of a time could it possibly be before somebody came in? MR. KINSER: Well, it depends on which one is called, but I would say anywhere from five minutes to maybe 20 minutes depending on where they're coming from. MR. BAUGHMAN: Okay. Thank you. MR. PISCHKE: Mr. Chairman? CHAIRMAN MORELOCK: Okay. Yes. Grahead. MR. PISCHKE: I wanted to expand on the training a little bit. The security personnel, are they employees or are they subcontracted?	
2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15. 16. 17. 18. 19. 20. 21. 22. 23.	week. But on the weekends where there's security personnel and not so much maintenance personnel available, should there be an alarm or a any kind of incident where something goes on with the boiler, the security personnel have the ability and all to shut things down. Who then, though, goes in and identifies the problem? Because that boiler's not supposed to come back on until the situation has been identified and rectified, not so much just reset, but figured out what's gone on. Who does that during that period of time on the weekend? MR. KINSER: That would be either the supervisor or it might be the plant the manager, the maintenance manager and/or anybody else that's qualified to go in there. And in a lot of cases, we have folks that are on call in the maintenance department and we might have one or two that, you know, they have to choose. If they couldn't get ahold of this one, they go down the list and say, we need somebody in here to come in. And it's not uncommon that we have we have one new refrigeration system that has the same type of thing where we have to have these	2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15. 16. 17. 20. 21. 22. 23.	MR. FLOWERS: Let me clarify. If it's the weekend and security personnel has to hit an e-stop, that's as far as they go. MR. DUNNAVANT: Exactly. MR. FLOWERS: Maintenance comes in and any time the variance is suspended we say this in the manual that we revert back to the 20-minute rule. MR. BAUGHMAN: Got you. How long of a time could it possibly be before somebody came in? MR. KINSER: Well, it depends on which one is called, but I would say anywhere from five minutes to maybe 20 minutes depending on where they're coming from. MR. BAUGHMAN: Okay. Thank you. MR. PISCHKE: Mr. Chairman? CHAIRMAN MORELOCK: Okay. Yes. Gahead. MR. PISCHKE: I wanted to expand on the training a little bit. The security personnel, are they employees or are they subcontracted? MR. FLOWERS: They are subcontracted.	
2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15. 16. 17. 18. 19. 20. 21. 22.	week. But on the weekends where there's security personnel and not so much maintenance personnel available, should there be an alarm or a any kind of incident where something goes on with the boiler, the security personnel have the ability and all to shut things down. Who then, though, goes in and identifies the problem? Because that boiler's not supposed to come back on until the situation has been identified and rectified, not so much just reset, but figured out what's gone on. Who does that during that period of time on the weekend? MR. KINSER: That would be either the supervisor or it might be the plant the manager, the maintenance manager and/or anybody else that's qualified to go in there. And in a lot of cases, we have folks that are on call in the maintenance department and we might have one or two that, you know, they have to choose. If they couldn't get ahold of this one, they go down the list and say, we need somebody in here to come in. And it's not uncommon that we have we have one new refrigeration system that has the	2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15. 16. 17. 18. 19. 20. 21. 22.	MR. FLOWERS: Let me clarify. If it's the weekend and security personnel has to hit an e-stop, that's as far as they go. MR. DUNNAVANT: Exactly. MR. FLOWERS: Maintenance comes in and any time the variance is suspended we say this in the manual that we revert back to the 20-minute rule. MR. BAUGHMAN: Got you. How long of a time could it possibly be before somebody came in? MR. KINSER: Well, it depends on which one is called, but I would say anywhere from five minutes to maybe 20 minutes depending on where they're coming from. MR. BAUGHMAN: Okay. Thank you. MR. PISCHKE: Mr. Chairman? CHAIRMAN MORELOCK: Okay. Yes. Grahead. MR. PISCHKE: I wanted to expand on the training a little bit. The security personnel, are they employees or are they subcontracted?	

	Page	2 49	Page .
1.	the e-stop and know what that's all about? Because	1.	training should be repeated on an annual basis for
2.	I know, from my experience, subcontracted security	2.	all employees within the group. You ever get new
3.	personnel rotate out quite often. And so how do	3.	employees, new security guys?
4.	they how do you ensure their training?	4.	MR. FLOWERS: I'm sorry?
5.	MR. FLOWERS: We'll be working with	5.	MR. ROBINSON: You ever get new
6.	that vendor as Mayfield will, obviously to those	6.	security personnel coming in?
7.	folks will go through the same exact training on the	7.	MR. FLOWERS: I would imagine so.
8.	variance that the employees do. And at no time	8.	Yes, sir.
9.	would any security personnel on site that is not	9.	MR. ROBINSON: You may want to add
0.	trained in the variance be responsible for it.	10.	new employees also or new security something to
1.	MR. PISCHKE: Is there, like, a	11.	tie put the responsibility back.
2.	certification program or something that you document	12	MR. FLOWERS: Well, I say there in
3.	that this person has been trained?	13.	paragraph four, I think, all future new personnel
4.	MR. FLOWERS: We've got a training	14	• • •
5.	sheet in the back and we will document it there.	15.	_
6.	There's not a I'm aware of a certification. We	16	
7.	will do the training with Mayfield and with the		
7. 8.		17.	right. MR. FLOWERS: assigned to any of
8. 9.	security company. MR. PISCHKE: And that goes with new	19	the groups.
	employees, as well?	- 1	
0.		20.	č
21.	MR. FLOWERS: Yes, sir.	21	
22.	MR. DUNNAVANT: Yes, sir.	22	
23.	MR. FLOWERS: Absolutely. At no time	23.	ž
4.	will anybody who has not been gone through this	24.	clarification or specifically mention
25.	training on this manual ever be in a position to	25	MR. ROBINSON: No, no.
	Page	e 50	Page :
1.	operate under the variance.	1.	MR. FLOWERS: The security there?
2.	MR. PISCHKE: Okay. Thank you. That	2.	MR. ROBINSON: You that may be
3.	should be clarified a little more.	3.	enough. Let me look at it again.
4.	MR. ROBINSON: Yeah. I was just	4.	CHAIRMAN MORELOCK: Yeah.
5.	looking in your manual just to see exactly. I think	5.	MR. PISCHKE: Where is that?
6.	it's page 40 for your training program. It doesn't	6.	MR. ROBINSON: It's paragraph four on
7.	say security.	7	• • •
8.	MR. FLOWERS: Well, this is this	8.	MR. HARGROVE: A point can be made,
9.	section pertains to the employees and their general	9	though, is that when you have a new personnel, that
0.	training, not the general training on the	10	doesn't wait until this annual training is done.
1.	CHAIRMAN MORELOCK: That's the boiler	111	Hopefully, that is done immediately
2.	attendant. Page 41 would be the	12	MR. DUNNAVANT: Immediately.
2. 3.	MR. FLOWERS: Not the variance	13	
		14	
4.	training.	- 1	
5.	CHAIRMAN MORELOCK: remote	15.	point months later, after a new employee
6.	monitoring.	16	MR. DUNNAVANT: Right.
7.	MR. CHAPMAN: Oh, this is the	17.	ÿ
8.	maintenance people.	18.	organization.
9.	MR. PISCHKE: That's why I was	19.	MR. FLOWERS: No. Again, at no time
0.	wondering if	20.	would anyone who has not been thoroughly trained on
1.	MR. ROBINSON: Okay.	21.	this and has exhibited aptitude for it
2.	MR. PISCHKE: you could expand	22.	MR. HARGROVE: Yes, sir.
3.	on	23.	MR. FLOWERS: ever be put in that
24.	MR. ROBINSON: Yeah, that last	24	position.
25.	statement to that last paragraph, you've got,	25.	MR. HARGROVE: All right. Excellent.
25.			•

	Page 53		Do 20 55
1	_	1	Page 55
$\begin{vmatrix} 1 \\ 2 \end{vmatrix}$	CHAIRMAN MORELOCK: Okay. All right.	1. 2.	going to be and that may be part of the discrepancy.
2. 3.	I've just got a few editorial comments to make. With the issuance of our latest revision to Rule	3.	But I will clarify that. CHAIRMAN MORELOCK: Okay.
4.	0800-03-03, Rule 22 is now 0800-03-0308 11A	4.	MR. KINSER: I think we actually did.
5.	instead of Rule 22. So you'll just need to update	5.	CHAIRMAN MORELOCK: And let's see.
1	your manual to show the new	l	
6. 7.	•	6.	Okay. So my last comment is on page 43, and on item
1	MR. FLOWERS: Is that on page nine	7. 8.	one, you just you make a general statement. With
8. 9.	we're talking about there? CHAIRMAN MORELOCK: Yes. And in the		annunciation of the alarm, the on-duty person
	cover letter and	9.	assigned to execute the variance procedure shall
10.	MR. DUNNAVANT: All of it.	10.	press the e-stop, but who is that? You know? You
12.	CHAIRMAN MORELOCK: Yeah. All	11.	may want to just clarify again, because when you
I .		12. 13.	have a site visit, they're going to want to know,
13.	instances of that where it would occur. So you'll		you know, one, want to make sure that what you're
14.	just need to update with the correct rule.	14. 15.	doing in the field and in the manual matches. So MR. DUNNAVANT: Okay.
15. 16.	MR. FLOWERS: Okay. CHAIRMAN MORELOCK: And that like	16.	CHAIRMAN MORELOCK: that's a
17.	I said, that just was went into effect in	17.	general statement. We don't really know who that
18. 19.	September, so I understand.	18. 19.	is. So just clarify that.
1	MR. FLOWERS: Well, we were working on this one for a while. So but I'll be glad to	20.	MR. FLOWERS: Okay. CHAIRMAN MORELOCK: And that's all
20.	<u>c</u>	$\begin{vmatrix} 20. \\ 21. \end{vmatrix}$	the comments I have in addition to
21.	get that changed.	22.	
22.	CHAIRMAN MORELOCK: Okay. As far as	23.	MR. BAUGHMAN: I've got one.
23.	on the checklist, Item 11, who has responsibility to	24.	CHAIRMAN MORELOCK: Yes.
24.	keep the manual current, page nine and page 35	l '	MR. BAUGHMAN: I'm sorry.
25.	contradict each other as to who is going to be	25.	CHAIRMAN MORELOCK: Go ahead.
1	~ ~		~
	Page 54	,	Page 56
1.	responsible. You've got Mr. Kinser being	1.	MR. BAUGHMAN: To follow that extent,
2.	responsible. You've got Mr. Kinser being responsible and then you've also got	2.	MR. BAUGHMAN: To follow that extent, on page number 43, David or Lional, it says in item
2. 3.	responsible. You've got Mr. Kinser being responsible and then you've also got MR. FLOWERS: Mike McGrew?	2. 3.	MR. BAUGHMAN: To follow that extent, on page number 43, David or Lional, it says in item number one, shall proceed immediately to the boiler
2. 3. 4.	responsible. You've got Mr. Kinser being responsible and then you've also got MR. FLOWERS: Mike McGrew? CHAIRMAN MORELOCK: Yeah. So	2. 3. 4.	MR. BAUGHMAN: To follow that extent, on page number 43, David or Lional, it says in item number one, shall proceed immediately to the boiler room and enter when he believes it is safe to do so
2. 3. 4. 5.	responsible. You've got Mr. Kinser being responsible and then you've also got MR. FLOWERS: Mike McGrew? CHAIRMAN MORELOCK: Yeah. So MR. ROBINSON: That's on page 39?	2. 3. 4. 5.	MR. BAUGHMAN: To follow that extent, on page number 43, David or Lional, it says in item number one, shall proceed immediately to the boiler room and enter when he believes it is safe to do so and press the e-stop button. Is the e-stop inside
2. 3. 4. 5. 6.	responsible. You've got Mr. Kinser being responsible and then you've also got MR. FLOWERS: Mike McGrew? CHAIRMAN MORELOCK: Yeah. So MR. ROBINSON: That's on page 39? CHAIRMAN MORELOCK: Yeah. Just page	2. 3. 4. 5. 6.	MR. BAUGHMAN: To follow that extent, on page number 43, David or Lional, it says in item number one, shall proceed immediately to the boiler room and enter when he believes it is safe to do so and press the e-stop button. Is the e-stop inside the boiler room or is it external?
2. 3. 4. 5. 6. 7.	responsible. You've got Mr. Kinser being responsible and then you've also got MR. FLOWERS: Mike McGrew? CHAIRMAN MORELOCK: Yeah. So MR. ROBINSON: That's on page 39? CHAIRMAN MORELOCK: Yeah. Just page nine and page 35. Just like I said, it's an	2. 3. 4. 5. 6. 7.	MR. BAUGHMAN: To follow that extent, on page number 43, David or Lional, it says in item number one, shall proceed immediately to the boiler room and enter when he believes it is safe to do so and press the e-stop button. Is the e-stop inside the boiler room or is it external? MR. DUNNAVANT: There are actually
2. 3. 4. 5. 6. 7. 8.	responsible. You've got Mr. Kinser being responsible and then you've also got MR. FLOWERS: Mike McGrew? CHAIRMAN MORELOCK: Yeah. So MR. ROBINSON: That's on page 39? CHAIRMAN MORELOCK: Yeah. Just page nine and page 35. Just like I said, it's an editorial. You just make sure it's consistent on	2. 3. 4. 5. 6. 7. 8.	MR. BAUGHMAN: To follow that extent, on page number 43, David or Lional, it says in item number one, shall proceed immediately to the boiler room and enter when he believes it is safe to do so and press the e-stop button. Is the e-stop inside the boiler room or is it external? MR. DUNNAVANT: There are actually several. That was put in there for in the event
2. 3. 4. 5. 6. 7. 8. 9.	responsible. You've got Mr. Kinser being responsible and then you've also got MR. FLOWERS: Mike McGrew? CHAIRMAN MORELOCK: Yeah. So MR. ROBINSON: That's on page 39? CHAIRMAN MORELOCK: Yeah. Just page nine and page 35. Just like I said, it's an editorial. You just make sure it's consistent on who's responsible. On your power piping sketch on	2. 3. 4. 5. 6. 7. 8. 9.	MR. BAUGHMAN: To follow that extent, on page number 43, David or Lional, it says in item number one, shall proceed immediately to the boiler room and enter when he believes it is safe to do so and press the e-stop button. Is the e-stop inside the boiler room or is it external? MR. DUNNAVANT: There are actually several. That was put in there for in the event that someone was actually on the premises, near the
2. 3. 4. 5. 6. 7. 8. 9.	responsible. You've got Mr. Kinser being responsible and then you've also got MR. FLOWERS: Mike McGrew? CHAIRMAN MORELOCK: Yeah. So MR. ROBINSON: That's on page 39? CHAIRMAN MORELOCK: Yeah. Just page nine and page 35. Just like I said, it's an editorial. You just make sure it's consistent on who's responsible. On your power piping sketch on page 21, it just needs to be labeled as a power	2. 3. 4. 5. 6. 7. 8. 9.	MR. BAUGHMAN: To follow that extent, on page number 43, David or Lional, it says in item number one, shall proceed immediately to the boiler room and enter when he believes it is safe to do so and press the e-stop button. Is the e-stop inside the boiler room or is it external? MR. DUNNAVANT: There are actually several. That was put in there for in the event that someone was actually on the premises, near the maintenance shop, there will be e-stops, like,
2. 3. 4. 5. 6. 7. 8. 9. 10.	responsible. You've got Mr. Kinser being responsible and then you've also got MR. FLOWERS: Mike McGrew? CHAIRMAN MORELOCK: Yeah. So MR. ROBINSON: That's on page 39? CHAIRMAN MORELOCK: Yeah. Just page nine and page 35. Just like I said, it's an editorial. You just make sure it's consistent on who's responsible. On your power piping sketch on page 21, it just needs to be labeled as a power piping system, feed system. The sketch is there.	2. 3. 4. 5. 6. 7. 8. 9. 10.	MR. BAUGHMAN: To follow that extent, on page number 43, David or Lional, it says in item number one, shall proceed immediately to the boiler room and enter when he believes it is safe to do so and press the e-stop button. Is the e-stop inside the boiler room or is it external? MR. DUNNAVANT: There are actually several. That was put in there for in the event that someone was actually on the premises, near the maintenance shop, there will be e-stops, like, required by code in the boiler room, in and out,
2. 3. 4. 5. 6. 7. 8. 9. 10. 11.	responsible. You've got Mr. Kinser being responsible and then you've also got MR. FLOWERS: Mike McGrew? CHAIRMAN MORELOCK: Yeah. So MR. ROBINSON: That's on page 39? CHAIRMAN MORELOCK: Yeah. Just page nine and page 35. Just like I said, it's an editorial. You just make sure it's consistent on who's responsible. On your power piping sketch on page 21, it just needs to be labeled as a power piping system, feed system. The sketch is there. It just doesn't have a title to it.	2. 3. 4. 5. 6. 7. 8. 9. 10. 11.	MR. BAUGHMAN: To follow that extent, on page number 43, David or Lional, it says in item number one, shall proceed immediately to the boiler room and enter when he believes it is safe to do so and press the e-stop button. Is the e-stop inside the boiler room or is it external? MR. DUNNAVANT: There are actually several. That was put in there for in the event that someone was actually on the premises, near the maintenance shop, there will be e-stops, like, required by code in the boiler room, in and out, that were required by most insurance companies. And
2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12.	responsible. You've got Mr. Kinser being responsible and then you've also got MR. FLOWERS: Mike McGrew? CHAIRMAN MORELOCK: Yeah. So MR. ROBINSON: That's on page 39? CHAIRMAN MORELOCK: Yeah. Just page nine and page 35. Just like I said, it's an editorial. You just make sure it's consistent on who's responsible. On your power piping sketch on page 21, it just needs to be labeled as a power piping system, feed system. The sketch is there. It just doesn't have a title to it. Let's see. You've addressed the	2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12.	MR. BAUGHMAN: To follow that extent, on page number 43, David or Lional, it says in item number one, shall proceed immediately to the boiler room and enter when he believes it is safe to do so and press the e-stop button. Is the e-stop inside the boiler room or is it external? MR. DUNNAVANT: There are actually several. That was put in there for in the event that someone was actually on the premises, near the maintenance shop, there will be e-stops, like, required by code in the boiler room, in and out, that were required by most insurance companies. And there will also be one in the break room, as well as
2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13.	responsible. You've got Mr. Kinser being responsible and then you've also got MR. FLOWERS: Mike McGrew? CHAIRMAN MORELOCK: Yeah. So MR. ROBINSON: That's on page 39? CHAIRMAN MORELOCK: Yeah. Just page nine and page 35. Just like I said, it's an editorial. You just make sure it's consistent on who's responsible. On your power piping sketch on page 21, it just needs to be labeled as a power piping system, feed system. The sketch is there. It just doesn't have a title to it. Let's see. You've addressed the training concerns, and we've already talked about	2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13.	MR. BAUGHMAN: To follow that extent, on page number 43, David or Lional, it says in item number one, shall proceed immediately to the boiler room and enter when he believes it is safe to do so and press the e-stop button. Is the e-stop inside the boiler room or is it external? MR. DUNNAVANT: There are actually several. That was put in there for in the event that someone was actually on the premises, near the maintenance shop, there will be e-stops, like, required by code in the boiler room, in and out, that were required by most insurance companies. And there will also be one in the break room, as well as the maintenance shop. So
2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14.	responsible. You've got Mr. Kinser being responsible and then you've also got	2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15.	MR. BAUGHMAN: To follow that extent, on page number 43, David or Lional, it says in item number one, shall proceed immediately to the boiler room and enter when he believes it is safe to do so and press the e-stop button. Is the e-stop inside the boiler room or is it external? MR. DUNNAVANT: There are actually several. That was put in there for in the event that someone was actually on the premises, near the maintenance shop, there will be e-stops, like, required by code in the boiler room, in and out, that were required by most insurance companies. And there will also be one in the break room, as well as the maintenance shop. So MR. BAUGHMAN: So there is one
2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15.	responsible. You've got Mr. Kinser being responsible and then you've also got MR. FLOWERS: Mike McGrew? CHAIRMAN MORELOCK: Yeah. So MR. ROBINSON: That's on page 39? CHAIRMAN MORELOCK: Yeah. Just page nine and page 35. Just like I said, it's an editorial. You just make sure it's consistent on who's responsible. On your power piping sketch on page 21, it just needs to be labeled as a power piping system, feed system. The sketch is there. It just doesn't have a title to it. Let's see. You've addressed the training concerns, and we've already talked about all the other things. We want to make sure that the remote attendant cannot be called away. You	2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15. 16.	MR. BAUGHMAN: To follow that extent, on page number 43, David or Lional, it says in item number one, shall proceed immediately to the boiler room and enter when he believes it is safe to do so and press the e-stop button. Is the e-stop inside the boiler room or is it external? MR. DUNNAVANT: There are actually several. That was put in there for in the event that someone was actually on the premises, near the maintenance shop, there will be e-stops, like, required by code in the boiler room, in and out, that were required by most insurance companies. And there will also be one in the break room, as well as the maintenance shop. So MR. BAUGHMAN: So there is one external
2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15. 16.	responsible. You've got Mr. Kinser being responsible and then you've also got MR. FLOWERS: Mike McGrew? CHAIRMAN MORELOCK: Yeah. So MR. ROBINSON: That's on page 39? CHAIRMAN MORELOCK: Yeah. Just page nine and page 35. Just like I said, it's an editorial. You just make sure it's consistent on who's responsible. On your power piping sketch on page 21, it just needs to be labeled as a power piping system, feed system. The sketch is there. It just doesn't have a title to it. Let's see. You've addressed the training concerns, and we've already talked about all the other things. We want to make sure that the remote attendant cannot be called away. You have somebody there continuously. You need to add	2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15. 16. 17.	MR. BAUGHMAN: To follow that extent, on page number 43, David or Lional, it says in item number one, shall proceed immediately to the boiler room and enter when he believes it is safe to do so and press the e-stop button. Is the e-stop inside the boiler room or is it external? MR. DUNNAVANT: There are actually several. That was put in there for in the event that someone was actually on the premises, near the maintenance shop, there will be e-stops, like, required by code in the boiler room, in and out, that were required by most insurance companies. And there will also be one in the break room, as well as the maintenance shop. So MR. BAUGHMAN: So there is one external MR. DUNNAVANT: Yes.
2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15. 16. 17.	responsible. You've got Mr. Kinser being responsible and then you've also got MR. FLOWERS: Mike McGrew? CHAIRMAN MORELOCK: Yeah. So MR. ROBINSON: That's on page 39? CHAIRMAN MORELOCK: Yeah. Just page nine and page 35. Just like I said, it's an editorial. You just make sure it's consistent on who's responsible. On your power piping sketch on page 21, it just needs to be labeled as a power piping system, feed system. The sketch is there. It just doesn't have a title to it. Let's see. You've addressed the training concerns, and we've already talked about all the other things. We want to make sure that the remote attendant cannot be called away. You have somebody there continuously. You need to add maintenance personnel to your organizational chart	2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15. 16. 17. 18.	MR. BAUGHMAN: To follow that extent, on page number 43, David or Lional, it says in item number one, shall proceed immediately to the boiler room and enter when he believes it is safe to do so and press the e-stop button. Is the e-stop inside the boiler room or is it external? MR. DUNNAVANT: There are actually several. That was put in there for in the event that someone was actually on the premises, near the maintenance shop, there will be e-stops, like, required by code in the boiler room, in and out, that were required by most insurance companies. And there will also be one in the break room, as well as the maintenance shop. So MR. BAUGHMAN: So there is one external MR. DUNNAVANT: Yes. MR. BAUGHMAN: that they do not
2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15. 16. 17.	responsible. You've got Mr. Kinser being responsible and then you've also got MR. FLOWERS: Mike McGrew? CHAIRMAN MORELOCK: Yeah. So MR. ROBINSON: That's on page 39? CHAIRMAN MORELOCK: Yeah. Just page nine and page 35. Just like I said, it's an editorial. You just make sure it's consistent on who's responsible. On your power piping sketch on page 21, it just needs to be labeled as a power piping system, feed system. The sketch is there. It just doesn't have a title to it. Let's see. You've addressed the training concerns, and we've already talked about all the other things. We want to make sure that the remote attendant cannot be called away. You have somebody there continuously. You need to add maintenance personnel to your organizational chart and to the job descriptions.	2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15. 16. 17.	MR. BAUGHMAN: To follow that extent, on page number 43, David or Lional, it says in item number one, shall proceed immediately to the boiler room and enter when he believes it is safe to do so and press the e-stop button. Is the e-stop inside the boiler room or is it external? MR. DUNNAVANT: There are actually several. That was put in there for in the event that someone was actually on the premises, near the maintenance shop, there will be e-stops, like, required by code in the boiler room, in and out, that were required by most insurance companies. And there will also be one in the break room, as well as the maintenance shop. So MR. BAUGHMAN: So there is one external MR. DUNNAVANT: Yes. MR. BAUGHMAN: that they do not have to enter the boiler room.
2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15. 16. 17. 18. 19. 20.	responsible. You've got Mr. Kinser being responsible and then you've also got MR. FLOWERS: Mike McGrew? CHAIRMAN MORELOCK: Yeah. So MR. ROBINSON: That's on page 39? CHAIRMAN MORELOCK: Yeah. Just page nine and page 35. Just like I said, it's an editorial. You just make sure it's consistent on who's responsible. On your power piping sketch on page 21, it just needs to be labeled as a power piping system, feed system. The sketch is there. It just doesn't have a title to it. Let's see. You've addressed the training concerns, and we've already talked about all the other things. We want to make sure that the remote attendant cannot be called away. You have somebody there continuously. You need to add maintenance personnel to your organizational chart and to the job descriptions. On page nine, you show the distance	2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15. 16. 17. 18. 19. 20.	MR. BAUGHMAN: To follow that extent, on page number 43, David or Lional, it says in item number one, shall proceed immediately to the boiler room and enter when he believes it is safe to do so and press the e-stop button. Is the e-stop inside the boiler room or is it external? MR. DUNNAVANT: There are actually several. That was put in there for in the event that someone was actually on the premises, near the maintenance shop, there will be e-stops, like, required by code in the boiler room, in and out, that were required by most insurance companies. And there will also be one in the break room, as well as the maintenance shop. So MR. BAUGHMAN: So there is one external MR. DUNNAVANT: Yes. MR. BAUGHMAN: that they do not have to enter the boiler room. MR. DUNNAVANT: Yes. They do not
2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15. 16. 17. 18. 19. 20. 21.	responsible. You've got Mr. Kinser being responsible and then you've also got MR. FLOWERS: Mike McGrew? CHAIRMAN MORELOCK: Yeah. So MR. ROBINSON: That's on page 39? CHAIRMAN MORELOCK: Yeah. Just page nine and page 35. Just like I said, it's an editorial. You just make sure it's consistent on who's responsible. On your power piping sketch on page 21, it just needs to be labeled as a power piping system, feed system. The sketch is there. It just doesn't have a title to it. Let's see. You've addressed the training concerns, and we've already talked about all the other things. We want to make sure that the remote attendant cannot be called away. You have somebody there continuously. You need to add maintenance personnel to your organizational chart and to the job descriptions. On page nine, you show the distance between the remote monitor and the boilers as 150	2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15. 16. 17. 18. 19. 20. 21.	MR. BAUGHMAN: To follow that extent, on page number 43, David or Lional, it says in item number one, shall proceed immediately to the boiler room and enter when he believes it is safe to do so and press the e-stop button. Is the e-stop inside the boiler room or is it external? MR. DUNNAVANT: There are actually several. That was put in there for in the event that someone was actually on the premises, near the maintenance shop, there will be e-stops, like, required by code in the boiler room, in and out, that were required by most insurance companies. And there will also be one in the break room, as well as the maintenance shop. So MR. BAUGHMAN: So there is one external MR. DUNNAVANT: Yes. MR. BAUGHMAN: that they do not have to enter the boiler room. MR. DUNNAVANT: Yes. They do not have to enter.
2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15. 16. 17. 18. 19. 20. 21. 22.	responsible. You've got Mr. Kinser being responsible and then you've also got MR. FLOWERS: Mike McGrew? CHAIRMAN MORELOCK: Yeah. So MR. ROBINSON: That's on page 39? CHAIRMAN MORELOCK: Yeah. Just page nine and page 35. Just like I said, it's an editorial. You just make sure it's consistent on who's responsible. On your power piping sketch on page 21, it just needs to be labeled as a power piping system, feed system. The sketch is there. It just doesn't have a title to it. Let's see. You've addressed the training concerns, and we've already talked about all the other things. We want to make sure that the remote attendant cannot be called away. You have somebody there continuously. You need to add maintenance personnel to your organizational chart and to the job descriptions. On page nine, you show the distance between the remote monitor and the boilers as 150 feet. Page 22 and 34 say it's 100 yards, so	2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15. 16. 17. 18. 19. 20. 21. 22.	MR. BAUGHMAN: To follow that extent, on page number 43, David or Lional, it says in item number one, shall proceed immediately to the boiler room and enter when he believes it is safe to do so and press the e-stop button. Is the e-stop inside the boiler room or is it external? MR. DUNNAVANT: There are actually several. That was put in there for in the event that someone was actually on the premises, near the maintenance shop, there will be e-stops, like, required by code in the boiler room, in and out, that were required by most insurance companies. And there will also be one in the break room, as well as the maintenance shop. So MR. BAUGHMAN: So there is one external MR. DUNNAVANT: Yes. MR. BAUGHMAN: that they do not have to enter the boiler room. MR. DUNNAVANT: Yes. They do not have to enter. MR. BAUGHMAN: Okay.
2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15. 16. 17. 18. 19. 20. 21. 22. 23.	responsible. You've got Mr. Kinser being responsible and then you've also got MR. FLOWERS: Mike McGrew? CHAIRMAN MORELOCK: Yeah. So MR. ROBINSON: That's on page 39? CHAIRMAN MORELOCK: Yeah. Just page nine and page 35. Just like I said, it's an editorial. You just make sure it's consistent on who's responsible. On your power piping sketch on page 21, it just needs to be labeled as a power piping system, feed system. The sketch is there. It just doesn't have a title to it. Let's see. You've addressed the training concerns, and we've already talked about all the other things. We want to make sure that the remote attendant cannot be called away. You have somebody there continuously. You need to add maintenance personnel to your organizational chart and to the job descriptions. On page nine, you show the distance between the remote monitor and the boilers as 150 feet. Page 22 and 34 say it's 100 yards, so you again, you've got some inconsistency there.	2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15. 16. 17. 18. 19. 20. 21. 22. 23.	MR. BAUGHMAN: To follow that extent, on page number 43, David or Lional, it says in item number one, shall proceed immediately to the boiler room and enter when he believes it is safe to do so and press the e-stop button. Is the e-stop inside the boiler room or is it external? MR. DUNNAVANT: There are actually several. That was put in there for in the event that someone was actually on the premises, near the maintenance shop, there will be e-stops, like, required by code in the boiler room, in and out, that were required by most insurance companies. And there will also be one in the break room, as well as the maintenance shop. So MR. BAUGHMAN: So there is one external MR. DUNNAVANT: Yes. MR. BAUGHMAN: that they do not have to enter the boiler room. MR. DUNNAVANT: Yes. They do not have to enter. MR. BAUGHMAN: Okay. CHAIRMAN MORELOCK: Okay. Any other
2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15. 16. 17. 20. 21. 22. 23. 24.	responsible. You've got Mr. Kinser being responsible and then you've also got MR. FLOWERS: Mike McGrew? CHAIRMAN MORELOCK: Yeah. So MR. ROBINSON: That's on page 39? CHAIRMAN MORELOCK: Yeah. Just page nine and page 35. Just like I said, it's an editorial. You just make sure it's consistent on who's responsible. On your power piping sketch on page 21, it just needs to be labeled as a power piping system, feed system. The sketch is there. It just doesn't have a title to it. Let's see. You've addressed the training concerns, and we've already talked about all the other things. We want to make sure that the remote attendant cannot be called away. You have somebody there continuously. You need to add maintenance personnel to your organizational chart and to the job descriptions. On page nine, you show the distance between the remote monitor and the boilers as 150 feet. Page 22 and 34 say it's 100 yards, so you again, you've got some inconsistency there. MR. FLOWERS: And what may have	2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15. 16. 17. 18. 19. 20. 21. 22. 23. 24.	MR. BAUGHMAN: To follow that extent, on page number 43, David or Lional, it says in item number one, shall proceed immediately to the boiler room and enter when he believes it is safe to do so and press the e-stop button. Is the e-stop inside the boiler room or is it external? MR. DUNNAVANT: There are actually several. That was put in there for in the event that someone was actually on the premises, near the maintenance shop, there will be e-stops, like, required by code in the boiler room, in and out, that were required by most insurance companies. And there will also be one in the break room, as well as the maintenance shop. So MR. BAUGHMAN: So there is one external MR. DUNNAVANT: Yes. MR. BAUGHMAN: that they do not have to enter the boiler room. MR. DUNNAVANT: Yes. They do not have to enter. MR. BAUGHMAN: Okay. CHAIRMAN MORELOCK: Okay. Any other comments? Yes?
2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15. 16. 17. 18. 19. 20. 21. 22. 23.	responsible. You've got Mr. Kinser being responsible and then you've also got MR. FLOWERS: Mike McGrew? CHAIRMAN MORELOCK: Yeah. So MR. ROBINSON: That's on page 39? CHAIRMAN MORELOCK: Yeah. Just page nine and page 35. Just like I said, it's an editorial. You just make sure it's consistent on who's responsible. On your power piping sketch on page 21, it just needs to be labeled as a power piping system, feed system. The sketch is there. It just doesn't have a title to it. Let's see. You've addressed the training concerns, and we've already talked about all the other things. We want to make sure that the remote attendant cannot be called away. You have somebody there continuously. You need to add maintenance personnel to your organizational chart and to the job descriptions. On page nine, you show the distance between the remote monitor and the boilers as 150 feet. Page 22 and 34 say it's 100 yards, so you again, you've got some inconsistency there.	2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15. 16. 17. 18. 19. 20. 21. 22. 23.	MR. BAUGHMAN: To follow that extent, on page number 43, David or Lional, it says in item number one, shall proceed immediately to the boiler room and enter when he believes it is safe to do so and press the e-stop button. Is the e-stop inside the boiler room or is it external? MR. DUNNAVANT: There are actually several. That was put in there for in the event that someone was actually on the premises, near the maintenance shop, there will be e-stops, like, required by code in the boiler room, in and out, that were required by most insurance companies. And there will also be one in the break room, as well as the maintenance shop. So MR. BAUGHMAN: So there is one external MR. DUNNAVANT: Yes. MR. BAUGHMAN: that they do not have to enter the boiler room. MR. DUNNAVANT: Yes. They do not have to enter. MR. BAUGHMAN: Okay. CHAIRMAN MORELOCK: Okay. Any other

	Page 57	I	Page 59
1.	I see training should be conducted by	1.	you'll be good to go.
2.	Mr. Rick Kinser. Could you put in there	2.	MR. FLOWERS: Absolutely. I'll have
3.	responsibility this training should be conducted	3.	a copy of it beforehand.
4.	and the responsibility of this ties the loophole	4.	CHAIRMAN MORELOCK: Okay. All right.
5.	between security	5.	Thank you, gentlemen.
6.	MR. DUNNAVANT: Okay.	6.	MR. FLOWERS: All right. Thank you.
7.	MR. ROBINSON: and whoever else	7.	MR. DUNNAVANT: Thank you.
8.	comes in there because it's his responsibility.	8.	CHAIRMAN MORELOCK: All right. Our
9.	MR. DUNNAVANT: Trained by and	9.	next item is 16-17, Buckman Laboratories.
10.	responsibility of.	10.	Mr. Swezy, you can come and present. Are there any
11.	MR. ROBINSON: So if it's not done	11.	conflicts of interest on this item? Okay. There
12.	MR. FLOWERS: Okay.	12.	are none. So Mr. Swezy, you're free to proceed.
13.	MR. ROBINSON: at least we know.	13.	MR. SWEZY: I have the member sign-in
14.	CHAIRMAN MORELOCK: Anything else?	14.	sheet. I don't know who that goes to.
15.	Okay. Hearing none, do I have a motion?	15.	MS. BENNETT: Thank you.
16.	MR. ROBINSON: Motion to vote?	16.	MR. SWEZY: Well, good morning,
17.	CHAIRMAN MORELOCK: Yes, sir.	17.	members of the Board. Thank you for allowing me to
18.	MR. PISCHKE: Second.	18.	come before you this morning. My pleasure to
19.	CHAIRMAN MORELOCK: Okay. So I need	19.	reappear again after my visit last June.
20.	a motion. Or I need a little more detail than	20.	THE REPORTER: Could you please state
21.	that.	21.	your name?
22.	MR. ROBINSON: Motion to vote based	22.	MR. SWEZY: Pardon me?
23.	on discussion and contingency comments	23.	THE REPORTER: Could you please state
24.	CHAIRMAN MORELOCK: To approve	24.	your name?
25.	you're going to vote to approve?	25.	MR. SWEZY: Oh, I'm sorry.
	Page 58		Page 60
1.	MR. ROBINSON: To approve.	1.	John Swezy, and I'm president of Boiler Code Tech,
2.	CHAIRMAN MORELOCK: Contingent on the	2.	LLC. And I'm here representing Buckman Laboratories
3.	site inspection by the chief inspector? Okay.	3.	in Memphis, Tennessee.
4.	MR. ROBINSON: Yes, sir.	4.	This particular appearance is to do a
5.	CHAIRMAN MORELOCK: Do I have a	5.	number of things, to, first of all, revise an
6.	second?	6.	existing variance that they have in place, and,
7.	MR. PISCHKE: I have a second.	7.	second of all, to renew this variance. And let me
8.	CHAIRMAN MORELOCK: Okay. We do have	8.	just be real up front with you. Okay? This
9.	one conflict of interest. Any other discussion?	9.	company recognized that this variance needed to be
10.	Okay. I'm going to call the question. All in	10.	revised. They also recognized that it had not
11.	favor, say, "aye."	11.	been renewed since the last time it was approved
12.	MR. HARGROVE: Aye.	12.	in 2008. And so there are two reapproval cycles
13.	MR. PISCHKE: Aye.	13.	that did not take place because of changes of
14.	MR. ROBINSON: Aye.	14.	management, organizational structure, and
15.	CHAIRMAN MORELOCK: Opposed?	15.	ownership of equipment that caused that to lapse
16.	Abstentions? Not voting? All right, gentlemen.	16.	and not be recognized as something that was
17.	You have a contingently approved boiler variance.	17.	necessary.
18.	And work with Mr. Chapman to get your site	18.	And so after making them aware of
19.	inspection scheduled. Stone and them do a great job	19.	that, I told them that I'm going to have to plead
20.	getting the minutes published so that the chief	20.	a mea culpa when I appear before this Board and
21.	inspector will have our comments in addition to what	21.	let you folks know that right up front. And they
22.	he comes up with at the site inspection.	22.	clearly recognized that that was an oversight on
23.	Make sure your manual you'll want	23.	their part and they are very much recognizing that
24.	to get your manual cleaned up before his site	24.	it needs to be set right. And so that's part of
25.	inspection so everything can be checked off and	25.	what we're here to do today.
	Provided by Stone & George C	Cou	rt Reporting (615) 268-1244

The other thing I will let you know front is that in the process of preparing for meeting, I reviewed the manual that was mitted and found some significant areas that ded to be addressed. And one of them is the lition of a power piping diagram that needs to ear in the manual. And so I've revised the lition add that, and I'm going to hand out some lies to you all to refer to during this lussion. And the second one is the fact that checklist that's in Appendix H of this manual an old version. It was Revision four, which of up to date. And so I've prepared a new lision nine version of that checklist. And so a your permission, I'd like to hand out those litions to the existing manual you have in front ou now. And again, I apologize for bringing material to you at this late date. The dition of this manual when I received it for lating was not good. So it was something that overlooked and so we are addressing it now. There are a couple of other minor	Page 61	1. 2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15. 16. 17. 18. 19. 20.	give you those pages that I just handed out. Okay. So having said that, let me talk a little bit about what we're doing here. There are two existing boilers, a Foster Wheeler boiler and a Cleaver-Brooks 600-horsepower boiler, that have been installed and operating with remote operating stations under a previously approved variance that was last addressed by this Board in 2008. That system is still in place and still being operated. And a new boiler was added to it within the last year, another Cleaver-Brooks, this one a 350-horsepower unit. And that boiler has been inspected for installation and approval by the State. It's been issued a Tennessee number and a licensing I'm sorry, an operating permit. And that boiler has since been tied into this remote operating system, as well, but it's	Page 63
ront is that in the process of preparing for meeting, I reviewed the manual that was mitted and found some significant areas that ded to be addressed. And one of them is the ition of a power piping diagram that needs to ear in the manual. And so I've revised the unal to add that, and I'm going to hand out some ies to you all to refer to during this ussion. And the second one is the fact that checklist that's in Appendix H of this manual an old version. It was Revision four, which of up to date. And so I've prepared a new ision nine version of that checklist. And so a your permission, I'd like to hand out those itions to the existing manual you have in front ou now. And again, I apologize for bringing material to you at this late date. The dition of this manual when I received it for ating was not good. So it was something that overlooked and so we are addressing it now.		3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15. 16. 17. 18. 19.	Okay. So having said that, let me talk a little bit about what we're doing here. There are two existing boilers, a Foster Wheeler boiler and a Cleaver-Brooks 600-horsepower boiler, that have been installed and operating with remote operating stations under a previously approved variance that was last addressed by this Board in 2008. That system is still in place and still being operated. And a new boiler was added to it within the last year, another Cleaver-Brooks, this one a 350-horsepower unit. And that boiler has been inspected for installation and approval by the State. It's been issued a Tennessee number and a licensing I'm sorry, an operating permit. And that boiler has since been tied into this remote operating system, as well, but it's	
meeting, I reviewed the manual that was mitted and found some significant areas that ded to be addressed. And one of them is the ition of a power piping diagram that needs to ear in the manual. And so I've revised the mual to add that, and I'm going to hand out some ites to you all to refer to during this sussion. And the second one is the fact that checklist that's in Appendix H of this manual an old version. It was Revision four, which of up to date. And so I've prepared a new ision nine version of that checklist. And so a your permission, I'd like to hand out those itions to the existing manual you have in front ou now. And again, I apologize for bringing material to you at this late date. The dition of this manual when I received it for ating was not good. So it was something that overlooked and so we are addressing it now.		4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15. 16. 17. 18. 19.	talk a little bit about what we're doing here. There are two existing boilers, a Foster Wheeler boiler and a Cleaver-Brooks 600-horsepower boiler, that have been installed and operating with remote operating stations under a previously approved variance that was last addressed by this Board in 2008. That system is still in place and still being operated. And a new boiler was added to it within the last year, another Cleaver-Brooks, this one a 350-horsepower unit. And that boiler has been inspected for installation and approval by the State. It's been issued a Tennessee number and a licensing I'm sorry, an operating permit. And that boiler has since been tied into this remote operating system, as well, but it's	
mitted and found some significant areas that ded to be addressed. And one of them is the attion of a power piping diagram that needs to the ear in the manual. And so I've revised the sual to add that, and I'm going to hand out some ties to you all to refer to during this sussion. And the second one is the fact that checklist that's in Appendix H of this manual an old version. It was Revision four, which of up to date. And so I've prepared a new ision nine version of that checklist. And so a your permission, I'd like to hand out those itions to the existing manual you have in front ou now. And again, I apologize for bringing material to you at this late date. The dition of this manual when I received it for atting was not good. So it was something that overlooked and so we are addressing it now.		5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15. 16. 17. 18. 19.	There are two existing boilers, a Foster Wheeler boiler and a Cleaver-Brooks 600-horsepower boiler, that have been installed and operating with remote operating stations under a previously approved variance that was last addressed by this Board in 2008. That system is still in place and still being operated. And a new boiler was added to it within the last year, another Cleaver-Brooks, this one a 350-horsepower unit. And that boiler has been inspected for installation and approval by the State. It's been issued a Tennessee number and a licensing I'm sorry, an operating permit. And that boiler has since been tied into this remote operating system, as well, but it's	
ded to be addressed. And one of them is the action of a power piping diagram that needs to the area in the manual. And so I've revised the anal to add that, and I'm going to hand out some ties to you all to refer to during this sussion. And the second one is the fact that checklist that's in Appendix H of this manual an old version. It was Revision four, which to tup to date. And so I've prepared a new ision nine version of that checklist. And so a your permission, I'd like to hand out those ations to the existing manual you have in front ou now. And again, I apologize for bringing material to you at this late date. The dition of this manual when I received it for ating was not good. So it was something that overlooked and so we are addressing it now.		6. 7. 8. 9. 10. 11. 12. 13. 14. 15. 16. 17. 18. 19.	boiler and a Cleaver-Brooks 600-horsepower boiler, that have been installed and operating with remote operating stations under a previously approved variance that was last addressed by this Board in 2008. That system is still in place and still being operated. And a new boiler was added to it within the last year, another Cleaver-Brooks, this one a 350-horsepower unit. And that boiler has been inspected for installation and approval by the State. It's been issued a Tennessee number and a licensing I'm sorry, an operating permit. And that boiler has since been tied into this remote operating system, as well, but it's	
ition of a power piping diagram that needs to ear in the manual. And so I've revised the ual to add that, and I'm going to hand out some ies to you all to refer to during this ussion. And the second one is the fact that checklist that's in Appendix H of this manual an old version. It was Revision four, which of up to date. And so I've prepared a new ision nine version of that checklist. And so a your permission, I'd like to hand out those itions to the existing manual you have in front ou now. And again, I apologize for bringing material to you at this late date. The dition of this manual when I received it for ating was not good. So it was something that overlooked and so we are addressing it now.		7. 8. 9. 10. 11. 12. 13. 14. 15. 16. 17. 18.	that have been installed and operating with remote operating stations under a previously approved variance that was last addressed by this Board in 2008. That system is still in place and still being operated. And a new boiler was added to it within the last year, another Cleaver-Brooks, this one a 350-horsepower unit. And that boiler has been inspected for installation and approval by the State. It's been issued a Tennessee number and a licensing I'm sorry, an operating permit. And that boiler has since been tied into this remote operating system, as well, but it's	
ear in the manual. And so I've revised the sual to add that, and I'm going to hand out some less to you all to refer to during this sussion. And the second one is the fact that checklist that's in Appendix H of this manual an old version. It was Revision four, which of up to date. And so I've prepared a new ision nine version of that checklist. And so a your permission, I'd like to hand out those itions to the existing manual you have in front ou now. And again, I apologize for bringing material to you at this late date. The dition of this manual when I received it for ating was not good. So it was something that overlooked and so we are addressing it now.		8. 9. 10. 11. 12. 13. 14. 15. 16. 17. 18.	operating stations under a previously approved variance that was last addressed by this Board in 2008. That system is still in place and still being operated. And a new boiler was added to it within the last year, another Cleaver-Brooks, this one a 350-horsepower unit. And that boiler has been inspected for installation and approval by the State. It's been issued a Tennessee number and a licensing I'm sorry, an operating permit. And that boiler has since been tied into this remote operating system, as well, but it's	
ual to add that, and I'm going to hand out some ies to you all to refer to during this ussion. And the second one is the fact that checklist that's in Appendix H of this manual an old version. It was Revision four, which ot up to date. And so I've prepared a new ision nine version of that checklist. And so a your permission, I'd like to hand out those itions to the existing manual you have in front ou now. And again, I apologize for bringing material to you at this late date. The dition of this manual when I received it for ating was not good. So it was something that overlooked and so we are addressing it now.		9. 10. 11. 12. 13. 14. 15. 16. 17. 18.	variance that was last addressed by this Board in 2008. That system is still in place and still being operated. And a new boiler was added to it within the last year, another Cleaver-Brooks, this one a 350-horsepower unit. And that boiler has been inspected for installation and approval by the State. It's been issued a Tennessee number and a licensing I'm sorry, an operating permit. And that boiler has since been tied into this remote operating system, as well, but it's	
ies to you all to refer to during this ussion. And the second one is the fact that checklist that's in Appendix H of this manual an old version. It was Revision four, which of up to date. And so I've prepared a new ision nine version of that checklist. And so a your permission, I'd like to hand out those itions to the existing manual you have in front ou now. And again, I apologize for bringing material to you at this late date. The dition of this manual when I received it for ating was not good. So it was something that overlooked and so we are addressing it now.		10. 11. 12. 13. 14. 15. 16. 17. 18.	2008. That system is still in place and still being operated. And a new boiler was added to it within the last year, another Cleaver-Brooks, this one a 350-horsepower unit. And that boiler has been inspected for installation and approval by the State. It's been issued a Tennessee number and a licensing I'm sorry, an operating permit. And that boiler has since been tied into this remote operating system, as well, but it's	
And the second one is the fact that checklist that's in Appendix H of this manual an old version. It was Revision four, which of up to date. And so I've prepared a new ision nine version of that checklist. And so a your permission, I'd like to hand out those itions to the existing manual you have in front ou now. And again, I apologize for bringing material to you at this late date. The dition of this manual when I received it for ating was not good. So it was something that overlooked and so we are addressing it now.		11. 12. 13. 14. 15. 16. 17. 18.	being operated. And a new boiler was added to it within the last year, another Cleaver-Brooks, this one a 350-horsepower unit. And that boiler has been inspected for installation and approval by the State. It's been issued a Tennessee number and a licensing I'm sorry, an operating permit. And that boiler has since been tied into this remote operating system, as well, but it's	
And the second one is the fact that checklist that's in Appendix H of this manual an old version. It was Revision four, which of up to date. And so I've prepared a new ision nine version of that checklist. And so a your permission, I'd like to hand out those itions to the existing manual you have in front ou now. And again, I apologize for bringing material to you at this late date. The dition of this manual when I received it for ating was not good. So it was something that overlooked and so we are addressing it now.		11. 12. 13. 14. 15. 16. 17. 18.	And a new boiler was added to it within the last year, another Cleaver-Brooks, this one a 350-horsepower unit. And that boiler has been inspected for installation and approval by the State. It's been issued a Tennessee number and a licensing I'm sorry, an operating permit. And that boiler has since been tied into this remote operating system, as well, but it's	
checklist that's in Appendix H of this manual an old version. It was Revision four, which ot up to date. And so I've prepared a new ision nine version of that checklist. And so a your permission, I'd like to hand out those itions to the existing manual you have in front ou now. And again, I apologize for bringing material to you at this late date. The dition of this manual when I received it for ating was not good. So it was something that overlooked and so we are addressing it now.		12. 13. 14. 15. 16. 17. 18.	within the last year, another Cleaver-Brooks, this one a 350-horsepower unit. And that boiler has been inspected for installation and approval by the State. It's been issued a Tennessee number and a licensing I'm sorry, an operating permit. And that boiler has since been tied into this remote operating system, as well, but it's	
an old version. It was Revision four, which of up to date. And so I've prepared a new ision nine version of that checklist. And so a your permission, I'd like to hand out those itions to the existing manual you have in front ou now. And again, I apologize for bringing material to you at this late date. The dition of this manual when I received it for ating was not good. So it was something that overlooked and so we are addressing it now.		13. 14. 15. 16. 17. 18. 19.	one a 350-horsepower unit. And that boiler has been inspected for installation and approval by the State. It's been issued a Tennessee number and a licensing I'm sorry, an operating permit. And that boiler has since been tied into this remote operating system, as well, but it's	
ot up to date. And so I've prepared a new ision nine version of that checklist. And so a your permission, I'd like to hand out those itions to the existing manual you have in front ou now. And again, I apologize for bringing material to you at this late date. The dition of this manual when I received it for ating was not good. So it was something that overlooked and so we are addressing it now.		14. 15. 16. 17. 18.	been inspected for installation and approval by the State. It's been issued a Tennessee number and a licensing I'm sorry, an operating permit. And that boiler has since been tied into this remote operating system, as well, but it's	
ision nine version of that checklist. And so a your permission, I'd like to hand out those itions to the existing manual you have in front ou now. And again, I apologize for bringing material to you at this late date. The dition of this manual when I received it for ating was not good. So it was something that overlooked and so we are addressing it now.		15. 16. 17. 18. 19.	the State. It's been issued a Tennessee number and a licensing I'm sorry, an operating permit. And that boiler has since been tied into this remote operating system, as well, but it's	
a your permission, I'd like to hand out those itions to the existing manual you have in front ou now. And again, I apologize for bringing material to you at this late date. The dition of this manual when I received it for ating was not good. So it was something that overlooked and so we are addressing it now.		16. 17. 18. 19.	and a licensing I'm sorry, an operating permit. And that boiler has since been tied into this remote operating system, as well, but it's	
tions to the existing manual you have in front ou now. And again, I apologize for bringing material to you at this late date. The dition of this manual when I received it for ating was not good. So it was something that overlooked and so we are addressing it now.		17. 18. 19.	And that boiler has since been tied into this remote operating system, as well, but it's	
ou now. And again, I apologize for bringing material to you at this late date. The dition of this manual when I received it for ating was not good. So it was something that overlooked and so we are addressing it now.		18. 19.	remote operating system, as well, but it's	
And again, I apologize for bringing material to you at this late date. The dition of this manual when I received it for ating was not good. So it was something that overlooked and so we are addressing it now.		19.		
material to you at this late date. The dition of this manual when I received it for ating was not good. So it was something that overlooked and so we are addressing it now.			currently not being operated pending approval of	
dition of this manual when I received it for ating was not good. So it was something that overlooked and so we are addressing it now.		. <u> </u>	this variance with the remote operational	
ating was not good. So it was something that overlooked and so we are addressing it now.		21.	requirements.	
overlooked and so we are addressing it now.		22.	It's intended to be a backup boiler,	
		23.	and it was added for additional capacity in the	
		24.	event that the Foster Wheeler boiler has to go	
sions that I would like to read in for you to		25.	down because of its age. It would keep the	
sions that I would like to lead in for you to		23.	down because of its age. It would keep the	
	Page 62			Page 64
k up the existing copy that you have. If you		1.	600-horsepower boiler from being overworked any	
ld please if you would turn to page five.		2.	more than necessary. And so this is a not only	
page five of the manual where it talks about		3.	a contingent boiler, but it's also a boiler that	
ning, the first sentence has been revised to		4.	might be used in the event of a need for expanded	
the requirement for the refresher training to		5.	capacity at some point in the near future until	
onducted on an annual basis. It's not		6.	other arrangements could be made.	
ently part of the manual you have now. So if		7.	Again, this boiler is installed. It	
would just annotate that first sentence		8.	is operational. It's been inspected, it's been	
been revised to require annual refresher		9.	certified, had a site inspection, and it's been	
ning on this manual.		10.	given an operating permit.	
And then in Appendix A, the boiler		11.	And so the intent, then, of this	
sheet, page A1, you'll see the boilers listed		12.	revised variance, then, is to add that boiler to	
are currently intended to be addressed by		13.	the existing variance and to have that variance	
variance. The third column on the I'm		14.	now be renewed properly at this point in time and	
y. The fourth column on the far right where		15.	then be subsequently renewed from this point	
ys, Cleaver-Brooks Boiler National Board		16.	forward on the three-year interval as specified by	
•		l		
•			•	
-		20.		
letter T in front of 107596, that would		21.		
		l		
ect that page, as well.		23.		
ect that page, as well. And again, those are corrected in a			-	ave
ect that page, as well. And again, those are corrected in a sed copy of this manual, but rather than just		25.		
ect that page, as well. And again, those are corrected in a sed copy of this manual, but rather than just d you a whole new manual, well, I figured it			· · · · · · · · · · · · · · · · · · ·	
ect that page, as well. And again, those are corrected in a sed copy of this manual, but rather than just				
nt n	per 19304, I had incorrectly listed the essee registration number as not having the T in front of it. And so if you would add etter T in front of 107596, that would ct that page, as well. And again, those are corrected in a ed copy of this manual, but rather than just	per 19304, I had incorrectly listed the essee registration number as not having the T in front of it. And so if you would add etter T in front of 107596, that would ct that page, as well. And again, those are corrected in a ed copy of this manual, but rather than just you a whole new manual, well, I figured it	per 19304, I had incorrectly listed the essee registration number as not having the T in front of it. And so if you would add 19. etter T in front of 107596, that would 20. et that page, as well. And again, those are corrected in a 22. ed copy of this manual, but rather than just you a whole new manual, well, I figured it 24.	per 19304, I had incorrectly listed the essee registration number as not having the T in front of it. And so if you would add etter T in front of 107596, that would ct that page, as well. And again, those are corrected in a ed copy of this manual, but rather than just you a whole new manual, well, I figured it 17. your law. 18. With that explanation, I guess the 19. best thing for me to do at this point would be to 20. throw it open for you to make comments, ask 21. questions based upon the review of the manual that 22. you were sent with the additions in the handout 23. that I've passed around. 24. CHAIRMAN MORELOCK: Okay. Do I h

	Page	65		Page 67
1.	MR. ROBINSON: Motion to discuss.	1	. the boiler operator must be gone for more than 20	ruge or
2.	CHAIRMAN MORELOCK: Second?	2		
3.	MR. BAUGHMAN: Second.	3		
4.	CHAIRMAN MORELOCK: Okay. The	4		
5.	floor's open.	5		
6.	MR. ROBINSON: Any conflicts?	1 6		
7.	CHAIRMAN MORELOCK: Any we did	7		
8.	that. I remembered. Any comments?	8	_	
9.	MR. HARGROVE: First question:	9		
10.	Mr. Swezy, could you, just for understanding and	10		
11.	clarification, describe the remote monitoring system	11		
12.	in terms of its components and e-stop requirements,	12		
13.	if necessary, for that system that you have?	13		
14.	MR. SWEZY: Right. If you will look	14	,	
15.	at Appendix B, it gives you a detailed description	15		
16.	of the burner controllers, the communication	16	•	
10. 17.	systems, the UHF communications between the boiler	17	· •	
18.	operator and the remote operating station, and the	18		
19.	integrated control system. And these are all fairly	19	•	
20.	common for Cleaver-Brooks boiler operations. The	20	-	
21.	Hawk system is well-known among Cleaver-Brooks	21	C	
22.	boiler operators.	22		
23.	And again, in Appendix C, it gives	23	,	
24.	you a list of all of the faults that the Hawk	24		
25.	system will identify and provide safety functions	25		
25.	system will identify and provide safety functions		. Shift at all times. And every four hours, as a	
	Page	: 66		Page 68
1.	and annunciation to the remote operating station	1	. minimum, we'll go to the boiler room and check	
2.	to let the remote operator know what's going on	2	. everything, in addition to the continuous remote	
3.	with the boiler.	3	operating taking place.	
4.	The way this system works is if an	4	. If for some reason the communication	
5.	alarm condition happens, the remote operator has	5	. says remote operating center is not operative or	
6.	been trained to shut the boiler down and contact	6	. there's some other unusual situation where remote	
7.	the boiler operator. And the boiler operator is	7	. monitoring is not possible, then the boiler	
8.	then to dispatch himself to the boiler room to	8	. operator mans the boiler under the 20-minute rule.	
9.	identify the cause of the condition, clear the	9	. And if, for any reason, he cannot be back every 20	
10.	cause, if possible, and then notify the remote	10	. minutes to check, the security officer has a	
11.	operating station to put a restart permissive	11	. backup responsibility of initiating a shutdown in	
12.	switch in position to allow the boiler to be	12	. the case of a boiler alarm condition. But that's	
13.	restarted by the operator in the boiler room.	13	. his only trained function, is to put it in	
14.	Okay?	14		
15.	Now, if this fault condition, then,	15	. system.	
16.	occurs and the boiler is shut down from the remote	16	. MR. HARGROVE: And either of those	
17.	operating station, the boiler operator has one	17	. individuals, I see like you have described in	
18.	minute to respond and get to the boiler operating	18		
19.	room in order to address the situation at hand.	19		
20.	Any time any of the boilers are operating, the	20		
21.	remote station is always manned. If for some	21		
22.	reason it cannot be manned, then the 20-minute	22	•	
23.	rule applies and the boiler operator is in the	23		
24.	operating room.	24		
25.	If for some reason in that condition	25		
			,	
	Provided by Stone & Georg	ge Co	urt Reporting (615) 268-1244	

	Page 69	I		Page 71
1.	sir.	1.	system and verified that to be 100 percent accurate,	ruge / r
2.	CHAIRMAN MORELOCK: Any other	2.	but it's been the report of the owner that that is	
3.	comments?	3.	the case.	
4.	MR. BAUGHMAN: Yes, sir. What kind	4.	MR. BAUGHMAN: I understand. What	
5.	of control for one I'll revise that. The last	5.	brought this up in the first place?	
6.	variance was 2008?	6.	MR. SWEZY: Well, when I came before	
7.	MR. SWEZY: That's the last time that	7.	you folks in June for a couple of State specials,	
8.	it was brought before this Board, because of their	8.	when I reported back to the owner, he said, we've	
9.	revision to their variance that installed this	9.	got another issue we've identified that we need to	
10.	system that we're now talking about.	10.	deal with, and he began to tell me that they had	
11.	MR. BAUGHMAN: Sir, are we still	11.	this variance that had been in place for a while.	
12.	talking about a revision to a variance? Or since	12.	They had added a new boiler and connected it to the	
13.	this is eight years since it's been presented, are	13.	system and he wanted to be able to operate it under	
14.	we needing to look at this as a new variance? How	14.	the same variance conditions. And so I said, okay.	
15.	long does a variance go before we consider it new	15.	Well, send me the information. Let me see what	
16.	instead of a	16.	you've got and let me see what we've got to do.	
17.	MR. HARGROVE: Revised.	17.	So they sent me this manual that was	
18.	MR. BAUGHMAN: revised?	18.	just a complete disaster. It just wasn't well put	
19.	CHAIRMAN MORELOCK: Well, based on	19.	together. And in fact, the quality of the images	
20.	history, which is all I can give you, we have some	20.	and the text and everything was just unbelievably	
21.	variances that are very old, that the State has been	21.	bad. So I went through the process of rewriting	
22.	giving them some grace to renew them without having to submit a new variance and a new manual if there's	22.	the manual based on my understanding of what was	
23. 24.	no technical changes. Any technical changes, any	23. 24.	in the original manual and sent it back to them for review and comment, and they said, yes, you've	
25.	updates have to come before the Board.	25.	captured it accurately, including the new boiler	
25.	updates have to come before the Board.	25.	captured it accuratery, including the new boner	
1				
	Page 70	\vdash		Page 72
1.	Page 70 MR. BAUGHMAN: Technical changes	1.	that we've added, and so we believe we're ready to	Page 72
1. 2.	MR. BAUGHMAN: Technical changes	1. 2.	that we've added, and so we believe we're ready to proceed.	Page 72
1. 2. 3.	_		proceed.	Page 72
2.	MR. BAUGHMAN: Technical changes being equipment	2.		Page 72
2. 3.	MR. BAUGHMAN: Technical changes being equipment CHAIRMAN MORELOCK: Controls.	2. 3.	proceed. And I said, so, okay, next question.	Page 72
2. 3. 4.	MR. BAUGHMAN: Technical changes being equipment CHAIRMAN MORELOCK: Controls. MR. BAUGHMAN: upgrades	2. 3. 4.	proceed. And I said, so, okay, next question. When was the last time this variance was renewed?	Page 72
2. 3. 4. 5.	MR. BAUGHMAN: Technical changes being equipment CHAIRMAN MORELOCK: Controls. MR. BAUGHMAN: upgrades CHAIRMAN MORELOCK: Right.	2. 3. 4. 5.	proceed. And I said, so, okay, next question. When was the last time this variance was renewed? And they said, well, we had just recently come to	Page 72
2. 3. 4. 5. 6.	MR. BAUGHMAN: Technical changes being equipment CHAIRMAN MORELOCK: Controls. MR. BAUGHMAN: upgrades CHAIRMAN MORELOCK: Right. MR. BAUGHMAN: Okay.	2. 3. 4. 5. 6.	proceed. And I said, so, okay, next question. When was the last time this variance was renewed? And they said, well, we had just recently come to understand that it should have been renewed in	Page 72
2. 3. 4. 5. 6. 7.	MR. BAUGHMAN: Technical changes being equipment CHAIRMAN MORELOCK: Controls. MR. BAUGHMAN: upgrades CHAIRMAN MORELOCK: Right. MR. BAUGHMAN: Okay. CHAIRMAN MORELOCK: Yes. Yeah.	2. 3. 4. 5. 6. 7.	proceed. And I said, so, okay, next question. When was the last time this variance was renewed? And they said, well, we had just recently come to understand that it should have been renewed in 2011 and 2014, and it was not. And I said, well,	Page 72
2. 3. 4. 5. 6. 7. 8.	MR. BAUGHMAN: Technical changes being equipment CHAIRMAN MORELOCK: Controls. MR. BAUGHMAN: upgrades CHAIRMAN MORELOCK: Right. MR. BAUGHMAN: Okay. CHAIRMAN MORELOCK: Yes. Yeah. MR. BAUGHMAN: So then to that followup, has there been any control changes? I.e., question on the Foster Wheeler: Given it's 1960 and	2. 3. 4. 5. 6. 7. 8.	proceed. And I said, so, okay, next question. When was the last time this variance was renewed? And they said, well, we had just recently come to understand that it should have been renewed in 2011 and 2014, and it was not. And I said, well, thank you. Now I get to present that aspect to the Board, as well. So, you know, I get to be the	Page 72
2. 3. 4. 5. 6. 7. 8. 9. 10.	MR. BAUGHMAN: Technical changes being equipment CHAIRMAN MORELOCK: Controls. MR. BAUGHMAN: upgrades CHAIRMAN MORELOCK: Right. MR. BAUGHMAN: Okay. CHAIRMAN MORELOCK: Yes. Yeah. MR. BAUGHMAN: So then to that followup, has there been any control changes? I.e., question on the Foster Wheeler: Given it's 1960 and it's still operational, what controls does it have	2. 3. 4. 5. 6. 7. 8. 9. 10.	And I said, so, okay, next question. When was the last time this variance was renewed? And they said, well, we had just recently come to understand that it should have been renewed in 2011 and 2014, and it was not. And I said, well, thank you. Now I get to present that aspect to the Board, as well. So, you know, I get to be the reluctantly martyred messenger, if you will, to	Page 72
2. 3. 4. 5. 6. 7. 8. 9. 10. 11.	MR. BAUGHMAN: Technical changes being equipment CHAIRMAN MORELOCK: Controls. MR. BAUGHMAN: upgrades CHAIRMAN MORELOCK: Right. MR. BAUGHMAN: Okay. CHAIRMAN MORELOCK: Yes. Yeah. MR. BAUGHMAN: So then to that followup, has there been any control changes? I.e., question on the Foster Wheeler: Given it's 1960 and it's still operational, what controls does it have on it?	2. 3. 4. 5. 6. 7. 8. 9. 10. 11.	And I said, so, okay, next question. When was the last time this variance was renewed? And they said, well, we had just recently come to understand that it should have been renewed in 2011 and 2014, and it was not. And I said, well, thank you. Now I get to present that aspect to the Board, as well. So, you know, I get to be the reluctantly martyred messenger, if you will, to bring that fact to your attention. But your	Page 72
2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12.	MR. BAUGHMAN: Technical changes being equipment CHAIRMAN MORELOCK: Controls. MR. BAUGHMAN: upgrades CHAIRMAN MORELOCK: Right. MR. BAUGHMAN: Okay. CHAIRMAN MORELOCK: Yes. Yeah. MR. BAUGHMAN: So then to that followup, has there been any control changes? I.e., question on the Foster Wheeler: Given it's 1960 and it's still operational, what controls does it have on it? MR. SWEZY: The same ones that were	2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12.	And I said, so, okay, next question. When was the last time this variance was renewed? And they said, well, we had just recently come to understand that it should have been renewed in 2011 and 2014, and it was not. And I said, well, thank you. Now I get to present that aspect to the Board, as well. So, you know, I get to be the reluctantly martyred messenger, if you will, to bring that fact to your attention. But your question that you asked the Chair before was a	Page 72
2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13.	MR. BAUGHMAN: Technical changes being equipment CHAIRMAN MORELOCK: Controls. MR. BAUGHMAN: upgrades CHAIRMAN MORELOCK: Right. MR. BAUGHMAN: Okay. CHAIRMAN MORELOCK: Yes. Yeah. MR. BAUGHMAN: So then to that followup, has there been any control changes? I.e., question on the Foster Wheeler: Given it's 1960 and it's still operational, what controls does it have on it? MR. SWEZY: The same ones that were identified in the 2008 variance that was approved.	2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13.	And I said, so, okay, next question. When was the last time this variance was renewed? And they said, well, we had just recently come to understand that it should have been renewed in 2011 and 2014, and it was not. And I said, well, thank you. Now I get to present that aspect to the Board, as well. So, you know, I get to be the reluctantly martyred messenger, if you will, to bring that fact to your attention. But your question that you asked the Chair before was a very good one. It was my understanding that this	Page 72
2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14.	MR. BAUGHMAN: Technical changes being equipment CHAIRMAN MORELOCK: Controls. MR. BAUGHMAN: upgrades CHAIRMAN MORELOCK: Right. MR. BAUGHMAN: Okay. CHAIRMAN MORELOCK: Yes. Yeah. MR. BAUGHMAN: So then to that followup, has there been any control changes? I.e., question on the Foster Wheeler: Given it's 1960 and it's still operational, what controls does it have on it? MR. SWEZY: The same ones that were identified in the 2008 variance that was approved. MR. BAUGHMAN: Okay. So no control	2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14.	And I said, so, okay, next question. When was the last time this variance was renewed? And they said, well, we had just recently come to understand that it should have been renewed in 2011 and 2014, and it was not. And I said, well, thank you. Now I get to present that aspect to the Board, as well. So, you know, I get to be the reluctantly martyred messenger, if you will, to bring that fact to your attention. But your question that you asked the Chair before was a very good one. It was my understanding that this was only going to be a revision to an existing	Page 72
2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15.	MR. BAUGHMAN: Technical changes being equipment CHAIRMAN MORELOCK: Controls. MR. BAUGHMAN: upgrades CHAIRMAN MORELOCK: Right. MR. BAUGHMAN: Okay. CHAIRMAN MORELOCK: Yes. Yeah. MR. BAUGHMAN: So then to that followup, has there been any control changes? I.e., question on the Foster Wheeler: Given it's 1960 and it's still operational, what controls does it have on it? MR. SWEZY: The same ones that were identified in the 2008 variance that was approved. MR. BAUGHMAN: Okay. So no control changes have been made since 2008; no revisions, no	2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15.	And I said, so, okay, next question. When was the last time this variance was renewed? And they said, well, we had just recently come to understand that it should have been renewed in 2011 and 2014, and it was not. And I said, well, thank you. Now I get to present that aspect to the Board, as well. So, you know, I get to be the reluctantly martyred messenger, if you will, to bring that fact to your attention. But your question that you asked the Chair before was a very good one. It was my understanding that this was only going to be a revision to an existing variance, but now it carries a different flavor	Page 72
2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15. 16.	MR. BAUGHMAN: Technical changes being equipment CHAIRMAN MORELOCK: Controls. MR. BAUGHMAN: upgrades CHAIRMAN MORELOCK: Right. MR. BAUGHMAN: Okay. CHAIRMAN MORELOCK: Yes. Yeah. MR. BAUGHMAN: So then to that followup, has there been any control changes? I.e., question on the Foster Wheeler: Given it's 1960 and it's still operational, what controls does it have on it? MR. SWEZY: The same ones that were identified in the 2008 variance that was approved. MR. BAUGHMAN: Okay. So no control changes have been made since 2008; no revisions, no upgrades, parts being obsoleted, needing to be	2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15. 16.	And I said, so, okay, next question. When was the last time this variance was renewed? And they said, well, we had just recently come to understand that it should have been renewed in 2011 and 2014, and it was not. And I said, well, thank you. Now I get to present that aspect to the Board, as well. So, you know, I get to be the reluctantly martyred messenger, if you will, to bring that fact to your attention. But your question that you asked the Chair before was a very good one. It was my understanding that this was only going to be a revision to an existing variance, but now it carries a different flavor because it has missed two renewal cycles. So it's	Page 72
2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15. 16. 17.	MR. BAUGHMAN: Technical changes being equipment CHAIRMAN MORELOCK: Controls. MR. BAUGHMAN: upgrades CHAIRMAN MORELOCK: Right. MR. BAUGHMAN: Okay. CHAIRMAN MORELOCK: Yes. Yeah. MR. BAUGHMAN: So then to that followup, has there been any control changes? I.e., question on the Foster Wheeler: Given it's 1960 and it's still operational, what controls does it have on it? MR. SWEZY: The same ones that were identified in the 2008 variance that was approved. MR. BAUGHMAN: Okay. So no control changes have been made since 2008; no revisions, no upgrades, parts being obsoleted, needing to be upgraded, so forth.	2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15. 16. 17.	And I said, so, okay, next question. When was the last time this variance was renewed? And they said, well, we had just recently come to understand that it should have been renewed in 2011 and 2014, and it was not. And I said, well, thank you. Now I get to present that aspect to the Board, as well. So, you know, I get to be the reluctantly martyred messenger, if you will, to bring that fact to your attention. But your question that you asked the Chair before was a very good one. It was my understanding that this was only going to be a revision to an existing variance, but now it carries a different flavor because it has missed two renewal cycles. So it's probably an appropriate question to ask: Is this	Page 72
2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15. 16. 17.	MR. BAUGHMAN: Technical changes being equipment CHAIRMAN MORELOCK: Controls. MR. BAUGHMAN: upgrades CHAIRMAN MORELOCK: Right. MR. BAUGHMAN: Okay. CHAIRMAN MORELOCK: Yes. Yeah. MR. BAUGHMAN: So then to that followup, has there been any control changes? I.e., question on the Foster Wheeler: Given it's 1960 and it's still operational, what controls does it have on it? MR. SWEZY: The same ones that were identified in the 2008 variance that was approved. MR. BAUGHMAN: Okay. So no control changes have been made since 2008; no revisions, no upgrades, parts being obsoleted, needing to be upgraded, so forth. MR. SWEZY: That's my understanding,	2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15. 16. 17.	And I said, so, okay, next question. When was the last time this variance was renewed? And they said, well, we had just recently come to understand that it should have been renewed in 2011 and 2014, and it was not. And I said, well, thank you. Now I get to present that aspect to the Board, as well. So, you know, I get to be the reluctantly martyred messenger, if you will, to bring that fact to your attention. But your question that you asked the Chair before was a very good one. It was my understanding that this was only going to be a revision to an existing variance, but now it carries a different flavor because it has missed two renewal cycles. So it's probably an appropriate question to ask: Is this a new variance or is this a revisal of an existing	Page 72
2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15. 16. 17. 18. 19. 20.	MR. BAUGHMAN: Technical changes being equipment CHAIRMAN MORELOCK: Controls. MR. BAUGHMAN: upgrades CHAIRMAN MORELOCK: Right. MR. BAUGHMAN: Okay. CHAIRMAN MORELOCK: Yes. Yeah. MR. BAUGHMAN: So then to that followup, has there been any control changes? I.e., question on the Foster Wheeler: Given it's 1960 and it's still operational, what controls does it have on it? MR. SWEZY: The same ones that were identified in the 2008 variance that was approved. MR. BAUGHMAN: Okay. So no control changes have been made since 2008; no revisions, no upgrades, parts being obsoleted, needing to be upgraded, so forth. MR. SWEZY: That's my understanding, yes, sir.	2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15. 16. 17. 18.	And I said, so, okay, next question. When was the last time this variance was renewed? And they said, well, we had just recently come to understand that it should have been renewed in 2011 and 2014, and it was not. And I said, well, thank you. Now I get to present that aspect to the Board, as well. So, you know, I get to be the reluctantly martyred messenger, if you will, to bring that fact to your attention. But your question that you asked the Chair before was a very good one. It was my understanding that this was only going to be a revision to an existing variance, but now it carries a different flavor because it has missed two renewal cycles. So it's probably an appropriate question to ask: Is this a new variance or is this a revisal of an existing variance?	Page 72
2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15. 16. 17. 18. 19. 20. 21.	MR. BAUGHMAN: Technical changes being equipment CHAIRMAN MORELOCK: Controls. MR. BAUGHMAN: upgrades CHAIRMAN MORELOCK: Right. MR. BAUGHMAN: Okay. CHAIRMAN MORELOCK: Yes. Yeah. MR. BAUGHMAN: So then to that followup, has there been any control changes? I.e., question on the Foster Wheeler: Given it's 1960 and it's still operational, what controls does it have on it? MR. SWEZY: The same ones that were identified in the 2008 variance that was approved. MR. BAUGHMAN: Okay. So no control changes have been made since 2008; no revisions, no upgrades, parts being obsoleted, needing to be upgraded, so forth. MR. SWEZY: That's my understanding, yes, sir. MR. BAUGHMAN: That's your	2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15. 16. 17. 18. 19. 20. 21.	And I said, so, okay, next question. When was the last time this variance was renewed? And they said, well, we had just recently come to understand that it should have been renewed in 2011 and 2014, and it was not. And I said, well, thank you. Now I get to present that aspect to the Board, as well. So, you know, I get to be the reluctantly martyred messenger, if you will, to bring that fact to your attention. But your question that you asked the Chair before was a very good one. It was my understanding that this was only going to be a revision to an existing variance, but now it carries a different flavor because it has missed two renewal cycles. So it's probably an appropriate question to ask: Is this a new variance or is this a revisal of an existing variance? MR. BAUGHMAN: And you didn't	Page 72
2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15. 16. 17. 20. 21. 22.	MR. BAUGHMAN: Technical changes being equipment CHAIRMAN MORELOCK: Controls. MR. BAUGHMAN: upgrades CHAIRMAN MORELOCK: Right. MR. BAUGHMAN: Okay. CHAIRMAN MORELOCK: Yes. Yeah. MR. BAUGHMAN: So then to that followup, has there been any control changes? I.e., question on the Foster Wheeler: Given it's 1960 and it's still operational, what controls does it have on it? MR. SWEZY: The same ones that were identified in the 2008 variance that was approved. MR. BAUGHMAN: Okay. So no control changes have been made since 2008; no revisions, no upgrades, parts being obsoleted, needing to be upgraded, so forth. MR. SWEZY: That's my understanding, yes, sir. MR. BAUGHMAN: That's your understanding. Okay.	2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15. 16. 17. 18. 19. 20. 21. 22.	And I said, so, okay, next question. When was the last time this variance was renewed? And they said, well, we had just recently come to understand that it should have been renewed in 2011 and 2014, and it was not. And I said, well, thank you. Now I get to present that aspect to the Board, as well. So, you know, I get to be the reluctantly martyred messenger, if you will, to bring that fact to your attention. But your question that you asked the Chair before was a very good one. It was my understanding that this was only going to be a revision to an existing variance, but now it carries a different flavor because it has missed two renewal cycles. So it's probably an appropriate question to ask: Is this a new variance or is this a revisal of an existing variance? MR. BAUGHMAN: And you didn't MR. SWEZY: And that's a question I'm	Page 72
2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15. 16. 17. 20. 21. 22. 23.	MR. BAUGHMAN: Technical changes being equipment CHAIRMAN MORELOCK: Controls. MR. BAUGHMAN: upgrades CHAIRMAN MORELOCK: Right. MR. BAUGHMAN: Okay. CHAIRMAN MORELOCK: Yes. Yeah. MR. BAUGHMAN: So then to that followup, has there been any control changes? I.e., question on the Foster Wheeler: Given it's 1960 and it's still operational, what controls does it have on it? MR. SWEZY: The same ones that were identified in the 2008 variance that was approved. MR. BAUGHMAN: Okay. So no control changes have been made since 2008; no revisions, no upgrades, parts being obsoleted, needing to be upgraded, so forth. MR. SWEZY: That's my understanding, yes, sir. MR. BAUGHMAN: That's your understanding. Okay. MR. SWEZY: Now, when I say, that's	2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15. 16. 17. 18. 19. 20. 21. 22. 23.	And I said, so, okay, next question. When was the last time this variance was renewed? And they said, well, we had just recently come to understand that it should have been renewed in 2011 and 2014, and it was not. And I said, well, thank you. Now I get to present that aspect to the Board, as well. So, you know, I get to be the reluctantly martyred messenger, if you will, to bring that fact to your attention. But your question that you asked the Chair before was a very good one. It was my understanding that this was only going to be a revision to an existing variance, but now it carries a different flavor because it has missed two renewal cycles. So it's probably an appropriate question to ask: Is this a new variance or is this a revisal of an existing variance? MR. BAUGHMAN: And you didn't MR. SWEZY: And that's a question I'm not equipped to answer, to be honest with you.	Page 72
2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15. 16. 17. 18. 19. 20. 21. 22.	MR. BAUGHMAN: Technical changes being equipment CHAIRMAN MORELOCK: Controls. MR. BAUGHMAN: upgrades CHAIRMAN MORELOCK: Right. MR. BAUGHMAN: Okay. CHAIRMAN MORELOCK: Yes. Yeah. MR. BAUGHMAN: So then to that followup, has there been any control changes? I.e., question on the Foster Wheeler: Given it's 1960 and it's still operational, what controls does it have on it? MR. SWEZY: The same ones that were identified in the 2008 variance that was approved. MR. BAUGHMAN: Okay. So no control changes have been made since 2008; no revisions, no upgrades, parts being obsoleted, needing to be upgraded, so forth. MR. SWEZY: That's my understanding, yes, sir. MR. BAUGHMAN: That's your understanding. Okay.	2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15. 16. 17. 18. 19. 20. 21. 22.	And I said, so, okay, next question. When was the last time this variance was renewed? And they said, well, we had just recently come to understand that it should have been renewed in 2011 and 2014, and it was not. And I said, well, thank you. Now I get to present that aspect to the Board, as well. So, you know, I get to be the reluctantly martyred messenger, if you will, to bring that fact to your attention. But your question that you asked the Chair before was a very good one. It was my understanding that this was only going to be a revision to an existing variance, but now it carries a different flavor because it has missed two renewal cycles. So it's probably an appropriate question to ask: Is this a new variance or is this a revisal of an existing variance? MR. BAUGHMAN: And you didn't MR. SWEZY: And that's a question I'm	Page 72

	Page 73			Page 75
1.	previous manual.	1.	MR. TOTH: Mr. Chairman, when I was	ruge 73
2.	MR. SWEZY: Yes.	2.	Chief, we used to keep an actual copy of the manual	
3.	MR. BAUGHMAN: And you said it was	3.	from the inspection. So it should be if that was	
4.	in what words did you	4.	still followed	
5.	MR. SWEZY: It was a mess because of	5.	CHAIRMAN MORELOCK: Right.	
6.	the legibility of the document and some of the	6.	MR. TOTH: after I left in late	
7.	information in it was just the syntax of the	7.	2007, there should be a copy of that inspection	
8.	sentences and the formatting were just awful. And	8.	manual somewhere on the premises.	
9.	it needed a lot of clean-up work. It had all the	9.	THE REPORTER: I'm sorry, what is	
10.	right elements in it; it just did not present well.	10.	your name?	
11.	MR. BAILEY: Is this the manual that	11.	MR. TOTH: Oh, I'm sorry.	
12.	was approved in 2008?	12.	Marty Toth, T-O-T-H.	
13.	MR. SWEZY: The copy of the manual	13.	MR. SWEZY: And I had a copy that I	
14.	that was approved in 2008. And that's the problem,	14.	could have presented along with the one that I did	
15.	is that original manual, the one that they sent me,	15.	today, but I thought, what is the use to see this	
16.	was a very botched-up pdf. And so I had a lot of	16.	CHAIRMAN MORELOCK: Yeah.	
17.	work to do to get it in a functional manual to where	17.	MR. SWEZY: manual that just does	
18.	you've got in front of you right now.	18.	not present well?	
19.	MR. BAUGHMAN: Wow.	19.	CHAIRMAN MORELOCK: Well, and just	
20.	MR. SWEZY: And all the words were	20.	for public knowledge and public record, Sam and	
21.	there, like I said. It just was not it wasn't	21.	Deborah are they've developed a spreadsheet for	
22.	pretty and it didn't read well, because it didn't	22.	the variances. They are doing a great job of	
23.	flow very good.	23.	getting all those caught up. And we have not	
24.	MR. BAUGHMAN: I understand. And I	24.	written anything into the guidelines that tells you	
25.	got to say, I appreciate your candor in discussing	25.	what happens if you don't renew your variance.	
23.	got to say, 1 appreciate your candor in discussing	25.	what happens if you don't renew your variance.	
	Page 74			Page 76
1.	Page 74 this very much. That's somewhat bothersome to me.	1.	There's nothing in the law for that. It's all just	Page 76
1. 2.	this very much. That's somewhat bothersome to me,	1. 2.	There's nothing in the law for that. It's all just in our variance documents.	Page 76
2.	this very much. That's somewhat bothersome to me, but it is what it is.	1. 2. 3.	in our variance documents.	Page 76
1	this very much. That's somewhat bothersome to me, but it is what it is. CHAIRMAN MORELOCK: Well, before we	2.	in our variance documents. So now, with the addition of	Page 76
2. 3.	this very much. That's somewhat bothersome to me, but it is what it is. CHAIRMAN MORELOCK: Well, before we leave that, it would be interesting to know if the	2. 3.	in our variance documents. So now, with the addition of 110(f), we do have a little more teeth in that	Page 76
2. 3. 4. 5.	this very much. That's somewhat bothersome to me, but it is what it is. CHAIRMAN MORELOCK: Well, before we leave that, it would be interesting to know if the Board comments from 2008 were incorporated into the	2. 3. 4. 5.	in our variance documents. So now, with the addition of 110(f), we do have a little more teeth in that now, because that makes a blanket statement about	Page 76
2. 3. 4.	this very much. That's somewhat bothersome to me, but it is what it is. CHAIRMAN MORELOCK: Well, before we leave that, it would be interesting to know if the Board comments from 2008 were incorporated into the manual that you had given to you to do this addition	2. 3. 4. 5. 6.	in our variance documents. So now, with the addition of 110(f), we do have a little more teeth in that now, because that makes a blanket statement about variances in 68-122-110(f), which was added last	Page 76
2. 3. 4. 5. 6. 7.	this very much. That's somewhat bothersome to me, but it is what it is. CHAIRMAN MORELOCK: Well, before we leave that, it would be interesting to know if the Board comments from 2008 were incorporated into the manual that you had given to you to do this addition of the boiler, because that's you know, the	2. 3. 4. 5. 6. 7.	in our variance documents. So now, with the addition of 110(f), we do have a little more teeth in that now, because that makes a blanket statement about variances in 68-122-110(f), which was added last year.	Page 76
2. 3. 4. 5. 6. 7. 8.	this very much. That's somewhat bothersome to me, but it is what it is. CHAIRMAN MORELOCK: Well, before we leave that, it would be interesting to know if the Board comments from 2008 were incorporated into the manual that you had given to you to do this addition of the boiler, because that's you know, the manuals come to us, go through this process, we make	2. 3. 4. 5. 6.	in our variance documents. So now, with the addition of 110(f), we do have a little more teeth in that now, because that makes a blanket statement about variances in 68-122-110(f), which was added last year. So my I say all that to say this:	Page 76
2. 3. 4. 5. 6. 7.	this very much. That's somewhat bothersome to me, but it is what it is. CHAIRMAN MORELOCK: Well, before we leave that, it would be interesting to know if the Board comments from 2008 were incorporated into the manual that you had given to you to do this addition of the boiler, because that's you know, the manuals come to us, go through this process, we make comments; approval is contingent upon a site visit.	2. 3. 4. 5. 6. 7. 8.	in our variance documents. So now, with the addition of 110(f), we do have a little more teeth in that now, because that makes a blanket statement about variances in 68-122-110(f), which was added last year. So my I say all that to say this: The Boiler Unit is getting this under control.	Page 76
2. 3. 4. 5. 6. 7. 8. 9.	this very much. That's somewhat bothersome to me, but it is what it is. CHAIRMAN MORELOCK: Well, before we leave that, it would be interesting to know if the Board comments from 2008 were incorporated into the manual that you had given to you to do this addition of the boiler, because that's you know, the manuals come to us, go through this process, we make	2. 3. 4. 5. 6. 7. 8. 9.	in our variance documents. So now, with the addition of 110(f), we do have a little more teeth in that now, because that makes a blanket statement about variances in 68-122-110(f), which was added last year. So my I say all that to say this: The Boiler Unit is getting this under control. Moving forward, yes, variances need to be renewed	Page 76
2. 3. 4. 5. 6. 7. 8. 9.	this very much. That's somewhat bothersome to me, but it is what it is. CHAIRMAN MORELOCK: Well, before we leave that, it would be interesting to know if the Board comments from 2008 were incorporated into the manual that you had given to you to do this addition of the boiler, because that's you know, the manuals come to us, go through this process, we make comments; approval is contingent upon a site visit. But just as we told Mayfield, they have to go back and revise that manual.	2. 3. 4. 5. 6. 7. 8. 9.	in our variance documents. So now, with the addition of 110(f), we do have a little more teeth in that now, because that makes a blanket statement about variances in 68-122-110(f), which was added last year. So my I say all that to say this: The Boiler Unit is getting this under control. Moving forward, yes, variances need to be renewed every three years or you have to come back with a	Page 76
2. 3. 4. 5. 6. 7. 8. 9. 10.	this very much. That's somewhat bothersome to me, but it is what it is. CHAIRMAN MORELOCK: Well, before we leave that, it would be interesting to know if the Board comments from 2008 were incorporated into the manual that you had given to you to do this addition of the boiler, because that's you know, the manuals come to us, go through this process, we make comments; approval is contingent upon a site visit. But just as we told Mayfield, they have to go back	2. 3. 4. 5. 6. 7. 8. 9. 10.	in our variance documents. So now, with the addition of 110(f), we do have a little more teeth in that now, because that makes a blanket statement about variances in 68-122-110(f), which was added last year. So my I say all that to say this: The Boiler Unit is getting this under control. Moving forward, yes, variances need to be renewed every three years or you have to come back with a new variance. But we're giving some grace to some	Page 76
2. 3. 4. 5. 6. 7. 8. 9. 10. 11.	this very much. That's somewhat bothersome to me, but it is what it is. CHAIRMAN MORELOCK: Well, before we leave that, it would be interesting to know if the Board comments from 2008 were incorporated into the manual that you had given to you to do this addition of the boiler, because that's you know, the manuals come to us, go through this process, we make comments; approval is contingent upon a site visit. But just as we told Mayfield, they have to go back and revise that manual. Now, we don't go back and look at that revised manual. We leave that with the site	2. 3. 4. 5. 6. 7. 8. 9. 10. 11.	in our variance documents. So now, with the addition of 110(f), we do have a little more teeth in that now, because that makes a blanket statement about variances in 68-122-110(f), which was added last year. So my I say all that to say this: The Boiler Unit is getting this under control. Moving forward, yes, variances need to be renewed every three years or you have to come back with a new variance. But we're giving some grace to some of these old variance holders to let them get	Page 76
2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12.	this very much. That's somewhat bothersome to me, but it is what it is. CHAIRMAN MORELOCK: Well, before we leave that, it would be interesting to know if the Board comments from 2008 were incorporated into the manual that you had given to you to do this addition of the boiler, because that's you know, the manuals come to us, go through this process, we make comments; approval is contingent upon a site visit. But just as we told Mayfield, they have to go back and revise that manual. Now, we don't go back and look at	2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12.	in our variance documents. So now, with the addition of 110(f), we do have a little more teeth in that now, because that makes a blanket statement about variances in 68-122-110(f), which was added last year. So my I say all that to say this: The Boiler Unit is getting this under control. Moving forward, yes, variances need to be renewed every three years or you have to come back with a new variance. But we're giving some grace to some of these old variance holders to let them get their program up to date, get it to us, get it to	Page 76
2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13.	this very much. That's somewhat bothersome to me, but it is what it is. CHAIRMAN MORELOCK: Well, before we leave that, it would be interesting to know if the Board comments from 2008 were incorporated into the manual that you had given to you to do this addition of the boiler, because that's you know, the manuals come to us, go through this process, we make comments; approval is contingent upon a site visit. But just as we told Mayfield, they have to go back and revise that manual. Now, we don't go back and look at that revised manual. We leave that with the site inspection. So it could be that what they sent you was what they sent to us, and if you our	2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13.	in our variance documents. So now, with the addition of 110(f), we do have a little more teeth in that now, because that makes a blanket statement about variances in 68-122-110(f), which was added last year. So my I say all that to say this: The Boiler Unit is getting this under control. Moving forward, yes, variances need to be renewed every three years or you have to come back with a new variance. But we're giving some grace to some of these old variance holders to let them get their program up to date, get it to us, get it to the Boiler Unit, and then moving forward,	Page 76
2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14.	this very much. That's somewhat bothersome to me, but it is what it is. CHAIRMAN MORELOCK: Well, before we leave that, it would be interesting to know if the Board comments from 2008 were incorporated into the manual that you had given to you to do this addition of the boiler, because that's you know, the manuals come to us, go through this process, we make comments; approval is contingent upon a site visit. But just as we told Mayfield, they have to go back and revise that manual. Now, we don't go back and look at that revised manual. We leave that with the site inspection. So it could be that what they sent	2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15.	in our variance documents. So now, with the addition of 110(f), we do have a little more teeth in that now, because that makes a blanket statement about variances in 68-122-110(f), which was added last year. So my I say all that to say this: The Boiler Unit is getting this under control. Moving forward, yes, variances need to be renewed every three years or you have to come back with a new variance. But we're giving some grace to some of these old variance holders to let them get their program up to date, get it to us, get it to	Page 76
2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15.	this very much. That's somewhat bothersome to me, but it is what it is. CHAIRMAN MORELOCK: Well, before we leave that, it would be interesting to know if the Board comments from 2008 were incorporated into the manual that you had given to you to do this addition of the boiler, because that's you know, the manuals come to us, go through this process, we make comments; approval is contingent upon a site visit. But just as we told Mayfield, they have to go back and revise that manual. Now, we don't go back and look at that revised manual. We leave that with the site inspection. So it could be that what they sent you was what they sent to us, and if you our minutes are public documents. You could go out	2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15.	in our variance documents. So now, with the addition of 110(f), we do have a little more teeth in that now, because that makes a blanket statement about variances in 68-122-110(f), which was added last year. So my I say all that to say this: The Boiler Unit is getting this under control. Moving forward, yes, variances need to be renewed every three years or you have to come back with a new variance. But we're giving some grace to some of these old variance holders to let them get their program up to date, get it to us, get it to the Boiler Unit, and then moving forward, everbody's on a level playing field on what the	Page 76
2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15. 16.	this very much. That's somewhat bothersome to me, but it is what it is. CHAIRMAN MORELOCK: Well, before we leave that, it would be interesting to know if the Board comments from 2008 were incorporated into the manual that you had given to you to do this addition of the boiler, because that's you know, the manuals come to us, go through this process, we make comments; approval is contingent upon a site visit. But just as we told Mayfield, they have to go back and revise that manual. Now, we don't go back and look at that revised manual. We leave that with the site inspection. So it could be that what they sent you was what they sent to us, and if you our minutes are public documents. You could go out and look at the 2008 minutes and see what our	2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15. 16.	in our variance documents. So now, with the addition of 110(f), we do have a little more teeth in that now, because that makes a blanket statement about variances in 68-122-110(f), which was added last year. So my I say all that to say this: The Boiler Unit is getting this under control. Moving forward, yes, variances need to be renewed every three years or you have to come back with a new variance. But we're giving some grace to some of these old variance holders to let them get their program up to date, get it to us, get it to the Boiler Unit, and then moving forward, everbody's on a level playing field on what the requirements are. And so that's kind of a status	Page 76
2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15. 16. 17.	this very much. That's somewhat bothersome to me, but it is what it is. CHAIRMAN MORELOCK: Well, before we leave that, it would be interesting to know if the Board comments from 2008 were incorporated into the manual that you had given to you to do this addition of the boiler, because that's you know, the manuals come to us, go through this process, we make comments; approval is contingent upon a site visit. But just as we told Mayfield, they have to go back and revise that manual. Now, we don't go back and look at that revised manual. We leave that with the site inspection. So it could be that what they sent you was what they sent to us, and if you our minutes are public documents. You could go out and look at the 2008 minutes and see what our comments were on that 2008 manual.	2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15. 16. 17. 18.	in our variance documents. So now, with the addition of 110(f), we do have a little more teeth in that now, because that makes a blanket statement about variances in 68-122-110(f), which was added last year. So my I say all that to say this: The Boiler Unit is getting this under control. Moving forward, yes, variances need to be renewed every three years or you have to come back with a new variance. But we're giving some grace to some of these old variance holders to let them get their program up to date, get it to us, get it to the Boiler Unit, and then moving forward, everbody's on a level playing field on what the requirements are. And so that's kind of a status as to where we're at.	Page 76
2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15. 16. 17.	this very much. That's somewhat bothersome to me, but it is what it is. CHAIRMAN MORELOCK: Well, before we leave that, it would be interesting to know if the Board comments from 2008 were incorporated into the manual that you had given to you to do this addition of the boiler, because that's you know, the manuals come to us, go through this process, we make comments; approval is contingent upon a site visit. But just as we told Mayfield, they have to go back and revise that manual. Now, we don't go back and look at that revised manual. We leave that with the site inspection. So it could be that what they sent you was what they sent to us, and if you our minutes are public documents. You could go out and look at the 2008 minutes and see what our comments were on that 2008 manual. MR. SWEZY: And to my understanding,	2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15. 16. 17.	in our variance documents. So now, with the addition of 110(f), we do have a little more teeth in that now, because that makes a blanket statement about variances in 68-122-110(f), which was added last year. So my I say all that to say this: The Boiler Unit is getting this under control. Moving forward, yes, variances need to be renewed every three years or you have to come back with a new variance. But we're giving some grace to some of these old variance holders to let them get their program up to date, get it to us, get it to the Boiler Unit, and then moving forward, everbody's on a level playing field on what the requirements are. And so that's kind of a status as to where we're at. MR. SWEZY: Well and I appreciate	Page 76
2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15. 16. 17. 18.	this very much. That's somewhat bothersome to me, but it is what it is. CHAIRMAN MORELOCK: Well, before we leave that, it would be interesting to know if the Board comments from 2008 were incorporated into the manual that you had given to you to do this addition of the boiler, because that's you know, the manuals come to us, go through this process, we make comments; approval is contingent upon a site visit. But just as we told Mayfield, they have to go back and revise that manual. Now, we don't go back and look at that revised manual. We leave that with the site inspection. So it could be that what they sent you was what they sent to us, and if you our minutes are public documents. You could go out and look at the 2008 minutes and see what our comments were on that 2008 manual. MR. SWEZY: And to my understanding, those comments were implemented.	2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15. 16. 17. 18. 19. 20.	in our variance documents. So now, with the addition of 110(f), we do have a little more teeth in that now, because that makes a blanket statement about variances in 68-122-110(f), which was added last year. So my I say all that to say this: The Boiler Unit is getting this under control. Moving forward, yes, variances need to be renewed every three years or you have to come back with a new variance. But we're giving some grace to some of these old variance holders to let them get their program up to date, get it to us, get it to the Boiler Unit, and then moving forward, everbody's on a level playing field on what the requirements are. And so that's kind of a status as to where we're at. MR. SWEZY: Well and I appreciate that. And when I spoke with the contact at Buckman	Page 76
2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15. 16. 17. 18. 19. 20. 21.	this very much. That's somewhat bothersome to me, but it is what it is. CHAIRMAN MORELOCK: Well, before we leave that, it would be interesting to know if the Board comments from 2008 were incorporated into the manual that you had given to you to do this addition of the boiler, because that's you know, the manuals come to us, go through this process, we make comments; approval is contingent upon a site visit. But just as we told Mayfield, they have to go back and revise that manual. Now, we don't go back and look at that revised manual. We leave that with the site inspection. So it could be that what they sent you was what they sent to us, and if you our minutes are public documents. You could go out and look at the 2008 minutes and see what our comments were on that 2008 manual. MR. SWEZY: And to my understanding, those comments were implemented. CHAIRMAN MORELOCK: Okay.	2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15. 16. 17. 18. 19. 20.	in our variance documents. So now, with the addition of 110(f), we do have a little more teeth in that now, because that makes a blanket statement about variances in 68-122-110(f), which was added last year. So my I say all that to say this: The Boiler Unit is getting this under control. Moving forward, yes, variances need to be renewed every three years or you have to come back with a new variance. But we're giving some grace to some of these old variance holders to let them get their program up to date, get it to us, get it to the Boiler Unit, and then moving forward, everbody's on a level playing field on what the requirements are. And so that's kind of a status as to where we're at. MR. SWEZY: Well and I appreciate that. And when I spoke with the contact at Buckman last week, I told him I said, I don't know what	Page 76
2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15. 16. 17. 20. 21. 22.	this very much. That's somewhat bothersome to me, but it is what it is. CHAIRMAN MORELOCK: Well, before we leave that, it would be interesting to know if the Board comments from 2008 were incorporated into the manual that you had given to you to do this addition of the boiler, because that's you know, the manuals come to us, go through this process, we make comments; approval is contingent upon a site visit. But just as we told Mayfield, they have to go back and revise that manual. Now, we don't go back and look at that revised manual. We leave that with the site inspection. So it could be that what they sent you was what they sent to us, and if you our minutes are public documents. You could go out and look at the 2008 minutes and see what our comments were on that 2008 manual. MR. SWEZY: And to my understanding, those comments were implemented. CHAIRMAN MORELOCK: Okay. MR. SWEZY: Based upon the	2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15. 16. 17. 18. 19. 20. 21. 22.	in our variance documents. So now, with the addition of 110(f), we do have a little more teeth in that now, because that makes a blanket statement about variances in 68-122-110(f), which was added last year. So my I say all that to say this: The Boiler Unit is getting this under control. Moving forward, yes, variances need to be renewed every three years or you have to come back with a new variance. But we're giving some grace to some of these old variance holders to let them get their program up to date, get it to us, get it to the Boiler Unit, and then moving forward, everbody's on a level playing field on what the requirements are. And so that's kind of a status as to where we're at. MR. SWEZY: Well and I appreciate that. And when I spoke with the contact at Buckman last week, I told him I said, I don't know what the outcome of this is going to be. You may be	Page 76
2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15. 16. 17. 20. 21. 22. 23.	this very much. That's somewhat bothersome to me, but it is what it is. CHAIRMAN MORELOCK: Well, before we leave that, it would be interesting to know if the Board comments from 2008 were incorporated into the manual that you had given to you to do this addition of the boiler, because that's you know, the manuals come to us, go through this process, we make comments; approval is contingent upon a site visit. But just as we told Mayfield, they have to go back and revise that manual. Now, we don't go back and look at that revised manual. We leave that with the site inspection. So it could be that what they sent you was what they sent to us, and if you our minutes are public documents. You could go out and look at the 2008 minutes and see what our comments were on that 2008 manual. MR. SWEZY: And to my understanding, those comments were implemented. CHAIRMAN MORELOCK: Okay. MR. SWEZY: Based upon the information that I was given.	2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15. 16. 17. 18. 19. 20. 21. 22. 23.	in our variance documents. So now, with the addition of 110(f), we do have a little more teeth in that now, because that makes a blanket statement about variances in 68-122-110(f), which was added last year. So my I say all that to say this: The Boiler Unit is getting this under control. Moving forward, yes, variances need to be renewed every three years or you have to come back with a new variance. But we're giving some grace to some of these old variance holders to let them get their program up to date, get it to us, get it to the Boiler Unit, and then moving forward, everbody's on a level playing field on what the requirements are. And so that's kind of a status as to where we're at. MR. SWEZY: Well and I appreciate that. And when I spoke with the contact at Buckman last week, I told him I said, I don't know what the outcome of this is going to be. You may be subjected to some kind of penalties or fines or	Page 76

		Page 77		Pag	ge 79
1.	process is in place.	ruge //	1.	sufficient capacity to take on a new boiler, but I	50
2.	CHAIRMAN MORELOCK: Well, and		2.	just do not know.	
3.	again and, you know, to answer that is, the only		3.	MR. BAUGHMAN: Okay.	
4.	penalties and teeth in the law is if you operated a		4.	MR. SWEZY: I wasn't given that	
5.	pressure vessel or a boiler above its stamped MAWP		5.	information.	
6.	or you operate a boiler or an unfired pressure		6.	MR. BAUGHMAN: It would be	
7.	vessel without a valid certificate of inspection.		7.	interesting to know just for my from a technical	
8.	Those are the only two offenses that bring fines and		8.	standpoint. On page 11, the call list, the	
9.	penalties.		9.	emergency boiler call list, it gives staff functions	
0.	MR. SWEZY: Right.		10.	as far as utilities operator, maintenance	
1.	CHAIRMAN MORELOCK: So		11.	supervisor, and production supervisor. And then it	
2.	MR. BAUGHMAN: I would like to follow		12.	says, see call list. And it says, this call list	
3.	up, though, on that control end of it, because		13.	changes from time to time depending upon the	
4.	they're not here to represent themselves. They're		14.	individuals available.	
5.	leaving it upon yourself.		15.	That would be a lot to keep up with	
6.	And so you've got, to the best of		16.	as far as the call list, and I don't know how to	
7.	your knowledge, bringing this to the table but		17.	address that. It's just that being the lack of	
8.	being that we've got a 1960, a 1993, and a 2015,		18.	attention to detail so far, it leaves me somewhat	
9.	depending upon when those controls were installed,		19.	concerned that the call list itself may not be	
0.	they very well may have been upgraded, so forth,		20.	kept up with to the degree that it needs to be.	
1.	or changed. And so in here, in our manual, we're		21.	MR. SWEZY: Well, your comment is	
2.	listing out the controls in a generic form for the		22.	appreciated. And I will say that this is only	
3.	Hawk or the original CV Hawk. But just from that		23.	intended to be a template of the actual call list,	
4.	technical standpoint, I'd like to go back and		24.	obviously.	
5.	confirm what controls may have been changed out		25.	MR. BAUGHMAN: Okay.	
	commit what controls may have been changed out		23.	MR. B. 10 GHMIN. Okay.	
		Page 78		Pag	ge 8
1.	during that process.		1.	MR. SWEZY: And that that call list	
2.	MR. SWEZY: And I think that would be		2.	is updated and posted in the remote operating	
3.	an appropriate thing to do that I think would		3.	station for that remote operator. Again, you may be	
4.	probably be part of the site inspection.		4.	right. The one that's posted in the remote	
5.	CHAIRMAN MORELOCK: Yes.		5.	operating station may not be as up to date as we'd	
6.	MR. SWEZY: That would be done on the		6.	like for it to be, but I'd have no way of verifying	
7.	part of the Chief and his people. But I didn't		7.	that.	
8.	know, you know, how the Board would view that.		8.	CHAIRMAN MORELOCK: Well, and to add	
9.	MR. BAUGHMAN: Sure.		9.	to Mr. Baughman's comment, yes, they need to have an	
0.	MR. SWEZY: To my knowledge and		10.	updated call list. However, we have cautioned	
1.	understanding, the equipment listed here is the		11.	companies that submit a variance request, if you put	
2.	equipment that was installed at the time that the		12.	specific information in this manual and you change	
3.	2008 variance approval took place and that there		13.	it, it's an editorial change and it has to be	
4.	have been no significant changes since then other		14.	approved by the Chief Inspector. So you want to be	
5.	than the addition of the new boiler to this		15.	careful what you know, list job titles moreso	
6.	arrangement.		16.	than individual names, because if those individuals	
7.	MR. BAUGHMAN: The DA tank for this		17.	change, you have to revise your manual and get it	
8.	system since we've added a boiler, has the DA		18.	approved by the State.	
9.	changed in its size or did they change the DA		19.	So this could be I'm not saying it	
0.	itself?		20.	is. You know, maybe they should just list a	
1.	MR. SWEZY: I do not know.		21.	generic call list so we can see what it looks like	
2.	MR. BAUGHMAN: Okay. Now that I		22.	and put generic information on it, and then the	
3.	mean, it was originally for two boilers and now		23.	one in the field, like you said, would have the	
3. 4.	we've added a third, I'm interested to know		23. 24.	pertinent information at that time.	
т.	MR. SWEZY: And it may well have had		24. 25.	MR. BAUGHMAN: And then my last	
5	IVIN. 5 WEZ I. And It may well have had		۷٦.	MIX. DAUGHMAIN. And then my fast	
5.					

	Page 81			Page 83
1.	comment under H3, item number 32: Does the system	l _{1.}	MR. SWEZY: when I issue a new	1 age 65
2.	operating manual include a manual log listing all	2.		
3.	the manual holders? And the answer was, NA.	3.	copy. MR. BAUGHMAN: Yeah. My concern	
4.	MR. SWEZY: Yeah, because there are	4.	was back to our conversation earlier, you said	
5.	no actual manual holders. There's one present in	5.	the original manual was not very well laid out, and	
6.	the boiler operating room and there's one present in	6.	I didn't know how much information was in there. If	
7.	the remote operating station. And that is described	7.	one manual is in the boiler room and the boiler	
8.	on pages five and seven as annotated on page H-3 of	8.	room's the concern, i.e. steam leak, fire, what have	
9.	the new handout that I gave you. And it	9.	you, that leaves us one place and only one place	
10.	specifically says those are the only two copies of	10.	else that there's a manual and that's in the remote	
11.	the manual that are present in the plant, is the one	11.	station.	
12.	in the operating room and the one in the remote	12.		
13.	monitoring station.	13.	So that gives us the possibility of	
14.	-	14.	there being only one location to have this manual,	
1	MR. BAUGHMAN: One in the operating	1	and that was more of my concern, because that	
15. 16.	room MR. SWEZY: And one in the remote	15.	manual contains contact info, telephone numbers,	
		16.	fax numbers, and so forth. So being that the call	
17.	MR. BAUGHMAN: and one at the	17.	list has to be updated, I just had a concern with	
18. 19.	remote station MP_SWEZV: Bight	18.	there being a possibility of one manual and one manual only if there's an incident in the boiler	
1	MR. SWEZY: Right.	19.	•	
20.	MR. BAUGHMAN: and that's it. No	20.	room itself. And that's where the two manuals are	
21.	other holders?	21.	at, the boiler room and the remote station.	
22.	MR. SWEZY: No. Other than probably	22.	MR. SWEZY: Right.	
23.	the original who's in the hands of the	23.	MR. BAUGHMAN: So	
24.	vice-president of operations, who is reasonable for	24.	MR. SWEZY: Well, the remote station	
25.	issuing this manual.	25.	one, unless there's subsequently a fire in the	
	T 0.	_		- 01
	Page 82			Page 84
1.	MR. BAUGHMAN: Interesting.	1.	remote monitoring station, it would always be	Page 84
2.	MR. BAUGHMAN: Interesting. CHAIRMAN MORELOCK: Well and so	2.	available and readily accessible. So that's good,	Page 84
2. 3.	MR. BAUGHMAN: Interesting. CHAIRMAN MORELOCK: Well and so you could include a log just saying, boiler room,	2. 3.	available and readily accessible. So that's good, at least.	Page 84
2. 3. 4.	MR. BAUGHMAN: Interesting. CHAIRMAN MORELOCK: Well and so you could include a log just saying, boiler room, remote station, as a log for	2. 3. 4.	available and readily accessible. So that's good, at least. MR. BAUGHMAN: Okay.	Page 84
2. 3. 4. 5.	MR. BAUGHMAN: Interesting. CHAIRMAN MORELOCK: Well and so you could include a log just saying, boiler room, remote station, as a log for MR. SWEZY: Yeah. If there was more	2. 3. 4. 5.	available and readily accessible. So that's good, at least. MR. BAUGHMAN: Okay. MR. ROBINSON: Do the operators know	Page 84
2. 3. 4. 5. 6.	MR. BAUGHMAN: Interesting. CHAIRMAN MORELOCK: Well and so you could include a log just saying, boiler room, remote station, as a log for MR. SWEZY: Yeah. If there was more than just the two copies, there would probably be a	2. 3. 4. 5. 6.	available and readily accessible. So that's good, at least. MR. BAUGHMAN: Okay. MR. ROBINSON: Do the operators know what's in the manual?	Page 84
2. 3. 4. 5. 6. 7.	MR. BAUGHMAN: Interesting. CHAIRMAN MORELOCK: Well and so you could include a log just saying, boiler room, remote station, as a log for MR. SWEZY: Yeah. If there was more than just the two copies, there would probably be a log showing who was in charge of those manuals and	2. 3. 4. 5. 6. 7.	available and readily accessible. So that's good, at least. MR. BAUGHMAN: Okay. MR. ROBINSON: Do the operators know what's in the manual? MR. SWEZY: Yes. They're trained on	Page 84
2. 3. 4. 5. 6. 7. 8.	MR. BAUGHMAN: Interesting. CHAIRMAN MORELOCK: Well and so you could include a log just saying, boiler room, remote station, as a log for MR. SWEZY: Yeah. If there was more than just the two copies, there would probably be a log showing who was in charge of those manuals and had them. I frankly actually liked the fact that	2. 3. 4. 5. 6. 7. 8.	available and readily accessible. So that's good, at least. MR. BAUGHMAN: Okay. MR. ROBINSON: Do the operators know what's in the manual? MR. SWEZY: Yes. They're trained on that when they are assigned those duties. And then	Page 84
2. 3. 4. 5. 6. 7. 8. 9.	MR. BAUGHMAN: Interesting. CHAIRMAN MORELOCK: Well and so you could include a log just saying, boiler room, remote station, as a log for MR. SWEZY: Yeah. If there was more than just the two copies, there would probably be a log showing who was in charge of those manuals and had them. I frankly actually liked the fact that there's only two manuals in there in the places	2. 3. 4. 5. 6. 7. 8. 9.	available and readily accessible. So that's good, at least. MR. BAUGHMAN: Okay. MR. ROBINSON: Do the operators know what's in the manual? MR. SWEZY: Yes. They're trained on that when they are assigned those duties. And then with the addition of that sentence I read in	Page 84
2. 3. 4. 5. 6. 7. 8. 9.	MR. BAUGHMAN: Interesting. CHAIRMAN MORELOCK: Well and so you could include a log just saying, boiler room, remote station, as a log for MR. SWEZY: Yeah. If there was more than just the two copies, there would probably be a log showing who was in charge of those manuals and had them. I frankly actually liked the fact that there's only two manuals in there in the places where they're the most needed.	2. 3. 4. 5. 6. 7. 8. 9.	available and readily accessible. So that's good, at least. MR. BAUGHMAN: Okay. MR. ROBINSON: Do the operators know what's in the manual? MR. SWEZY: Yes. They're trained on that when they are assigned those duties. And then with the addition of that sentence I read in earlier, they'll be given refresher training on an	Page 84
2. 3. 4. 5. 6. 7. 8. 9. 10.	MR. BAUGHMAN: Interesting. CHAIRMAN MORELOCK: Well and so you could include a log just saying, boiler room, remote station, as a log for MR. SWEZY: Yeah. If there was more than just the two copies, there would probably be a log showing who was in charge of those manuals and had them. I frankly actually liked the fact that there's only two manuals in there in the places where they're the most needed. CHAIRMAN MORELOCK: Yeah.	2. 3. 4. 5. 6. 7. 8. 9. 10.	available and readily accessible. So that's good, at least. MR. BAUGHMAN: Okay. MR. ROBINSON: Do the operators know what's in the manual? MR. SWEZY: Yes. They're trained on that when they are assigned those duties. And then with the addition of that sentence I read in earlier, they'll be given refresher training on an annual basis	Page 84
2. 3. 4. 5. 6. 7. 8. 9. 10. 11.	MR. BAUGHMAN: Interesting. CHAIRMAN MORELOCK: Well and so you could include a log just saying, boiler room, remote station, as a log for MR. SWEZY: Yeah. If there was more than just the two copies, there would probably be a log showing who was in charge of those manuals and had them. I frankly actually liked the fact that there's only two manuals in there in the places where they're the most needed. CHAIRMAN MORELOCK: Yeah. MR. SWEZY: Because I've been	2. 3. 4. 5. 6. 7. 8. 9. 10. 11.	available and readily accessible. So that's good, at least. MR. BAUGHMAN: Okay. MR. ROBINSON: Do the operators know what's in the manual? MR. SWEZY: Yes. They're trained on that when they are assigned those duties. And then with the addition of that sentence I read in earlier, they'll be given refresher training on an annual basis MR. ROBINSON: Do they have, like,	Page 84
2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12.	MR. BAUGHMAN: Interesting. CHAIRMAN MORELOCK: Well and so you could include a log just saying, boiler room, remote station, as a log for MR. SWEZY: Yeah. If there was more than just the two copies, there would probably be a log showing who was in charge of those manuals and had them. I frankly actually liked the fact that there's only two manuals in there in the places where they're the most needed. CHAIRMAN MORELOCK: Yeah. MR. SWEZY: Because I've been involved in quality control systems where there's 15	2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12.	available and readily accessible. So that's good, at least. MR. BAUGHMAN: Okay. MR. ROBINSON: Do the operators know what's in the manual? MR. SWEZY: Yes. They're trained on that when they are assigned those duties. And then with the addition of that sentence I read in earlier, they'll be given refresher training on an annual basis MR. ROBINSON: Do they have, like, a	Page 84
2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13.	MR. BAUGHMAN: Interesting. CHAIRMAN MORELOCK: Well and so you could include a log just saying, boiler room, remote station, as a log for MR. SWEZY: Yeah. If there was more than just the two copies, there would probably be a log showing who was in charge of those manuals and had them. I frankly actually liked the fact that there's only two manuals in there in the places where they're the most needed. CHAIRMAN MORELOCK: Yeah. MR. SWEZY: Because I've been involved in quality control systems where there's 15 manual holders and making sure all 15 of those	2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13.	available and readily accessible. So that's good, at least. MR. BAUGHMAN: Okay. MR. ROBINSON: Do the operators know what's in the manual? MR. SWEZY: Yes. They're trained on that when they are assigned those duties. And then with the addition of that sentence I read in earlier, they'll be given refresher training on an annual basis MR. ROBINSON: Do they have, like, a MR. SWEZY: to make sure	Page 84
2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14.	MR. BAUGHMAN: Interesting. CHAIRMAN MORELOCK: Well and so you could include a log just saying, boiler room, remote station, as a log for MR. SWEZY: Yeah. If there was more than just the two copies, there would probably be a log showing who was in charge of those manuals and had them. I frankly actually liked the fact that there's only two manuals in there in the places where they're the most needed. CHAIRMAN MORELOCK: Yeah. MR. SWEZY: Because I've been involved in quality control systems where there's 15 manual holders and making sure all 15 of those manual holders have the latest and greatest	2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14.	available and readily accessible. So that's good, at least. MR. BAUGHMAN: Okay. MR. ROBINSON: Do the operators know what's in the manual? MR. SWEZY: Yes. They're trained on that when they are assigned those duties. And then with the addition of that sentence I read in earlier, they'll be given refresher training on an annual basis MR. ROBINSON: Do they have, like, a MR. SWEZY: to make sure they're	Page 84
2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15.	MR. BAUGHMAN: Interesting. CHAIRMAN MORELOCK: Well and so you could include a log just saying, boiler room, remote station, as a log for MR. SWEZY: Yeah. If there was more than just the two copies, there would probably be a log showing who was in charge of those manuals and had them. I frankly actually liked the fact that there's only two manuals in there in the places where they're the most needed. CHAIRMAN MORELOCK: Yeah. MR. SWEZY: Because I've been involved in quality control systems where there's 15 manual holders and making sure all 15 of those manual holders have the latest and greatest up-to-date manual and don't have an obsolete version	2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15.	available and readily accessible. So that's good, at least. MR. BAUGHMAN: Okay. MR. ROBINSON: Do the operators know what's in the manual? MR. SWEZY: Yes. They're trained on that when they are assigned those duties. And then with the addition of that sentence I read in earlier, they'll be given refresher training on an annual basis MR. ROBINSON: Do they have, like, a MR. SWEZY: to make sure they're MR. ROBINSON: manual they can	Page 84
2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15. 16.	MR. BAUGHMAN: Interesting. CHAIRMAN MORELOCK: Well and so you could include a log just saying, boiler room, remote station, as a log for MR. SWEZY: Yeah. If there was more than just the two copies, there would probably be a log showing who was in charge of those manuals and had them. I frankly actually liked the fact that there's only two manuals in there in the places where they're the most needed. CHAIRMAN MORELOCK: Yeah. MR. SWEZY: Because I've been involved in quality control systems where there's 15 manual holders and making sure all 15 of those manual holders have the latest and greatest up-to-date manual and don't have an obsolete version rat-holed away somewhere that you don't know	2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15.	available and readily accessible. So that's good, at least. MR. BAUGHMAN: Okay. MR. ROBINSON: Do the operators know what's in the manual? MR. SWEZY: Yes. They're trained on that when they are assigned those duties. And then with the addition of that sentence I read in earlier, they'll be given refresher training on an annual basis MR. ROBINSON: Do they have, like, a MR. SWEZY: to make sure they're MR. ROBINSON: manual they can refer to somewhere or how do they get to the manual	Page 84
2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15. 16. 17.	MR. BAUGHMAN: Interesting. CHAIRMAN MORELOCK: Well and so you could include a log just saying, boiler room, remote station, as a log for MR. SWEZY: Yeah. If there was more than just the two copies, there would probably be a log showing who was in charge of those manuals and had them. I frankly actually liked the fact that there's only two manuals in there in the places where they're the most needed. CHAIRMAN MORELOCK: Yeah. MR. SWEZY: Because I've been involved in quality control systems where there's 15 manual holders and making sure all 15 of those manual holders have the latest and greatest up-to-date manual and don't have an obsolete version rat-holed away somewhere that you don't know anything about	2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15. 16. 17. 18.	available and readily accessible. So that's good, at least. MR. BAUGHMAN: Okay. MR. ROBINSON: Do the operators know what's in the manual? MR. SWEZY: Yes. They're trained on that when they are assigned those duties. And then with the addition of that sentence I read in earlier, they'll be given refresher training on an annual basis MR. ROBINSON: Do they have, like, a MR. SWEZY: to make sure they're MR. ROBINSON: manual they can refer to somewhere or how do they get to the manual if they ever need it?	Page 84
2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15. 16. 17.	MR. BAUGHMAN: Interesting. CHAIRMAN MORELOCK: Well and so you could include a log just saying, boiler room, remote station, as a log for MR. SWEZY: Yeah. If there was more than just the two copies, there would probably be a log showing who was in charge of those manuals and had them. I frankly actually liked the fact that there's only two manuals in there in the places where they're the most needed. CHAIRMAN MORELOCK: Yeah. MR. SWEZY: Because I've been involved in quality control systems where there's 15 manual holders and making sure all 15 of those manual holders have the latest and greatest up-to-date manual and don't have an obsolete version rat-holed away somewhere that you don't know anything about MR. BAUGHMAN: Sure.	2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15. 16. 17.	available and readily accessible. So that's good, at least. MR. BAUGHMAN: Okay. MR. ROBINSON: Do the operators know what's in the manual? MR. SWEZY: Yes. They're trained on that when they are assigned those duties. And then with the addition of that sentence I read in earlier, they'll be given refresher training on an annual basis MR. ROBINSON: Do they have, like, a MR. SWEZY: to make sure they're MR. ROBINSON: manual they can refer to somewhere or how do they get to the manual if they ever need it? MR. SWEZY: If they need it, there's	Page 84
2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15. 16. 17. 18. 19. 20.	MR. BAUGHMAN: Interesting. CHAIRMAN MORELOCK: Well and so you could include a log just saying, boiler room, remote station, as a log for MR. SWEZY: Yeah. If there was more than just the two copies, there would probably be a log showing who was in charge of those manuals and had them. I frankly actually liked the fact that there's only two manuals in there in the places where they're the most needed. CHAIRMAN MORELOCK: Yeah. MR. SWEZY: Because I've been involved in quality control systems where there's 15 manual holders and making sure all 15 of those manual holders have the latest and greatest up-to-date manual and don't have an obsolete version rat-holed away somewhere that you don't know anything about MR. BAUGHMAN: Sure. MR. SWEZY: can be a real problem.	2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15. 16. 17. 18. 19. 20.	available and readily accessible. So that's good, at least. MR. BAUGHMAN: Okay. MR. ROBINSON: Do the operators know what's in the manual? MR. SWEZY: Yes. They're trained on that when they are assigned those duties. And then with the addition of that sentence I read in earlier, they'll be given refresher training on an annual basis MR. ROBINSON: Do they have, like, a MR. SWEZY: to make sure they're MR. ROBINSON: manual they can refer to somewhere or how do they get to the manual if they ever need it? MR. SWEZY: If they need it, there's one in the operating room. Again, the boiler	Page 84
2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15. 16. 17. 18. 19. 20. 21.	MR. BAUGHMAN: Interesting. CHAIRMAN MORELOCK: Well and so you could include a log just saying, boiler room, remote station, as a log for MR. SWEZY: Yeah. If there was more than just the two copies, there would probably be a log showing who was in charge of those manuals and had them. I frankly actually liked the fact that there's only two manuals in there in the places where they're the most needed. CHAIRMAN MORELOCK: Yeah. MR. SWEZY: Because I've been involved in quality control systems where there's 15 manual holders and making sure all 15 of those manual holders have the latest and greatest up-to-date manual and don't have an obsolete version rat-holed away somewhere that you don't know anything about MR. BAUGHMAN: Sure. MR. SWEZY: can be a real problem. And as a quality control manager, one of the things	2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15. 16. 17. 18. 19. 20. 21.	available and readily accessible. So that's good, at least. MR. BAUGHMAN: Okay. MR. ROBINSON: Do the operators know what's in the manual? MR. SWEZY: Yes. They're trained on that when they are assigned those duties. And then with the addition of that sentence I read in earlier, they'll be given refresher training on an annual basis MR. ROBINSON: Do they have, like, a MR. SWEZY: to make sure they're MR. ROBINSON: manual they can refer to somewhere or how do they get to the manual if they ever need it? MR. SWEZY: If they need it, there's one in the operating room. Again, the boiler operating room, and another one in the remote	Page 84
2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15. 16. 17. 18. 19. 20. 21. 22.	MR. BAUGHMAN: Interesting. CHAIRMAN MORELOCK: Well and so you could include a log just saying, boiler room, remote station, as a log for MR. SWEZY: Yeah. If there was more than just the two copies, there would probably be a log showing who was in charge of those manuals and had them. I frankly actually liked the fact that there's only two manuals in there in the places where they're the most needed. CHAIRMAN MORELOCK: Yeah. MR. SWEZY: Because I've been involved in quality control systems where there's 15 manual holders and making sure all 15 of those manual holders have the latest and greatest up-to-date manual and don't have an obsolete version rat-holed away somewhere that you don't know anything about MR. BAUGHMAN: Sure. MR. SWEZY: can be a real problem. And as a quality control manager, one of the things I've done in situations like that is to go and make	2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15. 16. 17. 18. 19. 20. 21. 22.	available and readily accessible. So that's good, at least. MR. BAUGHMAN: Okay. MR. ROBINSON: Do the operators know what's in the manual? MR. SWEZY: Yes. They're trained on that when they are assigned those duties. And then with the addition of that sentence I read in earlier, they'll be given refresher training on an annual basis MR. ROBINSON: Do they have, like, a MR. SWEZY: to make sure they're MR. ROBINSON: manual they can refer to somewhere or how do they get to the manual if they ever need it? MR. SWEZY: If they need it, there's one in the operating room. Again, the boiler operating room, and another one in the remote operating or monitoring station.	Page 84
2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15. 16. 17. 20. 21. 22. 23.	MR. BAUGHMAN: Interesting. CHAIRMAN MORELOCK: Well and so you could include a log just saying, boiler room, remote station, as a log for MR. SWEZY: Yeah. If there was more than just the two copies, there would probably be a log showing who was in charge of those manuals and had them. I frankly actually liked the fact that there's only two manuals in there in the places where they're the most needed. CHAIRMAN MORELOCK: Yeah. MR. SWEZY: Because I've been involved in quality control systems where there's 15 manual holders and making sure all 15 of those manual holders have the latest and greatest up-to-date manual and don't have an obsolete version rat-holed away somewhere that you don't know anything about MR. BAUGHMAN: Sure. MR. SWEZY: can be a real problem. And as a quality control manager, one of the things I've done in situations like that is to go and make sure that I remove and destroy the old copies so	2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15. 16. 17. 18. 19. 20. 21. 22. 23.	available and readily accessible. So that's good, at least. MR. BAUGHMAN: Okay. MR. ROBINSON: Do the operators know what's in the manual? MR. SWEZY: Yes. They're trained on that when they are assigned those duties. And then with the addition of that sentence I read in earlier, they'll be given refresher training on an annual basis MR. ROBINSON: Do they have, like, a MR. SWEZY: to make sure they're MR. ROBINSON: manual they can refer to somewhere or how do they get to the manual if they ever need it? MR. SWEZY: If they need it, there's one in the operating room. Again, the boiler operating room, and another one in the remote operating or monitoring station. MR. ROBINSON: Okay.	Page 84
2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15. 16. 17. 18. 19. 20. 21. 22. 23. 24.	MR. BAUGHMAN: Interesting. CHAIRMAN MORELOCK: Well and so you could include a log just saying, boiler room, remote station, as a log for MR. SWEZY: Yeah. If there was more than just the two copies, there would probably be a log showing who was in charge of those manuals and had them. I frankly actually liked the fact that there's only two manuals in there in the places where they're the most needed. CHAIRMAN MORELOCK: Yeah. MR. SWEZY: Because I've been involved in quality control systems where there's 15 manual holders and making sure all 15 of those manual holders have the latest and greatest up-to-date manual and don't have an obsolete version rat-holed away somewhere that you don't know anything about MR. BAUGHMAN: Sure. MR. SWEZY: can be a real problem. And as a quality control manager, one of the things I've done in situations like that is to go and make sure that I remove and destroy the old copies so that that doesn't happen	2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15. 16. 17. 18. 19. 20. 21. 22. 23. 24.	available and readily accessible. So that's good, at least. MR. BAUGHMAN: Okay. MR. ROBINSON: Do the operators know what's in the manual? MR. SWEZY: Yes. They're trained on that when they are assigned those duties. And then with the addition of that sentence I read in earlier, they'll be given refresher training on an annual basis MR. ROBINSON: Do they have, like, a MR. SWEZY: to make sure they're MR. ROBINSON: manual they can refer to somewhere or how do they get to the manual if they ever need it? MR. SWEZY: If they need it, there's one in the operating room. Again, the boiler operating room, and another one in the remote operating or monitoring station. MR. ROBINSON: Okay. MR. SWEZY: If they need to refer to	Page 84
2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15. 16. 17. 20. 21. 22. 23.	MR. BAUGHMAN: Interesting. CHAIRMAN MORELOCK: Well and so you could include a log just saying, boiler room, remote station, as a log for MR. SWEZY: Yeah. If there was more than just the two copies, there would probably be a log showing who was in charge of those manuals and had them. I frankly actually liked the fact that there's only two manuals in there in the places where they're the most needed. CHAIRMAN MORELOCK: Yeah. MR. SWEZY: Because I've been involved in quality control systems where there's 15 manual holders and making sure all 15 of those manual holders have the latest and greatest up-to-date manual and don't have an obsolete version rat-holed away somewhere that you don't know anything about MR. BAUGHMAN: Sure. MR. SWEZY: can be a real problem. And as a quality control manager, one of the things I've done in situations like that is to go and make sure that I remove and destroy the old copies so	2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15. 16. 17. 18. 19. 20. 21. 22. 23.	available and readily accessible. So that's good, at least. MR. BAUGHMAN: Okay. MR. ROBINSON: Do the operators know what's in the manual? MR. SWEZY: Yes. They're trained on that when they are assigned those duties. And then with the addition of that sentence I read in earlier, they'll be given refresher training on an annual basis MR. ROBINSON: Do they have, like, a MR. SWEZY: to make sure they're MR. ROBINSON: manual they can refer to somewhere or how do they get to the manual if they ever need it? MR. SWEZY: If they need it, there's one in the operating room. Again, the boiler operating room, and another one in the remote operating or monitoring station. MR. ROBINSON: Okay.	Page 84

		Page 85			Page 87
1.	opinion, are so simple that it should not require	- 181 32	1.	operator?	- 1.8
2.	them to have to constantly refer to the manual again		2.	MR. SWEZY: By name?	
3.	and again.		3.	MR. BAUGHMAN: Yes, sir.	
4.	MR. ROBINSON: Okay.		4.	MR. SWEZY: The person I came in	
5.	MR. SWEZY: And the emergency		5.	contact with is a man by the name of David Temple	
6.	procedures themselves, like it's stated in this		6.	(phonetic). And one of the reasons he isn't here is	
7.	manual, are placarded in the remote operating or		7.	because he's at Power-Gen this week in Orlando,	
8.	monitoring station. I will for the remote		8.	Florida.	
9.	operator to be able to know exactly what needs to be		9.	MR. BAUGHMAN: Okay.	
10.	done without having to go fishing around for the		10.	MR. SWEZY: So that's one of the	
11.	manual.		11.	reasons he wasn't present today.	
12.	I don't know how many of you have		12.	MR. BAUGHMAN: But he's classified as	
13.	been in one of these operating stations in a plant		13.	the utilities operator?	
14.	like this, but, you know, generally this guy is		14.	MR. SWEZY: I believe he's the VP of	
15.	sitting at a desk and watching this panel and he		15.	operations, if I remember correctly.	
16.	has all kinds of crap on his desk, if you will.		16.	MR. BAUGHMAN: He's VP of operations.	
17.	Okay? And especially a manual like this that		17.	Okay.	
18.	doesn't normally get referred to on a daily basis,		18.	MR. SWEZY: I could be incorrect. I	
19.	it tends to find its way to the bottom of the		19.	might have the wrong title assigned to him, but he's	
20.	pile.		20.	the person who's my primary contact.	
21.	So if this operator had to take		21.	MR. BAUGHMAN: Well, and the reason	
22.	action based on something going awry with the		22.	I'm being asking the question is because he's	
23.	boiler, I'd much rather him depend on that placard		23.	listed as the person responsible for training of all	
24.	being on that wall rather than having to fish down		24.	incoming personnel assigned to boiler operations and	
25.	a manual and find the, you know, highlighted tab		25.	for keeping a documentation log. So I was	
		Page 86			Page 88
1.	for him to grab and turn the page to it's right		1.	interested to know if you intimately knew who that	
2.	there on the placard. He takes the action, gets		2.	person was, and I was interested to know what his	
3.	the boiler under safe condition, and then we worry		3.	background was or his level of training or if he's	
4.	about what we've got to do to light it off again		4.	administrative or so forth.	
5.	later.		5.	MR. SWEZY: Yeah. It's my	
6.	You know, it we had an old saying		6.	understanding that he is a fairly recent addition to	
7.	in the submarine community when I was in the Navy,		7.	Buckman Chemical or Buckman Laboratories, and	as
8.	let's blow and go and talk about it on the		8.	a result, he's the one taking all the actions that's	
9.	surface. You know, if the boat gets in trouble,		9.	trying to make things right. And I give him a lot	
10.	we'll get to the surface and then we'll figure out		10.	of credit for that.	
11.	how to make things right. But take action to make		11.	MR. BAUGHMAN: Good. So there would	
12.	things safe and then we go about dealing with		12.	have been a personnel change from the previous	
13.	anything else afterwards.		13.	2008 that person would no longer be there and be	
14.	So that's kind of a great way of		14.	in the	
15.	looking at it and dealing with it, in my opinion,		15.	MR. SWEZY: That is correct.	
16.	is the placard keeps that confusion and the time		16.	MR. BAUGHMAN: Okay.	
17.	of panic if the operator who's in the remote		17.	MR. SWEZY: And in fact, in 2008,	
18.	monitoring station is trained to look at the		18.	this presentation was made by a professional	
19.	placard, respond to the steps in the placard, get		19.	engineer whose last name was Neville, I believe. He	
20.	the boiler in set condition. Everything else can		20.	had actually stamped and certified the cover page of	
21.	be sorted out with plenty of time.		21.	the original manual. And I believe he has since	
22.	CHAIRMAN MORELOCK: Any other		22.	retired and not even working any longer. So	
	questions? Comments?		23.	MR. ROBINSON: His son is behind you.	
23.			24.	CHAIRMAN MORELOCK: Yeah.	
24.	MR. BAUGHMAN: Who is your utilities		2-	MD CWEZZ II 10	
	MR. BAUGHMAN: Who is your utilities operator or who is Buckman Laboratories' utilities		25.	MR. SWEZY: Huh?	

7. there 8. 9. 0. That' 1. 2. got a 3. talke 4. edito 5. 0800 6. locat 7. just b 8. 9. preve 20. state 1. 22. unde 23. indep 24. does 25. unde 1. 2. acces 3. panel 4. and i 5. unles 6. padlo 7. know 8. contr 9. both 0. some 1. 2. the p 3. syste 4. preve 5. change 6. you b 7. manu	CHAIRMAN MORELOCK: His son is behind u.	1		Page 9
3. 4. 5. 6. be no 7. there 8. 9. 0. That' 1. 2. got a 3. talke 4. edito 5. 0800 6. locat 7. just b 8. 9. preve 0. state 1. 2. unde 3. indep 4. does 5. unde 1. 2. acces 3. panel 4. and i 5. unles 6. padlo 7. know 8. contr 9. both 0. some 1. 2. the p 3. syste 4. preve 5. change 6. you b 7. manu	u.	1.	MR. SWEZY: and that others would	
4. 5. 6. be no 7. there 8. 9. 0. That' 1. 2. got a 3. talke 4. edito 5. 0800 6. locat 7. just b 8. 9. preve 0. state 1. 2. unde 3. indep 4. does 5. unde 1. 2. acces 3. pane 4. and i 5. unles 6. padlo 7. know 8. contr 9. both 0. some 1. 2. the p 3. syste 4. preve 5. change 6. you b 7. manu 7. m		2.	not be given ready access to the panels where that	
5. be no for there for there for there for there for there for there for for the for for the for for the for for the for for for the for	MR. SWEZY: Oh, is he?	3.	could be done. Again, I don't believe there's	
there th	CHAIRMAN MORELOCK: Yeah.	4.	actual physical padlocks on those panels, but	
7. there 8. 9. 1. 2. got a 3. talke 4. edito 5. 0800 6. locat 7. just b 8. 9. preve 1. 2. unde 3. indep 4. does 5. unde 4. and i 5. unde 5. unde 6. padlo 7. know 8. contr 9. both 0. some 1. 2. the p 3. syste 4. preve 6. you b 7. manu	MR. SWEZY: Oh, okay. I guess he may	5.	CHAIRMAN MORELOCK: Right. Right.	
8. 9. 1. 2. got a 3. talke 4. edito 5. 0800 6. locat 7. just b 8. 9. preve 1. 2. unde 3. indep 4. does 5. unde 1. 2. acces 3. panel 4. and i 5. unles 6. padlo 7. know 8. contr 9. both 0. some 1. 2. the p 3. syste 4. preve 5. chang 6. you k 7. manu	not retired, then. I thought he was retired, but	6.	But they just need to be where people couldn't alter	
9. 1. 2. got a 3. talked 4. edito 5. 0800 6. locat 7. just b 8. 9. preve 0. states 1. 2. unde 3. indep 4. does 5. unde 1. 2. acces 3. pane 4. and i 5. unles 6. padlo 7. know 8. contr 9. both 0. some 1. 2. the p 3. syste 4. preve 5. chang you b 7. manu	ere you go.	7.	the software.	
O. That' 1. 2. got a 3. talke 4. edito 5. 0800 6. locat 7. just b 8. 9. preve 0. state 1. 2. unde 3. indep 4. does 5. unde 4. and i 5. unles 6. padlo 7. know 8. contr 9. both 0. some 1. 2. the p 3. syste 4. preve 5. chan 9, you b 7. manu	CHAIRMAN MORELOCK: Okay.	8.	MR. SWEZY: Right.	
1. 2. got a a 3. talked 4. edito 5. 0800 6. locat 7. just b 8. 9. preve 0. stated 1. 2. under 1. 2. under 1. 2. acces 3. panel 4. and i 1. 5. unles 6. padlo 7. know 8. control 9. both 0. some 1. 2. the p 3. syste 4. preve 5. change 6. you b 7. manual 7. ma	MR. BAUGHMAN: Very good. Thank you.	9.	CHAIRMAN MORELOCK: Let's see. Of	
2. got a 3. talke 4. edito 5. 0800 6. locat 7. just b 8. 9. preve 0. state 1. 2. unde 3. indep 4. does 5. unde 1. 2. acces 3. pane 4. and i 5. unles 6. padlo 7. know 8. contr 9. both 0. some 1. 2. the p 3. syste 4. preve 5. chang 6. you h 7. manu	at's all that I've got.	10.	course, you've revised the checklist, so you've	
3. talked 4. edito 5. 0800 6. locat 7. just b 8. 9. preve 0. states 1. 2. unde 3. indep 4. does 5. unde 1. 2. acces 3. panel 4. and i 5. unles 6. padlo 7. know 8. contr 9. both 0. some 1. 2. the p 3. syste 4. preve 5. chang you b 7. manu	CHAIRMAN MORELOCK: Okay. I've just	11.	addressed a lot of the questions that I had. Again,	
4. edito 5. 0800 6. locat 7. just t 8. 9. preve 0. state 1. 2. unde 3. indep 4. does 5. unde 1. 2. acces 3. pane 4. and i 5. unles 6. padlo 7. know 8. contr 9. both 0. some 1. 2. the p 3. syste 4. preve 5. chan 7, wou t 7, manu	t a few comments right quick. I think we've ked about most of them. Again, you know,	13.	it would be good on the organizational chart, in Appendix D, just to show not only what you have but	
5. 0800 6. locat 7. just t 8. 9. preve 0. state 1. 2. unde 3. indep 4. does 5. unde 1. 2. acces 3. pane 4. and i 5. unles 6. padlo 7. know 8. contr 9. both 0. some 1. 2. the p 3. syste 4. preve 5. chang 6. you t 7. manu	itorial, but the rule needs to be changed to		show who are the remote monitors and the boiler	
6. locat 7. just b 8. 9. preve 0. state 1. 2. unde 3. indep 4. does 5. unde 1. 2. acces 3. pane 4. and i 5. unles 6. padlo 7. know 8. contr 9. both 0. some 1. 2. the p 3. syste 4. preve 5. chang 6. you b 7. manu	00-03-0308 11A as the new 20-minute rule	14.	attendants, operators. With this one, it's unique	
7. just b 8. 9. preve 0. stater 1. 2. unde 3. indep 4. does 5. unde 1. 2. acces 3. panel 4. and i 5. unles 6. padlo 7. know 8. contr 9. both 0. some 1. 2. the p 3. syste 4. preve 5. chang 6. you b 7. manu	eation. The rule itself has not changed. It's	15. 16.	in the fact that in Shelby County, these are	
8. 9. preve 0. state 1. 2. unde 3. indep 4. does 5. unde 1. 2. acces 3. pane 4. and i 5. unles 6. padlo 7. know 8. contr 9. both 0. some 1. 2. the p 3. syste 4. preve 5. chan 9, you l 7. manu	st been reorganized.	17.	actually licensed boiler operators, so they've got	
9. preve 0. states 1. 2. unde 3. indep 4. does 5. unde 1. 2. acces 3. panel 4. and i 5. unles 6. padlo 7. know 8. contr 9. both 0. some 1. 2. the p 3. syste 4. preve 5. chang 6. you k 7. manu	Does the remote monitoring system	18.	good credentials.	
1. 2. under 4. does 5. under 5. under 6. padlo 7. know 8. contr 9. both 0. some 1. 2. the padlo 7. know 6. you 4. preve 5. change 6. you 4. 7. manu	event unauthorized access? I didn't see any	19.	But it just helps the Board when they	
1. 2. unde 3. indep 4. does 5. unde 1. 2. acces 3. panel 4. and i 5. unles 6. padlo 7. know 8. contr 9. both 0. some 1. 2. the p 3. syste 4. preve 5. chang 6. you k 7. manu	tements to that effect in the manual.	20.	look at the organizational chart to see who is	
2. unde 3. indep 4. does 5. unde 1. 2. acces 3. panel 4. and i 5. unles 6. padlo 7. know 8. contr 9. both 0. some 1. 2. the p 3. syste 4. preve 5. chang 6. you k 7. manu	MR. SWEZY: Yeah. It's my	21.	serving as remote monitor, who's serving as a	
1. 2. acces 3. panel 4. and i 5. unles 6. padlo 7. know 8. contr 9. both 0. some 1. 2. the p 3. syste 4. preve 5. chang 6. you k 7. manu	derstanding that this is a wholly self-contained,	22.	boiler attendant.	
1. 2. acces 3. panel 4. and i 5. unles 6. padlo 7. know 8. contr 9. both 0. some 1. 2. the p 3. syste 4. preve 5. chang 6. you k 7. manu	lependent communication and operating system. It	23.	MR. SWEZY: Okay.	
1. 2. acces 3. panel 4. and i 5. unles 6. padle 7. know 8. contr 9. both 0. some 1. 2. the p 3. syste 4. preve 5. chang 6. you k 7. manu	es not interface with the Internet, to my	24.	CHAIRMAN MORELOCK: And I think	
1. 2. acces 3. panel 4. and i 5. unles 6. padlo 7. know 8. contr 9. both 0. some 1. 2. the p 3. syste 4. preve 5. chang 6. you k 7. manu	derstanding.	25.	MR. SWEZY: I think that's	
2. acces 3. panel 4. and i 5. unles 6. padlo 7. know 8. contr 9. both 0. some 1. 2. the p 3. syste 4. preve 5. chang 6. you k 7. manu				
2. acces 3. panel 4. and i 5. unles 6. padlo 7. know 8. contr 9. both 0. some 1. 2. the p 3. syste 4. preve 5. chang 6. you k 7. manu	Page 90			Page
3. panel 4. and i 5. unles 6. padlo 7. know 8. contr 9. both 0. some 1. 2. the p 3. syste 4. preve 5. chang 6. you i 7. manu	As far as preventing unauthorized	1.	appropriate.	
4. and i 5. unles 6. padlo 7. know 8. contr 9. both 0. some 1. 2. the p 3. syste 4. preve 5. chang 6. you k 7. manu	cess, I believe that the control and connection	2.	CHAIRMAN MORELOCK: Let's see. Oh.	
5. unles 6. padlo 7. know 8. contr 9. both 0. some 1. 2. the p 3. syste 4. preve 5. chang 6. you k 7. manu	nels are located in the boiler operating station	3.	Yeah. So again, the editorial corrections to the	
6. padlo 7. know 8. contr 9. both 0. some 1. 2. the p 3. syste 4. preve 5. chang 6. you k 7. manu	d in the remote monitoring station. And so	4.	rule reference are pages one, five, eight, and nine.	
7. know 8. contr 9. both 0. some 1. 2. the p 3. syste 4. preve 5. chang 6. you k 7. manu	less somebody was, you know, locked out by a	5.	Figure one, which is your site plan, typically, we	
8. contr 9. both 0. some 1. 2. the p 3. syste 4. preve 5. chang 6. you k 7. manu	dlock from getting into those panels, I don't	6.	see a distance from the boiler room to the remote	
9. both 0. some 1. 2. the p 3. syste 4. preve 5. chang 6. you l 7. manu	ow that they would have that kind of access	7.	monitoring station. Page 4-1, which is the I	
0. some 1. 2. the p 3. syste 4. preve 5. chang 6. you k 7. manu	ntrol, but they do have security personnel in	8.	noticed that the boilers have set different MAWPs.	
 the p the p syste preve chang you I manu 	th places to keep that from being something that	9.	So again, is the relief set so that you don't	
 the p syste preve chang you l manu 	mebody could do without being noticed.	10.	overpressure, back pressure a boiler if they're	
3. syste 4. preve 5. chang 6. you l 7. manu	CHAIRMAN MORELOCK: Well, and more to	11.	running together?	
4. preve 5. chan 6. you l 7. manu	e point is the electronic/computerized control	12.	Page F-2, the general operator job	
5. changes. 6. you led 7. manu	stem itself, is it password protected where it	13.	description doesn't have a title. It needs to be	
6. you l 7. manu	events anybody from getting into that system,	14.	clarified, and also for the general operator job	
7. manu	anging parameters, fault codes? We just need	15.	description, I don't see any boiler	
	u know, typically we'll see something in the	16.	responsibilities listed like I do for the other	
o. appe	anufacturer's documentation that's usually an	17.	job descriptions in Appendix F. MR. SWEZV: What page is this you're	
	pendices in the manual. It'll say that this is sword protected to prevent unauthorized access so	18.	MR. SWEZY: What page is this you're on, Brian?	
_		19. 20.		
	ople can't go in and alter the computer control ogram for the boilers.	20.	CHAIRMAN MORELOCK: F-2. MR. ROBINSON: It looks like it was	
1. progi 2.	MR. SWEZY: Yeah. I would think	22.		
	ose changes would only be made by the maintenance	23.	cropped CHAIRMAN MORELOCK: Yeah. It looks	
	IN A DECEMBER WITHIN THEY HE HIMDE OVER HIMDIEHMIN'S	24.	like it was cropped off.	
24. perso 25.		25.	MR. ROBINSON: in the copier. I	
.J.	rsonnel CHAIRMAN MORELOCK: Right.	∠ J.	MIK. KODINSON III UIE COPIEI. I	

	Page 93			Page 95
1.	didn't know.	1.	CHAIRMAN MORELOCK: Yeah. I just	ruge 75
2.	MR. PISCHKE: I think it's just	2.	wanted clarification. It sounds like it, but and	
3.	missing the line. But	3.	then on page eight, normal daily duties, boiler	
4.	MR. SWEZY: F-3, you said?	4.	attendant report shall report to the boiler room	
5.	CHAIRMAN MORELOCK: F-2.	5.	and perform routine, daily requirements. You've got	
6.	MR. ROBINSON: F-2.	6.	a log sheet for the boiler, too, but what you may	
7.	CHAIRMAN MORELOCK: See, for example,	7.	just want to add what those daily routine	
8.	if you go to F-6 for the maintenance electrical	8.	requirements are as far as blowdown or checking	
9.	craftsman, it has a block for effective boiler	9.	pressures and temperatures. I don't know what all	
10.	operation and lists job duties. And you have that	10.	that's going to entail. Just might want to add a	
11.	same block listed for the other job descriptions	11.	little detail to that.	
12.	with the exception of the general operator. So	12.	And I do agree with you. I like the	
13.	there just needs to be a block there showing the job	13.	placard right there on the remote monitoring	
14.	descriptions related to the boiler remote operation	14.	station so the remote monitoring person can see	
15.	or boiler attendant.	15.	it, but one of the requirements in our checklist	
16.	And I apologize. I didn't have time	16.	is that your emergency procedures in this manual	
17.	to go back and look at the '08 Board notes. I	17.	should be highlighted or easy to find, and you	
18.	might have been able to resolve some of this and	18.	just need to put a tab or a bright-colored page	
19.	even the questions, but I didn't get to go back	19.	for your emergency procedures and that will take	
20.	and reread the minutes from 2008.	20.	care of that checklist requirement. And that's	
21.	But the other thing, on page seven	21.	all my comments. So Eugene, you had some.	
22.	MR. SWEZY: Page seven?	22.	MR. ROBINSON: I just have a few.	
23.	CHAIRMAN MORELOCK: Page seven, under	23.	You covered most of mine. When you get a minute to	
24.	Item one, classification, and then Item two. It	24.	recover, page three, paragraph three.	•
25.	says, during periods of production downtime, BLI may	25.	MR. SWEZY: Which paragraph,	
23.	says, during periods of production downsine, BEI may	25.	Mic. 5 WEET. Which paragraph,	
	Page 94			Page 96
1.	designate an alternate boiler attendant, such as a	1.	Mr. Robinson?	
2.	security officer, to monitor the boiler. And I'm	2.	MR. ROBINSON: Paragraph three. It's	
3.	I wanted to clarify that that is just remote	3.	under some of the features of the microprocessor.	
4.	monitoring, because if he's going to operate that	4.	MR. SWEZY: Okay.	
5.	boiler, he has to have a license, you know, in	5.	MR. ROBINSON: The controller shall	
6.	Shelby County. So I just want to make sure we know	6.	shut down any boiler that exceeds safety limits or	
7.	what that means.	7.	programmed operating limits. For example, the	
8.	MR. SWEZY: Well, the second sentence	8.	controller will shut the boiler down on any other	
9.	behind the one you just read I believe clarifies	9.	conditions listed in Appendix C. When you go to	
10.	that. The attendant is a trained and qualified	10.	Appendix C, you've got a lot of things in there	
11.	individual	11.	that'll shut the boiler off.	
12.	CHAIRMAN MORELOCK: Okay. So, but	12.	MR. SWEZY: Yeah. I think it's	
13.	MR. SWEZY: in accordance with the	13.	obvious that not every one of these things in	
14.	regulations of the State of Tennessee.	14.	Appendix C	
15.	CHAIRMAN MORELOCK: That's true. So	15.	MR. ROBINSON: Keep in mind.	
16.	are we saying that security officers	16.	CHAIRMAN MORELOCK: Yeah.	
17.	MR. HARGROVE: Is a trained	17.	MR. SWEZY: is a boiler shutdown.	
18.	CHAIRMAN MORELOCK: are boiler	18.	I mean, obviously it's not going to shut down on	
19.	attendants?	19.	flame detected, for example, and I think that	
20.	MR. SWEZY: I don't know that that's	20.	clarification	
21.	what is being implied here.	21.	MR. ROBINSON: I know that.	
22.	CHAIRMAN MORELOCK: Yeah. Yeah. I	22.	MR. SWEZY: is an appropriate	
23.	just wanted to	23.	comment.	
24.	MR. SWEZY: But I think it's a good	24.	MR. ROBINSON: I know that. But the	
25.	clarification.	25.	thing is, is just KIS.	
	Provided by Stone & George C	Cou	rt Reporting (615) 268-1244	

		Page 97			Page 99
1.	MR. SWEZY: Yeah.		1.	sir.	
2.	MR. ROBINSON: Keep it simple and		2.	CHAIRMAN MORELOCK: Mr. Baughma	n.
3.	just move on. Make you know, do what you say,		3.	MR. BAUGHMAN: When we were talking	
4.	say what you do.		4.	about the fault codes and how many there were and -	
5.	CHAIRMAN MORELOCK: Yeah.		5.	you just made the mention about flame detected, that	
6.	MR. SWEZY: I agree.		6.	that wouldn't be a	
7.	MR. ROBINSON: I agree with that org		7.	MR. SWEZY: Yeah. That's not an trip	
8.	chart. You do need some clarity to the org chart.		8.	function, obviously.	
9.	You've got the general operators, the remote		9.	MR. BAUGHMAN: No. Obviously it is.	
10.	station, and just make it clearly defined.		10.	And the reason	
11.	MR. SWEZY: Right. I made that		11.	MR. SWEZY: Well, if it goes out,	
12.	annotation. We'll take care of that.		12.	obviously, but I mean, the fact that there is a	
13.	MR. ROBINSON: Safety valves on		13.	flame is not going to cause a drip.	
14.	the		14.	MR. BAUGHMAN: In the standby	
15.	MR. SWEZY: Appendix A?		15.	position, it would.	
16.	MR. ROBINSON: equipment yeah,		16.	MR. SWEZY: Right.	
17.	equipment sheet.		17.	MR. BAUGHMAN: And that's very	
18.	MR. SWEZY: Yeah. I made a note of		18.	critical.	
19.	that, as well.		19.	MR. SWEZY: Right.	
20.	MR. ROBINSON: With capacity. I		20.	MR. BAUGHMAN: So a flame detected	
21.	would review it. You do have some typos. Yeah,		21.	during the standby is yeah. It's a big issue.	
22.	I've got a lot of you've got a lot of typos.		22.	So just to wanted to clarify upon that.	
23.	Page 10, for example, right at the top, emergency		23.	And that leads me over to page nine,	
24.	procedures together. You've got a period somewhere		24.	restart procedures. The and just going	
25.	on the first paragraph of that same page right in		25.	starting with under restart procedures, number	
		Page 98	_		Page 100
1.	the first sentence, and it makes it incomplete.	ruge 70	1.	two, when the alarm condition is cleared, the	rage 100
2.	And back to Mr. Baughman's comments,		2.	boiler attendant, who could possibly be the	
3.	update the manual holders. I would like to see		3.	security officer, will contact the remote station,	
4.	something there. And the reason		4.	the shutdown switch shall be reset and the boiler	
5.	MR. SWEZY: Say that		5.	restarted by the boiler attendant. If the boiler	
6.	MR. ROBINSON: The manual holders. I		6.	is restarted before the cause of the alarm is	
7.	would like to see something there. And the reason		7.	diagnosed and corrected is the problem that	
8.	why is because you've got to put it in the		8.	I've got.	
9.	monitoring station. That's obvious.		9.	The boiler should not be restarted	
10.	MR. SWEZY: Right.		10.	until the alarm is diagnosed and corrected. So	
11.	MR. ROBINSON: If they don't have it,		11.	let's take into consideration that we had that	
12.	you know, they don't know what to do. And you want		12.	flame detected fault code, whatever it was, 18,	
13.	to have it in the maintenance shop, I guess, and		13.	and you've got somebody that's not familiar with	
14.	actually list, I guess, the precedent, who's		14.	it and they go in and restart it and it was flame	
15.	responsible for the manual.		15.	detected because of a gas valve leaking. We've	
16.	MR. SWEZY: Yup.		16.	restarted a boiler without it being diagnosed and	
17.	MR. ROBINSON: That's all I have,		17.	corrected.	
18.	sir.		18.	And I've just got an issue with that	
19.	MR. BAUGHMAN: I've got a little		19.	particular statement, is that the boiler should	
20.	more.		20.	not be restarted until the fault is diagnosed and	
21.	CHAIRMAN MORELOCK: Yeah, on B-1		21.	corrected.	
22.	there's some typos, too, under that last paragraph.		22.	MR. SWEZY: And I'm inclined to	
23.	So I'll let you ferret those out. But they're in		23.	agree, but I would tell you that I think the intent	
24.	there, too, so go ahead.		24.	of this particular paragraph is to describe a	
25.	MR. BAUGHMAN: Yes, sir. Thank you,		25.	situation where maybe multiple fault conditions	
1					

	Pas	ge 101		Page 103
1.	caused the trip of the boiler and when the operator	50 101	1.	remote operating monitoring station was ruptured
2.	gets to the boiler room, he cannot see anything		2.	and they could not operate it, then that would be a
3.	obviously wrong and the faults have all reset		3.	condition where the boiler operator could restart
4.	themselves. And it's possible that they may need to		4.	the boiler but he would be required to be in
5.	restart to see if they can figure out, by watching		5.	attendance at the boiler, because that is where the
6.	the boiler as they're restarting it, what the true		6.	20-minute rule, then, would kick in.
7.	underlying fault is that tripped the boiler off and		7.	So, you know, I think that there are
8.	then be able to address it at that point in time.		8.	a number of scenarios that they were trying to
9.	Kind of like when you take your car		9.	address with this paragraph that they've obviously
10.	into the shop to be repaired because something's		10.	not done so very well, and we can correct that.
11.	acting hinky and the service tech can't replicate		11.	But I think that that's what the
12.	the problem that you're finding. You know. That		12.	kind of thing that they're trying to describe is
13.	kind of a situation. And I think that's what this		13.	that, you know, if the guy in the remote
14.	is intended to address.		14.	operating or monitoring station can't put the
15.	MR. BAUGHMAN: Well, I		15.	thing back into reset position to allow the boiler
16.	MR. SWEZY: It may be not addressing		16.	to be restarted because the system is not
17.	it very well.		17.	functioning properly, then the boiler operator in
18.	MR. BAUGHMAN: No. And I disagree		18.	the boiler room could do so but he would be
19.	with it in as much as if there's multiple fault		19.	required to be in attendance at the boiler. He
20.	codes, there's obviously something going on to an		20.	wouldn't go back to the four-hour-check rule.
21.	extent that needs to be addressed rather than just		21.	He'd be under the 20-minute rule.
22.	having everything reset. And that's that gives		22.	MR. BAUGHMAN: Should this and I
23.	me concern in that we've got a fault, it's just		23.	bring this up for discussion, because I've just got
24.	reset. In other words, a security officer, although		24.	an issue with a situation being reset and the boiler
25.	he is supposed to be qualified under Shelby County's		25.	operating without it being diagnosed and corrected,
23.	ne is supposed to be quantied under shelby county's		25.	operating without it being diagnosed and corrected,
	D.	100		D 104
1		ge 102	1	Page 104
1.	requirements for boiler operators, but that somebody	ge 102	1.	and I don't know how to reword it according to the
2.	requirements for boiler operators, but that somebody would just go in and reset this without necessarily	ge 102	2.	and I don't know how to reword it according to the intent of what he's describing.
2. 3.	requirements for boiler operators, but that somebody would just go in and reset this without necessarily going through and having it diagnosed and corrected	ge 102	2.	and I don't know how to reword it according to the intent of what he's describing. CHAIRMAN MORELOCK: Well, I mean, our
2. 3. 4.	requirements for boiler operators, but that somebody would just go in and reset this without necessarily going through and having it diagnosed and corrected before it's being restarted.	ge 102	2. 3. 4.	and I don't know how to reword it according to the intent of what he's describing. CHAIRMAN MORELOCK: Well, I mean, our job is just to make sure the checklist components
2. 3. 4. 5.	requirements for boiler operators, but that somebody would just go in and reset this without necessarily going through and having it diagnosed and corrected before it's being restarted. MR. SWEZY: Yes. And I do not	ge 102	 2. 3. 4. 5. 	and I don't know how to reword it according to the intent of what he's describing. CHAIRMAN MORELOCK: Well, I mean, our job is just to make sure the checklist components are being put into the manual. We're not going to
2. 3. 4. 5. 6.	requirements for boiler operators, but that somebody would just go in and reset this without necessarily going through and having it diagnosed and corrected before it's being restarted. MR. SWEZY: Yes. And I do not believe it was the intention for the security	ge 102	 2. 3. 4. 6. 	and I don't know how to reword it according to the intent of what he's describing. CHAIRMAN MORELOCK: Well, I mean, our job is just to make sure the checklist components are being put into the manual. We're not going to tell them how to operate their boilers.
2. 3. 4. 5. 6. 7.	requirements for boiler operators, but that somebody would just go in and reset this without necessarily going through and having it diagnosed and corrected before it's being restarted. MR. SWEZY: Yes. And I do not believe it was the intention for the security officer to be the one that would restart the boiler.	ge 102	 2. 3. 4. 5. 6. 7. 	and I don't know how to reword it according to the intent of what he's describing. CHAIRMAN MORELOCK: Well, I mean, our job is just to make sure the checklist components are being put into the manual. We're not going to tell them how to operate their boilers. MR. BAUGHMAN: Okay.
2. 3. 4. 5. 6. 7. 8.	requirements for boiler operators, but that somebody would just go in and reset this without necessarily going through and having it diagnosed and corrected before it's being restarted. MR. SWEZY: Yes. And I do not believe it was the intention for the security officer to be the one that would restart the boiler. MR. BAUGHMAN: No.	ge 102	 2. 3. 4. 6. 7. 8. 	and I don't know how to reword it according to the intent of what he's describing. CHAIRMAN MORELOCK: Well, I mean, our job is just to make sure the checklist components are being put into the manual. We're not going to tell them how to operate their boilers. MR. BAUGHMAN: Okay. CHAIRMAN MORELOCK: I mean you
2. 3. 4. 5. 6. 7. 8. 9.	requirements for boiler operators, but that somebody would just go in and reset this without necessarily going through and having it diagnosed and corrected before it's being restarted. MR. SWEZY: Yes. And I do not believe it was the intention for the security officer to be the one that would restart the boiler. MR. BAUGHMAN: No. MR. SWEZY: It would be		 2. 3. 4. 5. 6. 7. 8. 9. 	and I don't know how to reword it according to the intent of what he's describing. CHAIRMAN MORELOCK: Well, I mean, our job is just to make sure the checklist components are being put into the manual. We're not going to tell them how to operate their boilers. MR. BAUGHMAN: Okay. CHAIRMAN MORELOCK: I mean you know, I mean, that's not necessarily our job. Our
2. 3. 4. 5. 6. 7. 8. 9.	requirements for boiler operators, but that somebody would just go in and reset this without necessarily going through and having it diagnosed and corrected before it's being restarted. MR. SWEZY: Yes. And I do not believe it was the intention for the security officer to be the one that would restart the boiler. MR. BAUGHMAN: No. MR. SWEZY: It would be MR. BAUGHMAN: But the way this is		2. 3. 4. 5. 6. 7. 8. 9. 10.	and I don't know how to reword it according to the intent of what he's describing. CHAIRMAN MORELOCK: Well, I mean, our job is just to make sure the checklist components are being put into the manual. We're not going to tell them how to operate their boilers. MR. BAUGHMAN: Okay. CHAIRMAN MORELOCK: I mean you know, I mean, that's not necessarily our job. Our job is to promulgate the rules and make sure they're
2. 3. 4. 5. 6. 7. 8. 9. 10.	requirements for boiler operators, but that somebody would just go in and reset this without necessarily going through and having it diagnosed and corrected before it's being restarted. MR. SWEZY: Yes. And I do not believe it was the intention for the security officer to be the one that would restart the boiler. MR. BAUGHMAN: No. MR. SWEZY: It would be MR. BAUGHMAN: But the way this is worded		2. 3. 4. 5. 6. 7. 8. 9. 10. 11.	and I don't know how to reword it according to the intent of what he's describing. CHAIRMAN MORELOCK: Well, I mean, our job is just to make sure the checklist components are being put into the manual. We're not going to tell them how to operate their boilers. MR. BAUGHMAN: Okay. CHAIRMAN MORELOCK: I mean you know, I mean, that's not necessarily our job. Our job is to promulgate the rules and make sure they're operating safely, but we it's not we're not
2. 3. 4. 5. 6. 7. 8. 9. 10. 11.	requirements for boiler operators, but that somebody would just go in and reset this without necessarily going through and having it diagnosed and corrected before it's being restarted. MR. SWEZY: Yes. And I do not believe it was the intention for the security officer to be the one that would restart the boiler. MR. BAUGHMAN: No. MR. SWEZY: It would be MR. BAUGHMAN: But the way this is worded MR. SWEZY: It could be.		2. 3. 4. 5. 6. 7. 8. 9. 10. 11.	and I don't know how to reword it according to the intent of what he's describing. CHAIRMAN MORELOCK: Well, I mean, our job is just to make sure the checklist components are being put into the manual. We're not going to tell them how to operate their boilers. MR. BAUGHMAN: Okay. CHAIRMAN MORELOCK: I mean you know, I mean, that's not necessarily our job. Our job is to promulgate the rules and make sure they're operating safely, but we it's not we're not going to tell them how to operate a boiler.
2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12.	requirements for boiler operators, but that somebody would just go in and reset this without necessarily going through and having it diagnosed and corrected before it's being restarted. MR. SWEZY: Yes. And I do not believe it was the intention for the security officer to be the one that would restart the boiler. MR. BAUGHMAN: No. MR. SWEZY: It would be MR. BAUGHMAN: But the way this is worded MR. SWEZY: It could be. MR. BAUGHMAN: it could be.		2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13.	and I don't know how to reword it according to the intent of what he's describing. CHAIRMAN MORELOCK: Well, I mean, our job is just to make sure the checklist components are being put into the manual. We're not going to tell them how to operate their boilers. MR. BAUGHMAN: Okay. CHAIRMAN MORELOCK: I mean you know, I mean, that's not necessarily our job. Our job is to promulgate the rules and make sure they're operating safely, but we it's not we're not going to tell them how to operate a boiler. MR. BAUGHMAN: So nowhere in here, in
2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13.	requirements for boiler operators, but that somebody would just go in and reset this without necessarily going through and having it diagnosed and corrected before it's being restarted. MR. SWEZY: Yes. And I do not believe it was the intention for the security officer to be the one that would restart the boiler. MR. BAUGHMAN: No. MR. SWEZY: It would be MR. BAUGHMAN: But the way this is worded MR. SWEZY: It could be. MR. BAUGHMAN: it could be. Absolutely.		2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14.	and I don't know how to reword it according to the intent of what he's describing. CHAIRMAN MORELOCK: Well, I mean, our job is just to make sure the checklist components are being put into the manual. We're not going to tell them how to operate their boilers. MR. BAUGHMAN: Okay. CHAIRMAN MORELOCK: I mean you know, I mean, that's not necessarily our job. Our job is to promulgate the rules and make sure they're operating safely, but we it's not we're not going to tell them how to operate a boiler. MR. BAUGHMAN: So nowhere in here, in our checklist, do we address that in any form.
2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14.	requirements for boiler operators, but that somebody would just go in and reset this without necessarily going through and having it diagnosed and corrected before it's being restarted. MR. SWEZY: Yes. And I do not believe it was the intention for the security officer to be the one that would restart the boiler. MR. BAUGHMAN: No. MR. SWEZY: It would be MR. BAUGHMAN: But the way this is worded MR. SWEZY: It could be. MR. BAUGHMAN: it could be. Absolutely. MR. SWEZY: I agree. And so I'll		2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15.	and I don't know how to reword it according to the intent of what he's describing. CHAIRMAN MORELOCK: Well, I mean, our job is just to make sure the checklist components are being put into the manual. We're not going to tell them how to operate their boilers. MR. BAUGHMAN: Okay. CHAIRMAN MORELOCK: I mean you know, I mean, that's not necessarily our job. Our job is to promulgate the rules and make sure they're operating safely, but we it's not we're not going to tell them how to operate a boiler. MR. BAUGHMAN: So nowhere in here, in our checklist, do we address that in any form. CHAIRMAN MORELOCK: We just have a
2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15.	requirements for boiler operators, but that somebody would just go in and reset this without necessarily going through and having it diagnosed and corrected before it's being restarted. MR. SWEZY: Yes. And I do not believe it was the intention for the security officer to be the one that would restart the boiler. MR. BAUGHMAN: No. MR. SWEZY: It would be MR. BAUGHMAN: But the way this is worded MR. SWEZY: It could be. MR. BAUGHMAN: it could be. Absolutely. MR. SWEZY: I agree. And so I'll make		2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15. 16.	and I don't know how to reword it according to the intent of what he's describing. CHAIRMAN MORELOCK: Well, I mean, our job is just to make sure the checklist components are being put into the manual. We're not going to tell them how to operate their boilers. MR. BAUGHMAN: Okay. CHAIRMAN MORELOCK: I mean you know, I mean, that's not necessarily our job. Our job is to promulgate the rules and make sure they're operating safely, but we it's not we're not going to tell them how to operate a boiler. MR. BAUGHMAN: So nowhere in here, in our checklist, do we address that in any form. CHAIRMAN MORELOCK: We just have a statement in there that they need to show documents
2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15. 16.	requirements for boiler operators, but that somebody would just go in and reset this without necessarily going through and having it diagnosed and corrected before it's being restarted. MR. SWEZY: Yes. And I do not believe it was the intention for the security officer to be the one that would restart the boiler. MR. BAUGHMAN: No. MR. SWEZY: It would be MR. BAUGHMAN: But the way this is worded MR. SWEZY: It could be. MR. BAUGHMAN: it could be. Absolutely. MR. SWEZY: I agree. And so I'll make MR. BAUGHMAN: And to sign off on		2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15. 16. 17.	and I don't know how to reword it according to the intent of what he's describing. CHAIRMAN MORELOCK: Well, I mean, our job is just to make sure the checklist components are being put into the manual. We're not going to tell them how to operate their boilers. MR. BAUGHMAN: Okay. CHAIRMAN MORELOCK: I mean you know, I mean, that's not necessarily our job. Our job is to promulgate the rules and make sure they're operating safely, but we it's not we're not going to tell them how to operate a boiler. MR. BAUGHMAN: So nowhere in here, in our checklist, do we address that in any form. CHAIRMAN MORELOCK: We just have a statement in there that they need to show documents on how they're going to restart the boiler safely.
2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15. 16. 17.	requirements for boiler operators, but that somebody would just go in and reset this without necessarily going through and having it diagnosed and corrected before it's being restarted. MR. SWEZY: Yes. And I do not believe it was the intention for the security officer to be the one that would restart the boiler. MR. BAUGHMAN: No. MR. SWEZY: It would be MR. BAUGHMAN: But the way this is worded MR. SWEZY: It could be. MR. BAUGHMAN: it could be. Absolutely. MR. SWEZY: I agree. And so I'll make MR. BAUGHMAN: And to sign off on something like that, I just disagree with that		2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15. 16. 17. 18.	and I don't know how to reword it according to the intent of what he's describing. CHAIRMAN MORELOCK: Well, I mean, our job is just to make sure the checklist components are being put into the manual. We're not going to tell them how to operate their boilers. MR. BAUGHMAN: Okay. CHAIRMAN MORELOCK: I mean you know, I mean, that's not necessarily our job. Our job is to promulgate the rules and make sure they're operating safely, but we it's not we're not going to tell them how to operate a boiler. MR. BAUGHMAN: So nowhere in here, in our checklist, do we address that in any form. CHAIRMAN MORELOCK: We just have a statement in there that they need to show documents on how they're going to restart the boiler safely. So this needs to be reworded. I think that's
2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15. 16. 17.	requirements for boiler operators, but that somebody would just go in and reset this without necessarily going through and having it diagnosed and corrected before it's being restarted. MR. SWEZY: Yes. And I do not believe it was the intention for the security officer to be the one that would restart the boiler. MR. BAUGHMAN: No. MR. SWEZY: It would be MR. BAUGHMAN: But the way this is worded MR. SWEZY: It could be. MR. BAUGHMAN: it could be. Absolutely. MR. SWEZY: I agree. And so I'll make MR. BAUGHMAN: And to sign off on something like that, I just disagree with that particular		2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15. 16. 17. 18. 19.	and I don't know how to reword it according to the intent of what he's describing. CHAIRMAN MORELOCK: Well, I mean, our job is just to make sure the checklist components are being put into the manual. We're not going to tell them how to operate their boilers. MR. BAUGHMAN: Okay. CHAIRMAN MORELOCK: I mean you know, I mean, that's not necessarily our job. Our job is to promulgate the rules and make sure they're operating safely, but we it's not we're not going to tell them how to operate a boiler. MR. BAUGHMAN: So nowhere in here, in our checklist, do we address that in any form. CHAIRMAN MORELOCK: We just have a statement in there that they need to show documents on how they're going to restart the boiler safely. So this needs to be reworded. I think that's obvious, but we're not going to consult them and
2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15. 16. 17. 18. 19. 20.	requirements for boiler operators, but that somebody would just go in and reset this without necessarily going through and having it diagnosed and corrected before it's being restarted. MR. SWEZY: Yes. And I do not believe it was the intention for the security officer to be the one that would restart the boiler. MR. BAUGHMAN: No. MR. SWEZY: It would be MR. BAUGHMAN: But the way this is worded MR. SWEZY: It could be. MR. BAUGHMAN: it could be. Absolutely. MR. SWEZY: I agree. And so I'll make MR. BAUGHMAN: And to sign off on something like that, I just disagree with that particular MR. SWEZY: Well, and another		2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15. 16. 17. 18. 19. 20.	and I don't know how to reword it according to the intent of what he's describing. CHAIRMAN MORELOCK: Well, I mean, our job is just to make sure the checklist components are being put into the manual. We're not going to tell them how to operate their boilers. MR. BAUGHMAN: Okay. CHAIRMAN MORELOCK: I mean you know, I mean, that's not necessarily our job. Our job is to promulgate the rules and make sure they're operating safely, but we it's not we're not going to tell them how to operate a boiler. MR. BAUGHMAN: So nowhere in here, in our checklist, do we address that in any form. CHAIRMAN MORELOCK: We just have a statement in there that they need to show documents on how they're going to restart the boiler safely. So this needs to be reworded. I think that's obvious, but we're not going to consult them and tell them how to do that.
2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15. 16. 17. 18. 19. 20. 21.	requirements for boiler operators, but that somebody would just go in and reset this without necessarily going through and having it diagnosed and corrected before it's being restarted. MR. SWEZY: Yes. And I do not believe it was the intention for the security officer to be the one that would restart the boiler. MR. BAUGHMAN: No. MR. SWEZY: It would be MR. BAUGHMAN: But the way this is worded MR. SWEZY: It could be. MR. BAUGHMAN: it could be. Absolutely. MR. SWEZY: I agree. And so I'll make MR. BAUGHMAN: And to sign off on something like that, I just disagree with that particular MR. SWEZY: Well, and another scenario just came to mind while you were talking.		2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15. 16. 17. 18. 19. 20. 21.	and I don't know how to reword it according to the intent of what he's describing. CHAIRMAN MORELOCK: Well, I mean, our job is just to make sure the checklist components are being put into the manual. We're not going to tell them how to operate their boilers. MR. BAUGHMAN: Okay. CHAIRMAN MORELOCK: I mean you know, I mean, that's not necessarily our job. Our job is to promulgate the rules and make sure they're operating safely, but we it's not we're not going to tell them how to operate a boiler. MR. BAUGHMAN: So nowhere in here, in our checklist, do we address that in any form. CHAIRMAN MORELOCK: We just have a statement in there that they need to show documents on how they're going to restart the boiler safely. So this needs to be reworded. I think that's obvious, but we're not going to consult them and tell them how to do that. MR. BAUGHMAN: Yeah.
2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15. 16. 17. 18. 19. 20. 21. 22.	requirements for boiler operators, but that somebody would just go in and reset this without necessarily going through and having it diagnosed and corrected before it's being restarted. MR. SWEZY: Yes. And I do not believe it was the intention for the security officer to be the one that would restart the boiler. MR. BAUGHMAN: No. MR. SWEZY: It would be MR. BAUGHMAN: But the way this is worded MR. SWEZY: It could be. MR. BAUGHMAN: it could be. Absolutely. MR. SWEZY: I agree. And so I'll make MR. BAUGHMAN: And to sign off on something like that, I just disagree with that particular MR. SWEZY: Well, and another scenario just came to mind while you were talking. In the event that the alarm annunciation circuits to		2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15. 16. 17. 20. 21. 22.	and I don't know how to reword it according to the intent of what he's describing. CHAIRMAN MORELOCK: Well, I mean, our job is just to make sure the checklist components are being put into the manual. We're not going to tell them how to operate their boilers. MR. BAUGHMAN: Okay. CHAIRMAN MORELOCK: I mean you know, I mean, that's not necessarily our job. Our job is to promulgate the rules and make sure they're operating safely, but we it's not we're not going to tell them how to operate a boiler. MR. BAUGHMAN: So nowhere in here, in our checklist, do we address that in any form. CHAIRMAN MORELOCK: We just have a statement in there that they need to show documents on how they're going to restart the boiler safely. So this needs to be reworded. I think that's obvious, but we're not going to consult them and tell them how to do that. MR. BAUGHMAN: Yeah. CHAIRMAN MORELOCK: They need to
2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15. 16. 17. 20. 21. 22. 23.	requirements for boiler operators, but that somebody would just go in and reset this without necessarily going through and having it diagnosed and corrected before it's being restarted. MR. SWEZY: Yes. And I do not believe it was the intention for the security officer to be the one that would restart the boiler. MR. BAUGHMAN: No. MR. SWEZY: It would be MR. BAUGHMAN: But the way this is worded MR. SWEZY: It could be. MR. BAUGHMAN: it could be. Absolutely. MR. SWEZY: I agree. And so I'll make MR. BAUGHMAN: And to sign off on something like that, I just disagree with that particular MR. SWEZY: Well, and another scenario just came to mind while you were talking. In the event that the alarm annunciation circuits to the remote station were somehow disrupted, let's say		2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15. 16. 17. 18. 19. 20. 21. 22. 23.	and I don't know how to reword it according to the intent of what he's describing. CHAIRMAN MORELOCK: Well, I mean, our job is just to make sure the checklist components are being put into the manual. We're not going to tell them how to operate their boilers. MR. BAUGHMAN: Okay. CHAIRMAN MORELOCK: I mean you know, I mean, that's not necessarily our job. Our job is to promulgate the rules and make sure they're operating safely, but we it's not we're not going to tell them how to operate a boiler. MR. BAUGHMAN: So nowhere in here, in our checklist, do we address that in any form. CHAIRMAN MORELOCK: We just have a statement in there that they need to show documents on how they're going to restart the boiler safely. So this needs to be reworded. I think that's obvious, but we're not going to consult them and tell them how to do that. MR. BAUGHMAN: Yeah. CHAIRMAN MORELOCK: They need to develop that themselves.
2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15. 16. 17. 18. 19. 20. 21. 22. 23. 24.	requirements for boiler operators, but that somebody would just go in and reset this without necessarily going through and having it diagnosed and corrected before it's being restarted. MR. SWEZY: Yes. And I do not believe it was the intention for the security officer to be the one that would restart the boiler. MR. BAUGHMAN: No. MR. SWEZY: It would be MR. BAUGHMAN: But the way this is worded MR. SWEZY: It could be. MR. BAUGHMAN: it could be. Absolutely. MR. SWEZY: I agree. And so I'll make MR. BAUGHMAN: And to sign off on something like that, I just disagree with that particular MR. SWEZY: Well, and another scenario just came to mind while you were talking. In the event that the alarm annunciation circuits to the remote station were somehow disrupted, let's say due to something going on on-site that		2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15. 16. 17. 20. 21. 22. 23. 24.	and I don't know how to reword it according to the intent of what he's describing. CHAIRMAN MORELOCK: Well, I mean, our job is just to make sure the checklist components are being put into the manual. We're not going to tell them how to operate their boilers. MR. BAUGHMAN: Okay. CHAIRMAN MORELOCK: I mean you know, I mean, that's not necessarily our job. Our job is to promulgate the rules and make sure they're operating safely, but we it's not we're not going to tell them how to operate a boiler. MR. BAUGHMAN: So nowhere in here, in our checklist, do we address that in any form. CHAIRMAN MORELOCK: We just have a statement in there that they need to show documents on how they're going to restart the boiler safely. So this needs to be reworded. I think that's obvious, but we're not going to consult them and tell them how to do that. MR. BAUGHMAN: Yeah. CHAIRMAN MORELOCK: They need to develop that themselves. MR. BAUGHMAN: So would we agree that
2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15. 16. 17. 18. 19. 20. 21. 22. 23.	requirements for boiler operators, but that somebody would just go in and reset this without necessarily going through and having it diagnosed and corrected before it's being restarted. MR. SWEZY: Yes. And I do not believe it was the intention for the security officer to be the one that would restart the boiler. MR. BAUGHMAN: No. MR. SWEZY: It would be MR. BAUGHMAN: But the way this is worded MR. SWEZY: It could be. MR. BAUGHMAN: it could be. Absolutely. MR. SWEZY: I agree. And so I'll make MR. BAUGHMAN: And to sign off on something like that, I just disagree with that particular MR. SWEZY: Well, and another scenario just came to mind while you were talking. In the event that the alarm annunciation circuits to the remote station were somehow disrupted, let's say		2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15. 16. 17. 18. 19. 20. 21. 22. 23.	and I don't know how to reword it according to the intent of what he's describing. CHAIRMAN MORELOCK: Well, I mean, our job is just to make sure the checklist components are being put into the manual. We're not going to tell them how to operate their boilers. MR. BAUGHMAN: Okay. CHAIRMAN MORELOCK: I mean you know, I mean, that's not necessarily our job. Our job is to promulgate the rules and make sure they're operating safely, but we it's not we're not going to tell them how to operate a boiler. MR. BAUGHMAN: So nowhere in here, in our checklist, do we address that in any form. CHAIRMAN MORELOCK: We just have a statement in there that they need to show documents on how they're going to restart the boiler safely. So this needs to be reworded. I think that's obvious, but we're not going to consult them and tell them how to do that. MR. BAUGHMAN: Yeah. CHAIRMAN MORELOCK: They need to develop that themselves.

	Page 105	1	Page 107
1.	the boiler?	1.	CHAIRMAN MORELOCK: Yeah.
2.	MR. ROBINSON: Right now the way it's	2.	MR. SWEZY: not to restart the
3.	written does not.	3.	thing.
4.	MR. BAUGHMAN: Okay. Okay. So I	4.	MR. ROBINSON: Right.
5.	would ask that this particular item under restart	5.	MR. BAUGHMAN: Well
6.	procedures be revised.	6.	MR. SWEZY: We don't ever expect him
7.	CHAIRMAN MORELOCK: Right. And	7.	to do that.
8.	that's what you do. Just like with Mayfield, we	8.	MR. BAUGHMAN: right. But under
9.	MR. SWEZY: And I will do so. I	9.	this wording, it could be
10.	agree	10.	CHAIRMAN MORELOCK: Right. So
11.	CHAIRMAN MORELOCK: Yeah.	11.	MR. BAUGHMAN: that he restarts.
12.	MR. SWEZY: it's not worded very	12.	CHAIRMAN MORELOCK: Yeah. So
13.	well.	13.	MR. SWEZY: Absolutely. I agree and
14.	CHAIRMAN MORELOCK: Yeah.	14.	that does need to be changed.
15.	MR. SWEZY: It could be	15.	CHAIRMAN MORELOCK: Yeah. But the
16.	misinterpreted greatly.	16.	wording needs to be revised and
17.	CHAIRMAN MORELOCK: Yeah.	17.	MR. SWEZY: Yeah.
18.	MR. SWEZY: But you know and	18.	MR. ROBINSON: Right.
19.	another example that comes to mind and then being	19.	CHAIRMAN MORELOCK: That's what
20.	a plant operator in my past, you know, there have	20.	that's the comment that needs to be captured.
21.	been times where, for example, on the submarine I	21.	That's true.
22.	was on, you know, we'd be operating all ahead flank	22.	MR. ROBINSON: Absolutely.
23.	and for some reason, we'd get a low water alarm in	23.	MR. BAUGHMAN: Thank you, Brian.
24.	the steam generators. And so our first action is to	24.	MR. ROBINSON: Agreed.
25.	shut down the throttles and reduce power to try to	25.	CHAIRMAN MORELOCK: Anything else?
	Page 106		Page 108
1.	Page 106 figure out why we got a low water alarm.	1.	Page 108 All right. Do I have a motion?
1. 2.	-	1. 2.	
1	figure out why we got a low water alarm. Well, the function of shrink and swell in a steam generator is such that when you	1	All right. Do I have a motion?
2.	figure out why we got a low water alarm. Well, the function of shrink and	2.	All right. Do I have a motion? MR. PISCHKE: So moved with the
2. 3.	figure out why we got a low water alarm. Well, the function of shrink and swell in a steam generator is such that when you	2. 3.	All right. Do I have a motion? MR. PISCHKE: So moved with the corrections captured, noted.
2. 3. 4.	figure out why we got a low water alarm. Well, the function of shrink and swell in a steam generator is such that when you go from a full bell down to a one-third to try to	2. 3. 4. 5. 6.	All right. Do I have a motion? MR. PISCHKE: So moved with the corrections captured, noted. CHAIRMAN MORELOCK: You're going to
2. 3. 4. 5.	figure out why we got a low water alarm. Well, the function of shrink and swell in a steam generator is such that when you go from a full bell down to a one-third to try to figure out what's going on, the water level's going to creep back up again on you and you're going to go look at it and say, well, the water	2. 3. 4. 5.	All right. Do I have a motion? MR. PISCHKE: So moved with the corrections captured, noted. CHAIRMAN MORELOCK: You're going to move with corrections to the manual
2. 3. 4. 5. 6.	figure out why we got a low water alarm. Well, the function of shrink and swell in a steam generator is such that when you go from a full bell down to a one-third to try to figure out what's going on, the water level's going to creep back up again on you and you're going to go look at it and say, well, the water level's fine. What's the problem? You know?	2. 3. 4. 5. 6.	All right. Do I have a motion? MR. PISCHKE: So moved with the corrections captured, noted. CHAIRMAN MORELOCK: You're going to move with corrections to the manual MR. HARGROVE: And site visit.
2. 3. 4. 5. 6. 7. 8. 9.	figure out why we got a low water alarm. Well, the function of shrink and swell in a steam generator is such that when you go from a full bell down to a one-third to try to figure out what's going on, the water level's going to creep back up again on you and you're going to go look at it and say, well, the water level's fine. What's the problem? You know? And really, the problem is that the	2. 3. 4. 5. 6. 7. 8. 9.	All right. Do I have a motion? MR. PISCHKE: So moved with the corrections captured, noted. CHAIRMAN MORELOCK: You're going to move with corrections to the manual MR. HARGROVE: And site visit. CHAIRMAN MORELOCK: and contingent on the site visit, correct? MR. PISCHKE: That's correct.
2. 3. 4. 5. 6. 7. 8.	figure out why we got a low water alarm. Well, the function of shrink and swell in a steam generator is such that when you go from a full bell down to a one-third to try to figure out what's going on, the water level's going to creep back up again on you and you're going to go look at it and say, well, the water level's fine. What's the problem? You know? And really, the problem is that the plant transient was so rapid that the feed pumps	2. 3. 4. 5. 6. 7. 8.	All right. Do I have a motion? MR. PISCHKE: So moved with the corrections captured, noted. CHAIRMAN MORELOCK: You're going to move with corrections to the manual MR. HARGROVE: And site visit. CHAIRMAN MORELOCK: and contingent on the site visit, correct? MR. PISCHKE: That's correct. CHAIRMAN MORELOCK: Do I have a
2. 3. 4. 5. 6. 7. 8. 9. 10.	figure out why we got a low water alarm. Well, the function of shrink and swell in a steam generator is such that when you go from a full bell down to a one-third to try to figure out what's going on, the water level's going to creep back up again on you and you're going to go look at it and say, well, the water level's fine. What's the problem? You know? And really, the problem is that the plant transient was so rapid that the feed pumps didn't correct and the fact that you dropped	2. 3. 4. 5. 6. 7. 8. 9. 10.	All right. Do I have a motion? MR. PISCHKE: So moved with the corrections captured, noted. CHAIRMAN MORELOCK: You're going to move with corrections to the manual MR. HARGROVE: And site visit. CHAIRMAN MORELOCK: and contingent on the site visit, correct? MR. PISCHKE: That's correct. CHAIRMAN MORELOCK: Do I have a second?
2. 3. 4. 5. 6. 7. 8. 9. 10. 11.	figure out why we got a low water alarm. Well, the function of shrink and swell in a steam generator is such that when you go from a full bell down to a one-third to try to figure out what's going on, the water level's going to creep back up again on you and you're going to go look at it and say, well, the water level's fine. What's the problem? You know? And really, the problem is that the plant transient was so rapid that the feed pumps didn't correct and the fact that you dropped pressure and you got more steaming and less water,	2. 3. 4. 5. 6. 7. 8. 9. 10. 11.	All right. Do I have a motion? MR. PISCHKE: So moved with the corrections captured, noted. CHAIRMAN MORELOCK: You're going to move with corrections to the manual MR. HARGROVE: And site visit. CHAIRMAN MORELOCK: and contingent on the site visit, correct? MR. PISCHKE: That's correct. CHAIRMAN MORELOCK: Do I have a second? MR. ROBINSON: Second.
2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12.	figure out why we got a low water alarm. Well, the function of shrink and swell in a steam generator is such that when you go from a full bell down to a one-third to try to figure out what's going on, the water level's going to creep back up again on you and you're going to go look at it and say, well, the water level's fine. What's the problem? You know? And really, the problem is that the plant transient was so rapid that the feed pumps didn't correct and the fact that you dropped pressure and you got more steaming and less water, it all kind of interacts together in a way that it	2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12.	All right. Do I have a motion? MR. PISCHKE: So moved with the corrections captured, noted. CHAIRMAN MORELOCK: You're going to move with corrections to the manual MR. HARGROVE: And site visit. CHAIRMAN MORELOCK: and contingent on the site visit, correct? MR. PISCHKE: That's correct. CHAIRMAN MORELOCK: Do I have a second? MR. ROBINSON: Second. CHAIRMAN MORELOCK: All right. Any
2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13.	figure out why we got a low water alarm. Well, the function of shrink and swell in a steam generator is such that when you go from a full bell down to a one-third to try to figure out what's going on, the water level's going to creep back up again on you and you're going to go look at it and say, well, the water level's fine. What's the problem? You know? And really, the problem is that the plant transient was so rapid that the feed pumps didn't correct and the fact that you dropped pressure and you got more steaming and less water, it all kind of interacts together in a way that it would give you an alarm. But if you're	2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13.	All right. Do I have a motion? MR. PISCHKE: So moved with the corrections captured, noted. CHAIRMAN MORELOCK: You're going to move with corrections to the manual MR. HARGROVE: And site visit. CHAIRMAN MORELOCK: and contingent on the site visit, correct? MR. PISCHKE: That's correct. CHAIRMAN MORELOCK: Do I have a second? MR. ROBINSON: Second. CHAIRMAN MORELOCK: All right. Any more discussion? Hearing none, I'm going to call
2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14.	figure out why we got a low water alarm. Well, the function of shrink and swell in a steam generator is such that when you go from a full bell down to a one-third to try to figure out what's going on, the water level's going to creep back up again on you and you're going to go look at it and say, well, the water level's fine. What's the problem? You know? And really, the problem is that the plant transient was so rapid that the feed pumps didn't correct and the fact that you dropped pressure and you got more steaming and less water, it all kind of interacts together in a way that it would give you an alarm. But if you're understanding it the way the transient took place,	2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14.	All right. Do I have a motion? MR. PISCHKE: So moved with the corrections captured, noted. CHAIRMAN MORELOCK: You're going to move with corrections to the manual MR. HARGROVE: And site visit. CHAIRMAN MORELOCK: and contingent on the site visit, correct? MR. PISCHKE: That's correct. CHAIRMAN MORELOCK: Do I have a second? MR. ROBINSON: Second. CHAIRMAN MORELOCK: All right. Any more discussion? Hearing none, I'm going to call the question. All in favor, say, "aye."
2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15.	figure out why we got a low water alarm. Well, the function of shrink and swell in a steam generator is such that when you go from a full bell down to a one-third to try to figure out what's going on, the water level's going to creep back up again on you and you're going to go look at it and say, well, the water level's fine. What's the problem? You know? And really, the problem is that the plant transient was so rapid that the feed pumps didn't correct and the fact that you dropped pressure and you got more steaming and less water, it all kind of interacts together in a way that it would give you an alarm. But if you're understanding it the way the transient took place, it's really not an alarm condition. It's a	2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15.	All right. Do I have a motion? MR. PISCHKE: So moved with the corrections captured, noted. CHAIRMAN MORELOCK: You're going to move with corrections to the manual MR. HARGROVE: And site visit. CHAIRMAN MORELOCK: and contingent on the site visit, correct? MR. PISCHKE: That's correct. CHAIRMAN MORELOCK: Do I have a second? MR. ROBINSON: Second. CHAIRMAN MORELOCK: All right. Any more discussion? Hearing none, I'm going to call the question. All in favor, say, "aye." MR. PISCHKE: Aye.
2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15. 16.	figure out why we got a low water alarm. Well, the function of shrink and swell in a steam generator is such that when you go from a full bell down to a one-third to try to figure out what's going on, the water level's going to creep back up again on you and you're going to go look at it and say, well, the water level's fine. What's the problem? You know? And really, the problem is that the plant transient was so rapid that the feed pumps didn't correct and the fact that you dropped pressure and you got more steaming and less water, it all kind of interacts together in a way that it would give you an alarm. But if you're understanding it the way the transient took place, it's really not an alarm condition. It's a condition where the system is just responding more	2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15. 16.	All right. Do I have a motion? MR. PISCHKE: So moved with the corrections captured, noted. CHAIRMAN MORELOCK: You're going to move with corrections to the manual MR. HARGROVE: And site visit. CHAIRMAN MORELOCK: and contingent on the site visit, correct? MR. PISCHKE: That's correct. CHAIRMAN MORELOCK: Do I have a second? MR. ROBINSON: Second. CHAIRMAN MORELOCK: All right. Any more discussion? Hearing none, I'm going to call the question. All in favor, say, "aye." MR. PISCHKE: Aye. MR. BAUGHMAN: Aye.
2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15. 16. 17.	figure out why we got a low water alarm. Well, the function of shrink and swell in a steam generator is such that when you go from a full bell down to a one-third to try to figure out what's going on, the water level's going to creep back up again on you and you're going to go look at it and say, well, the water level's fine. What's the problem? You know? And really, the problem is that the plant transient was so rapid that the feed pumps didn't correct and the fact that you dropped pressure and you got more steaming and less water, it all kind of interacts together in a way that it would give you an alarm. But if you're understanding it the way the transient took place, it's really not an alarm condition. It's a condition where the system is just responding more slowly than you want it to. And so you've just	2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15. 16. 17.	All right. Do I have a motion? MR. PISCHKE: So moved with the corrections captured, noted. CHAIRMAN MORELOCK: You're going to move with corrections to the manual MR. HARGROVE: And site visit. CHAIRMAN MORELOCK: and contingent on the site visit, correct? MR. PISCHKE: That's correct. CHAIRMAN MORELOCK: Do I have a second? MR. ROBINSON: Second. CHAIRMAN MORELOCK: All right. Any more discussion? Hearing none, I'm going to call the question. All in favor, say, "aye." MR. PISCHKE: Aye. MR. BAUGHMAN: Aye. MR. HARGROVE: Aye.
2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15. 16. 17.	figure out why we got a low water alarm. Well, the function of shrink and swell in a steam generator is such that when you go from a full bell down to a one-third to try to figure out what's going on, the water level's going to creep back up again on you and you're going to go look at it and say, well, the water level's fine. What's the problem? You know? And really, the problem is that the plant transient was so rapid that the feed pumps didn't correct and the fact that you dropped pressure and you got more steaming and less water, it all kind of interacts together in a way that it would give you an alarm. But if you're understanding it the way the transient took place, it's really not an alarm condition. It's a condition where the system is just responding more slowly than you want it to. And so you've just got to kind of tamper your response a little.	2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15. 16. 17.	All right. Do I have a motion? MR. PISCHKE: So moved with the corrections captured, noted. CHAIRMAN MORELOCK: You're going to move with corrections to the manual MR. HARGROVE: And site visit. CHAIRMAN MORELOCK: and contingent on the site visit, correct? MR. PISCHKE: That's correct. CHAIRMAN MORELOCK: Do I have a second? MR. ROBINSON: Second. CHAIRMAN MORELOCK: All right. Any more discussion? Hearing none, I'm going to call the question. All in favor, say, "aye." MR. PISCHKE: Aye. MR. BAUGHMAN: Aye. MR. HARGROVE: Aye. MR. HARGROVE: Aye. MR. ROBINSON: Aye.
2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15. 16. 17. 18.	figure out why we got a low water alarm. Well, the function of shrink and swell in a steam generator is such that when you go from a full bell down to a one-third to try to figure out what's going on, the water level's going to creep back up again on you and you're going to go look at it and say, well, the water level's fine. What's the problem? You know? And really, the problem is that the plant transient was so rapid that the feed pumps didn't correct and the fact that you dropped pressure and you got more steaming and less water, it all kind of interacts together in a way that it would give you an alarm. But if you're understanding it the way the transient took place, it's really not an alarm condition. It's a condition where the system is just responding more slowly than you want it to. And so you've just got to kind of tamper your response a little. MR. BAUGHMAN: That's the level of	2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15. 16. 17. 18.	All right. Do I have a motion? MR. PISCHKE: So moved with the corrections captured, noted. CHAIRMAN MORELOCK: You're going to move with corrections to the manual MR. HARGROVE: And site visit. CHAIRMAN MORELOCK: and contingent on the site visit, correct? MR. PISCHKE: That's correct. CHAIRMAN MORELOCK: Do I have a second? MR. ROBINSON: Second. CHAIRMAN MORELOCK: All right. Any more discussion? Hearing none, I'm going to call the question. All in favor, say, "aye." MR. PISCHKE: Aye. MR. BAUGHMAN: Aye. MR. HARGROVE: Aye. MR. ROBINSON: Aye. CHAIRMAN MORELOCK: Opposed?
2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15. 16. 17. 18. 19. 20. 21.	figure out why we got a low water alarm. Well, the function of shrink and swell in a steam generator is such that when you go from a full bell down to a one-third to try to figure out what's going on, the water level's going to creep back up again on you and you're going to go look at it and say, well, the water level's fine. What's the problem? You know? And really, the problem is that the plant transient was so rapid that the feed pumps didn't correct and the fact that you dropped pressure and you got more steaming and less water, it all kind of interacts together in a way that it would give you an alarm. But if you're understanding it the way the transient took place, it's really not an alarm condition. It's a condition where the system is just responding more slowly than you want it to. And so you've just got to kind of tamper your response a little. MR. BAUGHMAN: That's the level of training difference, though, between a Navy sub	2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15. 16. 17. 18. 19. 20. 21.	All right. Do I have a motion? MR. PISCHKE: So moved with the corrections captured, noted. CHAIRMAN MORELOCK: You're going to move with corrections to the manual MR. HARGROVE: And site visit. CHAIRMAN MORELOCK: and contingent on the site visit, correct? MR. PISCHKE: That's correct. CHAIRMAN MORELOCK: Do I have a second? MR. ROBINSON: Second. CHAIRMAN MORELOCK: All right. Any more discussion? Hearing none, I'm going to call the question. All in favor, say, "aye." MR. PISCHKE: Aye. MR. BAUGHMAN: Aye. MR. HARGROVE: Aye. MR. ROBINSON: Aye. CHAIRMAN MORELOCK: Opposed? Abstentions? Not voting? Mr. Swezy, you have a
2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15. 16. 17. 18. 19. 20. 21. 22.	figure out why we got a low water alarm. Well, the function of shrink and swell in a steam generator is such that when you go from a full bell down to a one-third to try to figure out what's going on, the water level's going to creep back up again on you and you're going to go look at it and say, well, the water level's fine. What's the problem? You know? And really, the problem is that the plant transient was so rapid that the feed pumps didn't correct and the fact that you dropped pressure and you got more steaming and less water, it all kind of interacts together in a way that it would give you an alarm. But if you're understanding it the way the transient took place, it's really not an alarm condition. It's a condition where the system is just responding more slowly than you want it to. And so you've just got to kind of tamper your response a little. MR. BAUGHMAN: That's the level of training difference, though, between a Navy sub personnel and a security officer.	2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15. 16. 17. 18. 19. 20. 21. 22.	All right. Do I have a motion? MR. PISCHKE: So moved with the corrections captured, noted. CHAIRMAN MORELOCK: You're going to move with corrections to the manual MR. HARGROVE: And site visit. CHAIRMAN MORELOCK: and contingent on the site visit, correct? MR. PISCHKE: That's correct. CHAIRMAN MORELOCK: Do I have a second? MR. ROBINSON: Second. CHAIRMAN MORELOCK: All right. Any more discussion? Hearing none, I'm going to call the question. All in favor, say, "aye." MR. PISCHKE: Aye. MR. BAUGHMAN: Aye. MR. BAUGHMAN: Aye. MR. ROBINSON: Aye. CHAIRMAN MORELOCK: Opposed? Abstentions? Not voting? Mr. Swezy, you have a contingently approved variance manual with
2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15. 16. 17. 18. 19. 20. 21. 22. 23.	figure out why we got a low water alarm. Well, the function of shrink and swell in a steam generator is such that when you go from a full bell down to a one-third to try to figure out what's going on, the water level's going to creep back up again on you and you're going to go look at it and say, well, the water level's fine. What's the problem? You know? And really, the problem is that the plant transient was so rapid that the feed pumps didn't correct and the fact that you dropped pressure and you got more steaming and less water, it all kind of interacts together in a way that it would give you an alarm. But if you're understanding it the way the transient took place, it's really not an alarm condition. It's a condition where the system is just responding more slowly than you want it to. And so you've just got to kind of tamper your response a little. MR. BAUGHMAN: That's the level of training difference, though, between a Navy sub personnel and a security officer. MR. SWEZY: Oh, I agree. I agree.	2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15. 16. 17. 20. 21. 22. 23.	All right. Do I have a motion? MR. PISCHKE: So moved with the corrections captured, noted. CHAIRMAN MORELOCK: You're going to move with corrections to the manual MR. HARGROVE: And site visit. CHAIRMAN MORELOCK: and contingent on the site visit, correct? MR. PISCHKE: That's correct. CHAIRMAN MORELOCK: Do I have a second? MR. ROBINSON: Second. CHAIRMAN MORELOCK: All right. Any more discussion? Hearing none, I'm going to call the question. All in favor, say, "aye." MR. PISCHKE: Aye. MR. BAUGHMAN: Aye. MR. HARGROVE: Aye. MR. ROBINSON: Aye. CHAIRMAN MORELOCK: Opposed? Abstentions? Not voting? Mr. Swezy, you have a contingently approved variance manual with subject to a revision of the manual and the site
2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15. 16. 17. 18. 19. 20. 21. 22. 23. 24.	figure out why we got a low water alarm. Well, the function of shrink and swell in a steam generator is such that when you go from a full bell down to a one-third to try to figure out what's going on, the water level's going to creep back up again on you and you're going to go look at it and say, well, the water level's fine. What's the problem? You know? And really, the problem is that the plant transient was so rapid that the feed pumps didn't correct and the fact that you dropped pressure and you got more steaming and less water, it all kind of interacts together in a way that it would give you an alarm. But if you're understanding it the way the transient took place, it's really not an alarm condition. It's a condition where the system is just responding more slowly than you want it to. And so you've just got to kind of tamper your response a little. MR. BAUGHMAN: That's the level of training difference, though, between a Navy sub personnel and a security officer. MR. SWEZY: Oh, I agree. I agree. And that's why this security officer's only function	2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15. 16. 17. 18. 19. 20. 21. 22. 23. 24.	All right. Do I have a motion? MR. PISCHKE: So moved with the corrections captured, noted. CHAIRMAN MORELOCK: You're going to move with corrections to the manual MR. HARGROVE: And site visit. CHAIRMAN MORELOCK: and contingent on the site visit, correct? MR. PISCHKE: That's correct. CHAIRMAN MORELOCK: Do I have a second? MR. ROBINSON: Second. CHAIRMAN MORELOCK: All right. Any more discussion? Hearing none, I'm going to call the question. All in favor, say, "aye." MR. PISCHKE: Aye. MR. BAUGHMAN: Aye. MR. HARGROVE: Aye. MR. ROBINSON: Aye. CHAIRMAN MORELOCK: Opposed? Abstentions? Not voting? Mr. Swezy, you have a contingently approved variance manual with subject to a revision of the manual and the site visit.
2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15. 16. 17. 18. 19. 20. 21. 22. 23.	figure out why we got a low water alarm. Well, the function of shrink and swell in a steam generator is such that when you go from a full bell down to a one-third to try to figure out what's going on, the water level's going to creep back up again on you and you're going to go look at it and say, well, the water level's fine. What's the problem? You know? And really, the problem is that the plant transient was so rapid that the feed pumps didn't correct and the fact that you dropped pressure and you got more steaming and less water, it all kind of interacts together in a way that it would give you an alarm. But if you're understanding it the way the transient took place, it's really not an alarm condition. It's a condition where the system is just responding more slowly than you want it to. And so you've just got to kind of tamper your response a little. MR. BAUGHMAN: That's the level of training difference, though, between a Navy sub personnel and a security officer. MR. SWEZY: Oh, I agree. I agree.	2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15. 16. 17. 20. 21. 22. 23.	All right. Do I have a motion? MR. PISCHKE: So moved with the corrections captured, noted. CHAIRMAN MORELOCK: You're going to move with corrections to the manual MR. HARGROVE: And site visit. CHAIRMAN MORELOCK: and contingent on the site visit, correct? MR. PISCHKE: That's correct. CHAIRMAN MORELOCK: Do I have a second? MR. ROBINSON: Second. CHAIRMAN MORELOCK: All right. Any more discussion? Hearing none, I'm going to call the question. All in favor, say, "aye." MR. PISCHKE: Aye. MR. BAUGHMAN: Aye. MR. HARGROVE: Aye. MR. ROBINSON: Aye. CHAIRMAN MORELOCK: Opposed? Abstentions? Not voting? Mr. Swezy, you have a contingently approved variance manual with subject to a revision of the manual and the site

	Page 109	_	Page 111
1.	appreciate the Board's indulgence and gracious	1.	Board meeting got delayed a week, so y'all's you
2.	acceptance of the unusual circumstances that I've	2.	know, it's delayed a week. So
3.	been given. Thank you.	3.	CHAIRMAN MORELOCK: Okay. All right,
4.	CHAIRMAN MORELOCK: All right. It's	4.	then. So be it. Our next item is the job
5.	10:45. I think we need to take a 10-minute break.	5.	description for boiler inspector four, which is the
Ι.			
6.	Let everybody get up for a minute, and let's resume	6.	chief boiler inspector position. And I guess what I'd like to do with this since we've not had time to
7.	at 10:55, if we can. We've still got quite a few	7.	
8.	discussion items to cover, and I'd like to get	8.	read it is I guess I'd like for the Board members
9.	everybody finished by noon, if possible.	9.	to read it, and could we leave this as a discussion
10.	(Recess observed.)	10.	item for the March meeting and bring any comments
11.	CHAIRMAN MORELOCK: Okay. I'm still	11.	back at that time, unless you want us sitting here
12.	going to hold out hope for Wacker. We'll still	12.	till, you know, reading it.
13.	leave them on the agenda, but let's move to Item	13.	I will say I'm thankful to see it and
14.	eight, which is Open Discussion Items. And the	14.	it looks pretty good. The only thing I picked up
15.	first discussion item is our proposed 2017 meeting	15.	pretty quick is on when you get into page two,
16.	dates. And the proposed dates for 2017 are March	16.	the National Boiler Board, it really would be the
17.	the 15th, June the 14th, September the 20th, and	17.	National Board of Boiler and Pressure Vessel
18.	December the 13th. Does that pose any conflicts for	18.	Inspectors. That's the agency.
19.	the Board members?	19.	MS. JEFFERSON: Yes.
20.	Now, the I guess this will the	20.	CHAIRMAN MORELOCK: So and I'll
21.	September 20th date will that coincide? Are we	21.	send you that. So
22.	going to hopefully have a 2017 Fall conference?	22.	MS. JEFFERSON: Yes, thank you.
23.	MS. JEFFERSON: We hope to. Yes.	23.	CHAIRMAN MORELOCK: that's the
24.	CHAIRMAN MORELOCK: Okay. Excellent.	24.	only thing that I saw right off the bat.
25.	So that will coincide with that.	25.	MS. JEFFERSON: Okay.
	Page 110		Page 112
1.	Okay. I'm not hearing any conflicts.	l _{1.}	CHAIRMAN MORELOCK: And then when you
2.	MR. BAUGHMAN: It's good with me,	2.	get down to coordinating the work activities of
3.	Brian.	3.	others, the proctor and/or delegation administering
4.	CHAIRMAN MORELOCK: Speak now or	4.	of the National Board commissioning exam, we
5.	forever wish you had. Everybody good?	5.	actually have another item to talk about that here
6.	MR. PISCHKE: I think so.	6.	in just a minute. So we'll cover that, as well.
7.	CHAIRMAN MORELOCK: All right. It's	7.	But if the Board members will just
8.	not a voted action, so if you're good	8.	review this and develop your comments, and we'll
9.	MS. BENNETT: And we'll post it on	9.	leave this as a discussion item for March 2017,
10.	the website.	10.	and we'll bring those comments then.
11.	CHAIRMAN MORELOCK: Okay.	11.	MS. JEFFERSON: And Chairman, I'd
12.	MR. BAUGHMAN: And it'll it's a	12.	just like to say that I talked with our Human
13.	possibility it might change for some unforeseen	13.	Resources division, and they said the only thing
14.	reason, but it worked pretty well last year having	14.	that was changed was the provision for experience.
15.	something we can work around. So	15.	CHAIRMAN MORELOCK: Okay.
16.	CHAIRMAN MORELOCK: Yes. I agree. I	16.	MS. JEFFERSON: The only thing that
17.	agree. And, well, for so long we've been used to	17.	was changed was the provision from 10 years to five
18.	the first Wednesday of the month. So we need we	18.	years. Everything else is pretty much consistent
19.	do need to get the dates out to let people know that	19.	with
20.	it's not the first Wednesday of the month anymore.	20.	CHAIRMAN MORELOCK: Okay.
21.	MS. BENNETT: Exactly.	21.	MS. JEFFERSON: the way it was
22.	CHAIRMAN MORELOCK: So or the	22.	before, but if there are some modifications and
23.	quarter.	23.	things we can do to help Human Resources improve
24.	MS. BENNETT: And September obviously	24.	this, then we can
25.	is later because of Labor Day. You know, our first	25.	CHAIRMAN MORELOCK: Okay.
25.	15 fater occause of Labor Day. Tou know, our first	23.	CHAIRWAN MORELOCK. Ordy.
	Provided by Stone & George C	Cou	rt Reporting (615) 268-1244

	Page 113		Page 115
1.	MS. JEFFERSON: get those	1.	interpretation, board case revised, so we do now
2.	recommendations	2.	accept routine repairs. So we need to let the
3.	CHAIRMAN MORELOCK: And it may just	3.	world know that. So and update some of our
4.	be just editorial like the National Board stuff. So	4.	other information for our jurisdictions. So I
5.	all right. And doing a survey of jurisdictions, you	5.	don't have any comments. Anybody else have any
6.	do see experience ranges from five to 10 years. So	6.	comments?
7.	that's in line with what most jurisdictions have.	7.	MR. ROBINSON: I thought it was a
8.	So okay. All right.	8.	good job.
9.	Next item is approved roles and	9.	CHAIRMAN MORELOCK: Yeah. It is a
10.	responsibilities for Tennessee Board members, and	10.	good job.
11.	you did get that in advance, so I hope you've had	111.	MR. ROBINSON: Thank you.
12.	a chance to review that.	12.	MR. CHAPMAN: Thank you.
13.	MS. BENNETT: It's also in the	13.	CHAIRMAN MORELOCK: Okay. So thank
14.	notebooks, too, I think. Yeah.	14.	you for doing that. All right.
15.	CHAIRMAN MORELOCK: Right. So are	15.	MR. BAUGHMAN: How does that
16.	there any comments on that?	16.	information get disseminated out to the industry?
17.	MR. BAUGHMAN: I thought this was	17.	CHAIRMAN MORELOCK: It gets
18.	well defined, Brian.	18.	published. And when you go up to the National Board
19.	CHAIRMAN MORELOCK: Okay.	19.	website and you click on the jurisdictions, this
20.	MR. ROBINSON: This is going to be	20.	little paragraph will pop up, and it just gives you
21.	published where?	21.	an overview of what each jurisdiction what they
22.	MS. JEFFERSON: Actually, that's just	22.	do as far as what they require and things like that.
23.	for	23.	MR. BAUGHMAN: So it's up to the
24.	CHAIRMAN MORELOCK: Just for	24.	individual company doing repairs, or what have you,
25.	MS. JEFFERSON: you all.	25.	those who are stamp holders in the State of
-0.	7.2.1.2.1.2.1.3.1.1.	-0.	and the samp notates in the state of
		1	
	Page 114		Page 116
	Page 114 CHAIRMAN MORFLOCK: Okay	1	Page 116 Tennessee to check on that
1.	CHAIRMAN MORELOCK: Okay.	1.	Tennessee to check on that
2.	CHAIRMAN MORELOCK: Okay. MR. ROBINSON: Okay.	2.	Tennessee to check on that CHAIRMAN MORELOCK: Yes.
2. 3.	CHAIRMAN MORELOCK: Okay. MR. ROBINSON: Okay. MS. JEFFERSON: Just for your own	2. 3.	Tennessee to check on that CHAIRMAN MORELOCK: Yes. MR. BAUGHMAN: themselves.
2. 3. 4.	CHAIRMAN MORELOCK: Okay. MR. ROBINSON: Okay. MS. JEFFERSON: Just for your own records.	2. 3. 4.	Tennessee to check on that CHAIRMAN MORELOCK: Yes. MR. BAUGHMAN: themselves. There's not a flash that'll go out to these
2. 3. 4. 5.	CHAIRMAN MORELOCK: Okay. MR. ROBINSON: Okay. MS. JEFFERSON: Just for your own records. CHAIRMAN MORELOCK: Okay.	2. 3. 4. 5.	Tennessee to check on that CHAIRMAN MORELOCK: Yes. MR. BAUGHMAN: themselves. There's not a flash that'll go out to these companies to
2. 3. 4. 5. 6.	CHAIRMAN MORELOCK: Okay. MR. ROBINSON: Okay. MS. JEFFERSON: Just for your own records. CHAIRMAN MORELOCK: Okay. MS. JEFFERSON: We actually provided	2. 3. 4. 5. 6.	Tennessee to check on that CHAIRMAN MORELOCK: Yes. MR. BAUGHMAN: themselves. There's not a flash that'll go out to these companies to CHAIRMAN MORELOCK: Well, I think
2. 3. 4. 5. 6. 7.	CHAIRMAN MORELOCK: Okay. MR. ROBINSON: Okay. MS. JEFFERSON: Just for your own records. CHAIRMAN MORELOCK: Okay. MS. JEFFERSON: We actually provided one we're providing one for each board and	2. 3. 4. 5. 6. 7.	Tennessee to check on that CHAIRMAN MORELOCK: Yes. MR. BAUGHMAN: themselves. There's not a flash that'll go out to these companies to CHAIRMAN MORELOCK: Well, I think when Martin's case was approved, the Boiler Unit did
2. 3. 4. 5. 6. 7. 8.	CHAIRMAN MORELOCK: Okay. MR. ROBINSON: Okay. MS. JEFFERSON: Just for your own records. CHAIRMAN MORELOCK: Okay. MS. JEFFERSON: We actually provided one we're providing one for each board and commission that we have.	2. 3. 4. 5. 6.	Tennessee to check on that CHAIRMAN MORELOCK: Yes. MR. BAUGHMAN: themselves. There's not a flash that'll go out to these companies to CHAIRMAN MORELOCK: Well, I think when Martin's case was approved, the Boiler Unit did agree to send that out to notify stamp holders in
2. 3. 4. 5. 6. 7. 8. 9.	CHAIRMAN MORELOCK: Okay. MR. ROBINSON: Okay. MS. JEFFERSON: Just for your own records. CHAIRMAN MORELOCK: Okay. MS. JEFFERSON: We actually provided one we're providing one for each board and commission that we have. CHAIRMAN MORELOCK: Okay. All right.	2. 3. 4. 5. 6. 7. 8.	Tennessee to check on that CHAIRMAN MORELOCK: Yes. MR. BAUGHMAN: themselves. There's not a flash that'll go out to these companies to CHAIRMAN MORELOCK: Well, I think when Martin's case was approved, the Boiler Unit did agree to send that out to notify stamp holders in the State of Tennessee that that had changed. You
2. 3. 4. 5. 6. 7. 8.	CHAIRMAN MORELOCK: Okay. MR. ROBINSON: Okay. MS. JEFFERSON: Just for your own records. CHAIRMAN MORELOCK: Okay. MS. JEFFERSON: We actually provided one we're providing one for each board and commission that we have. CHAIRMAN MORELOCK: Okay. All right. All right.	2. 3. 4. 5. 6. 7. 8. 9.	Tennessee to check on that CHAIRMAN MORELOCK: Yes. MR. BAUGHMAN: themselves. There's not a flash that'll go out to these companies to CHAIRMAN MORELOCK: Well, I think when Martin's case was approved, the Boiler Unit did agree to send that out to notify stamp holders in the State of Tennessee that that had changed. You know. And then that did happen. So and that was
2. 3. 4. 5. 6. 7. 8. 9. 10.	CHAIRMAN MORELOCK: Okay. MR. ROBINSON: Okay. MS. JEFFERSON: Just for your own records. CHAIRMAN MORELOCK: Okay. MS. JEFFERSON: We actually provided one we're providing one for each board and commission that we have. CHAIRMAN MORELOCK: Okay. All right. All right. MS. JEFFERSON: And that's just to	2. 3. 4. 5. 6. 7. 8. 9. 10.	Tennessee to check on that CHAIRMAN MORELOCK: Yes. MR. BAUGHMAN: themselves. There's not a flash that'll go out to these companies to CHAIRMAN MORELOCK: Well, I think when Martin's case was approved, the Boiler Unit did agree to send that out to notify stamp holders in the State of Tennessee that that had changed. You know. And then that did happen. So and that was 12; is that right?
2. 3. 4. 5. 6. 7. 8. 9. 10. 11.	CHAIRMAN MORELOCK: Okay. MR. ROBINSON: Okay. MS. JEFFERSON: Just for your own records. CHAIRMAN MORELOCK: Okay. MS. JEFFERSON: We actually provided one we're providing one for each board and commission that we have. CHAIRMAN MORELOCK: Okay. All right. All right. MS. JEFFERSON: And that's just to help to clarify duties, rules, and responsibilities.	2. 3. 4. 5. 6. 7. 8. 9. 10. 11.	Tennessee to check on that CHAIRMAN MORELOCK: Yes. MR. BAUGHMAN: themselves. There's not a flash that'll go out to these companies to CHAIRMAN MORELOCK: Well, I think when Martin's case was approved, the Boiler Unit did agree to send that out to notify stamp holders in the State of Tennessee that that had changed. You know. And then that did happen. So and that was 12; is that right? MR. TOTH: I would have to go back
2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12.	CHAIRMAN MORELOCK: Okay. MR. ROBINSON: Okay. MS. JEFFERSON: Just for your own records. CHAIRMAN MORELOCK: Okay. MS. JEFFERSON: We actually provided one we're providing one for each board and commission that we have. CHAIRMAN MORELOCK: Okay. All right. All right. MS. JEFFERSON: And that's just to help to clarify duties, rules, and responsibilities. There may be more added in the future.	2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12.	Tennessee to check on that CHAIRMAN MORELOCK: Yes. MR. BAUGHMAN: themselves. There's not a flash that'll go out to these companies to CHAIRMAN MORELOCK: Well, I think when Martin's case was approved, the Boiler Unit did agree to send that out to notify stamp holders in the State of Tennessee that that had changed. You know. And then that did happen. So and that was 12; is that right? MR. TOTH: I would have to go back and look at these the Board case.
2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13.	CHAIRMAN MORELOCK: Okay. MR. ROBINSON: Okay. MS. JEFFERSON: Just for your own records. CHAIRMAN MORELOCK: Okay. MS. JEFFERSON: We actually provided one we're providing one for each board and commission that we have. CHAIRMAN MORELOCK: Okay. All right. All right. MS. JEFFERSON: And that's just to help to clarify duties, rules, and responsibilities. There may be more added in the future. CHAIRMAN MORELOCK: Okay.	2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13.	Tennessee to check on that CHAIRMAN MORELOCK: Yes. MR. BAUGHMAN: themselves. There's not a flash that'll go out to these companies to CHAIRMAN MORELOCK: Well, I think when Martin's case was approved, the Boiler Unit did agree to send that out to notify stamp holders in the State of Tennessee that that had changed. You know. And then that did happen. So and that was 12; is that right? MR. TOTH: I would have to go back and look at these the Board case. CHAIRMAN MORELOCK: So I think that
2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14.	CHAIRMAN MORELOCK: Okay. MR. ROBINSON: Okay. MS. JEFFERSON: Just for your own records. CHAIRMAN MORELOCK: Okay. MS. JEFFERSON: We actually provided one we're providing one for each board and commission that we have. CHAIRMAN MORELOCK: Okay. All right. All right. MS. JEFFERSON: And that's just to help to clarify duties, rules, and responsibilities. There may be more added in the future. CHAIRMAN MORELOCK: Okay. MS. JEFFERSON: We may decide to	2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14.	Tennessee to check on that CHAIRMAN MORELOCK: Yes. MR. BAUGHMAN: themselves. There's not a flash that'll go out to these companies to CHAIRMAN MORELOCK: Well, I think when Martin's case was approved, the Boiler Unit did agree to send that out to notify stamp holders in the State of Tennessee that that had changed. You know. And then that did happen. So and that was 12; is that right? MR. TOTH: I would have to go back and look at these the Board case. CHAIRMAN MORELOCK: So I think that was
2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13.	CHAIRMAN MORELOCK: Okay. MR. ROBINSON: Okay. MS. JEFFERSON: Just for your own records. CHAIRMAN MORELOCK: Okay. MS. JEFFERSON: We actually provided one we're providing one for each board and commission that we have. CHAIRMAN MORELOCK: Okay. All right. All right. MS. JEFFERSON: And that's just to help to clarify duties, rules, and responsibilities. There may be more added in the future. CHAIRMAN MORELOCK: Okay. MS. JEFFERSON: We may decide to delete some of those, because we're not doing them.	2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15.	Tennessee to check on that CHAIRMAN MORELOCK: Yes. MR. BAUGHMAN: themselves. There's not a flash that'll go out to these companies to CHAIRMAN MORELOCK: Well, I think when Martin's case was approved, the Boiler Unit did agree to send that out to notify stamp holders in the State of Tennessee that that had changed. You know. And then that did happen. So and that was 12; is that right? MR. TOTH: I would have to go back and look at these the Board case. CHAIRMAN MORELOCK: So I think that was MR. TOTH: Which I could look it up.
2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15. 16.	CHAIRMAN MORELOCK: Okay. MR. ROBINSON: Okay. MS. JEFFERSON: Just for your own records. CHAIRMAN MORELOCK: Okay. MS. JEFFERSON: We actually provided one we're providing one for each board and commission that we have. CHAIRMAN MORELOCK: Okay. All right. All right. MS. JEFFERSON: And that's just to help to clarify duties, rules, and responsibilities. There may be more added in the future. CHAIRMAN MORELOCK: Okay. MS. JEFFERSON: We may decide to delete some of those, because we're not doing them. CHAIRMAN MORELOCK: Okay. All right.	2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15. 16.	Tennessee to check on that CHAIRMAN MORELOCK: Yes. MR. BAUGHMAN: themselves. There's not a flash that'll go out to these companies to CHAIRMAN MORELOCK: Well, I think when Martin's case was approved, the Boiler Unit did agree to send that out to notify stamp holders in the State of Tennessee that that had changed. You know. And then that did happen. So and that was 12; is that right? MR. TOTH: I would have to go back and look at these the Board case. CHAIRMAN MORELOCK: So I think that was MR. TOTH: Which I could look it up. CHAIRMAN MORELOCK: No, that's okay.
2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15. 16. 17.	CHAIRMAN MORELOCK: Okay. MR. ROBINSON: Okay. MS. JEFFERSON: Just for your own records. CHAIRMAN MORELOCK: Okay. MS. JEFFERSON: We actually provided one we're providing one for each board and commission that we have. CHAIRMAN MORELOCK: Okay. All right. All right. MS. JEFFERSON: And that's just to help to clarify duties, rules, and responsibilities. There may be more added in the future. CHAIRMAN MORELOCK: Okay. MS. JEFFERSON: We may decide to delete some of those, because we're not doing them. CHAIRMAN MORELOCK: Okay. All right. Hearing no comments, I think we're good to go with	2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15. 16. 17.	Tennessee to check on that CHAIRMAN MORELOCK: Yes. MR. BAUGHMAN: themselves. There's not a flash that'll go out to these companies to CHAIRMAN MORELOCK: Well, I think when Martin's case was approved, the Boiler Unit did agree to send that out to notify stamp holders in the State of Tennessee that that had changed. You know. And then that did happen. So and that was 12; is that right? MR. TOTH: I would have to go back and look at these the Board case. CHAIRMAN MORELOCK: So I think that was MR. TOTH: Which I could look it up. CHAIRMAN MORELOCK: No, that's okay. But anyway
2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15. 16. 17.	CHAIRMAN MORELOCK: Okay. MR. ROBINSON: Okay. MS. JEFFERSON: Just for your own records. CHAIRMAN MORELOCK: Okay. MS. JEFFERSON: We actually provided one we're providing one for each board and commission that we have. CHAIRMAN MORELOCK: Okay. All right. All right. MS. JEFFERSON: And that's just to help to clarify duties, rules, and responsibilities. There may be more added in the future. CHAIRMAN MORELOCK: Okay. MS. JEFFERSON: We may decide to delete some of those, because we're not doing them. CHAIRMAN MORELOCK: Okay. All right. Hearing no comments, I think we're good to go with that, then. All right.	2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15. 16. 17.	Tennessee to check on that CHAIRMAN MORELOCK: Yes. MR. BAUGHMAN: themselves. There's not a flash that'll go out to these companies to CHAIRMAN MORELOCK: Well, I think when Martin's case was approved, the Boiler Unit did agree to send that out to notify stamp holders in the State of Tennessee that that had changed. You know. And then that did happen. So and that was 12; is that right? MR. TOTH: I would have to go back and look at these the Board case. CHAIRMAN MORELOCK: So I think that was MR. TOTH: Which I could look it up. CHAIRMAN MORELOCK: No, that's okay. But anyway MR. TOTH: Okay.
2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15. 16. 17. 18. 19. 20.	CHAIRMAN MORELOCK: Okay. MR. ROBINSON: Okay. MS. JEFFERSON: Just for your own records. CHAIRMAN MORELOCK: Okay. MS. JEFFERSON: We actually provided one we're providing one for each board and commission that we have. CHAIRMAN MORELOCK: Okay. All right. All right. MS. JEFFERSON: And that's just to help to clarify duties, rules, and responsibilities. There may be more added in the future. CHAIRMAN MORELOCK: Okay. MS. JEFFERSON: We may decide to delete some of those, because we're not doing them. CHAIRMAN MORELOCK: Okay. All right. Hearing no comments, I think we're good to go with that, then. All right. Our next item is update of the	2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15. 16. 17. 18.	Tennessee to check on that CHAIRMAN MORELOCK: Yes. MR. BAUGHMAN: themselves. There's not a flash that'll go out to these companies to CHAIRMAN MORELOCK: Well, I think when Martin's case was approved, the Boiler Unit did agree to send that out to notify stamp holders in the State of Tennessee that that had changed. You know. And then that did happen. So and that was 12; is that right? MR. TOTH: I would have to go back and look at these the Board case. CHAIRMAN MORELOCK: So I think that was MR. TOTH: Which I could look it up. CHAIRMAN MORELOCK: No, that's okay. But anyway MR. TOTH: Okay. CHAIRMAN MORELOCK: But the State did
2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15. 16. 17. 18. 19. 20. 21.	CHAIRMAN MORELOCK: Okay. MR. ROBINSON: Okay. MS. JEFFERSON: Just for your own records. CHAIRMAN MORELOCK: Okay. MS. JEFFERSON: We actually provided one we're providing one for each board and commission that we have. CHAIRMAN MORELOCK: Okay. All right. All right. MS. JEFFERSON: And that's just to help to clarify duties, rules, and responsibilities. There may be more added in the future. CHAIRMAN MORELOCK: Okay. MS. JEFFERSON: We may decide to delete some of those, because we're not doing them. CHAIRMAN MORELOCK: Okay. All right. Hearing no comments, I think we're good to go with that, then. All right. Our next item is update of the National Board Synopsis NB-370, and Mr. Chapman	2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15. 16. 17. 18. 19. 20. 21.	Tennessee to check on that CHAIRMAN MORELOCK: Yes. MR. BAUGHMAN: themselves. There's not a flash that'll go out to these companies to CHAIRMAN MORELOCK: Well, I think when Martin's case was approved, the Boiler Unit did agree to send that out to notify stamp holders in the State of Tennessee that that had changed. You know. And then that did happen. So and that was 12; is that right? MR. TOTH: I would have to go back and look at these the Board case. CHAIRMAN MORELOCK: So I think that was MR. TOTH: Which I could look it up. CHAIRMAN MORELOCK: No, that's okay. But anyway MR. TOTH: Okay. CHAIRMAN MORELOCK: But the State did notify stamp holders.
2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15. 16. 17. 20. 21. 22.	CHAIRMAN MORELOCK: Okay. MR. ROBINSON: Okay. MS. JEFFERSON: Just for your own records. CHAIRMAN MORELOCK: Okay. MS. JEFFERSON: We actually provided one we're providing one for each board and commission that we have. CHAIRMAN MORELOCK: Okay. All right. All right. MS. JEFFERSON: And that's just to help to clarify duties, rules, and responsibilities. There may be more added in the future. CHAIRMAN MORELOCK: Okay. MS. JEFFERSON: We may decide to delete some of those, because we're not doing them. CHAIRMAN MORELOCK: Okay. All right. Hearing no comments, I think we're good to go with that, then. All right. Our next item is update of the National Board Synopsis NB-370, and Mr. Chapman covered that in his Chief's Report. So are there	2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15. 16. 17. 18. 19. 20. 21. 22.	Tennessee to check on that CHAIRMAN MORELOCK: Yes. MR. BAUGHMAN: themselves. There's not a flash that'll go out to these companies to CHAIRMAN MORELOCK: Well, I think when Martin's case was approved, the Boiler Unit did agree to send that out to notify stamp holders in the State of Tennessee that that had changed. You know. And then that did happen. So and that was 12; is that right? MR. TOTH: I would have to go back and look at these the Board case. CHAIRMAN MORELOCK: So I think that was MR. TOTH: Which I could look it up. CHAIRMAN MORELOCK: No, that's okay. But anyway MR. TOTH: Okay. CHAIRMAN MORELOCK: But the State did notify stamp holders. MR. BAUGHMAN: Good.
2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15. 16. 17. 18. 19. 20. 21.	CHAIRMAN MORELOCK: Okay. MR. ROBINSON: Okay. MS. JEFFERSON: Just for your own records. CHAIRMAN MORELOCK: Okay. MS. JEFFERSON: We actually provided one we're providing one for each board and commission that we have. CHAIRMAN MORELOCK: Okay. All right. All right. MS. JEFFERSON: And that's just to help to clarify duties, rules, and responsibilities. There may be more added in the future. CHAIRMAN MORELOCK: Okay. MS. JEFFERSON: We may decide to delete some of those, because we're not doing them. CHAIRMAN MORELOCK: Okay. All right. Hearing no comments, I think we're good to go with that, then. All right. Our next item is update of the National Board Synopsis NB-370, and Mr. Chapman covered that in his Chief's Report. So are there any comments to that? Basically, just cleaning	2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15. 16. 17. 18. 19. 20. 21.	Tennessee to check on that CHAIRMAN MORELOCK: Yes. MR. BAUGHMAN: themselves. There's not a flash that'll go out to these companies to CHAIRMAN MORELOCK: Well, I think when Martin's case was approved, the Boiler Unit did agree to send that out to notify stamp holders in the State of Tennessee that that had changed. You know. And then that did happen. So and that was 12; is that right? MR. TOTH: I would have to go back and look at these the Board case. CHAIRMAN MORELOCK: So I think that was MR. TOTH: Which I could look it up. CHAIRMAN MORELOCK: No, that's okay. But anyway MR. TOTH: Okay. CHAIRMAN MORELOCK: But the State did notify stamp holders. MR. BAUGHMAN: Good. MR. ROBINSON: And the National Board
2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15. 16. 17. 20. 21. 22. 23.	CHAIRMAN MORELOCK: Okay. MR. ROBINSON: Okay. MS. JEFFERSON: Just for your own records. CHAIRMAN MORELOCK: Okay. MS. JEFFERSON: We actually provided one we're providing one for each board and commission that we have. CHAIRMAN MORELOCK: Okay. All right. All right. MS. JEFFERSON: And that's just to help to clarify duties, rules, and responsibilities. There may be more added in the future. CHAIRMAN MORELOCK: Okay. MS. JEFFERSON: We may decide to delete some of those, because we're not doing them. CHAIRMAN MORELOCK: Okay. All right. Hearing no comments, I think we're good to go with that, then. All right. Our next item is update of the National Board Synopsis NB-370, and Mr. Chapman covered that in his Chief's Report. So are there	2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15. 16. 17. 20. 21. 22. 23.	Tennessee to check on that CHAIRMAN MORELOCK: Yes. MR. BAUGHMAN: themselves. There's not a flash that'll go out to these companies to CHAIRMAN MORELOCK: Well, I think when Martin's case was approved, the Boiler Unit did agree to send that out to notify stamp holders in the State of Tennessee that that had changed. You know. And then that did happen. So and that was 12; is that right? MR. TOTH: I would have to go back and look at these the Board case. CHAIRMAN MORELOCK: So I think that was MR. TOTH: Which I could look it up. CHAIRMAN MORELOCK: No, that's okay. But anyway MR. TOTH: Okay. CHAIRMAN MORELOCK: But the State did notify stamp holders. MR. BAUGHMAN: Good.

	Page 117		Page 1
1.	don't know if they do they still do that?	1.	doing a Section eight, Division one pressure
2.	CHAIRMAN MORELOCK: I think you can	2.	vessel calculation, you're not going to find
3.	look them up.	3.	PG 27, but you will find UG 27. So how do we get
4.	MR. ROBINSON: It's online.	4.	that fixed?
5.	MR. CHAPMAN: Yeah. You can	5.	MS. RHONE: Oh, I'm sorry. I
6.	that's a different case.	6.	didn't I'm sorry.
7.	CHAIRMAN MORELOCK: Yes.	7.	CHAIRMAN MORELOCK: No. Just the
8.	MR. TOTH: I can answer that. The	8.	word the typo in 0800-03-0312, Existing
9.	National Board does the National Board website	9.	Pressure Vessels to determine maximum allowable
0.	does have the ability to go and look up our stamp	10.	working pressure of a nonstandard pressure vessel
1. 2.	holders. Now, when you're talking about the	11.	shall be determined in accordance with ASME code
3.	Synopsis, the Synopsis is intended to communicate all the requirements within the individual	13.	Section eight, Division one. It should be UG 27 instead of PG 27.
4.	jurisdictions.	14.	MR. BAILEY: So it's a typo.
5.	MR. ROBINSON: Right. Well, you	15.	CHAIRMAN MORELOCK: It's a typo. I
6.	remember years ago, there used to be a	16.	don't think it'd have to go through the rulemaking
7.	MR. TOTH: There used to be a book.	17.	process.
8.	If I'm not mistaken, if my memory	18.	MR. BAILEY: It may have to.
19.	MR. ROBINSON: I haven't seen it in	19.	CHAIRMAN MORELOCK: Really?
20.	years.	20.	MR. BAILEY: It may.
21.	MR. TOTH: Yeah. It's I believe	21.	CHAIRMAN MORELOCK: Wow. Okay.
22.	it's	22.	MR. BAILEY: I'll have to check with
23.	CHAIRMAN MORELOCK: I think you can	23.	the Secretary of State's
24.	just search it now.	24.	CHAIRMAN MORELOCK: Okay.
25.	MR. TOTH: I believe it's published	25.	MR. BAILEY: Office to see if we
	Page 118		Page 1
1.	electronically.	1.	can correct a typo without going through the whole
2.	CHAIRMAN MORELOCK: Yeah. Yeah.	2.	process.
3.	MR. TOTH: And I believe you can	3.	CHAIRMAN MORELOCK: Okay. So you can
4.	receive that you can find that on the National	4.	let us know that in March, maybe?
5.	Board website.	5.	MR. BAILEY: Yeah.
6.	CHAIRMAN MORELOCK: Yeah. You can.	6.	CHAIRMAN MORELOCK: Okay. Thank you
7.	MR. ROBINSON: Okay.	7.	for that.
8.	CHAIRMAN MORELOCK: You just have to	8.	MR. PISCHKE: Would that is that
9.	go look for it. Yeah.	9.	considered errata or is it considered a Boiler I
10.	MR. PISCHKE: And the National Board	10.	mean
11.	actually took it over from whoever was publishing	11.	CHAIRMAN MORELOCK: Well, I mean, it
12.	that Synopsis before. I forget who it was. It	12.	was approved, you know, all the way through the
13.	wasn't them.	13.	rulemaking process. It's just it's a
14. 15	CHAIRMAN MORELOCK: Right. Right.	14.	typographical error. So just didn't catch it in the
15.	MR. TOTH: And Mr. Chairman, you are correct. It was 2012 based on the Board case	15.	review process. So Mr. Bailey will find out what
16. 17.	number, which references	16. 17.	path we have to take to get that corrected. And we'll leave that on the list for March, as well.
17. 18.	CHAIRMAN MORELOCK: Right. Right.	18.	Our next item is revision to
18. 19.	MR. TOTH: the year and the item	19.	Tennessee Code Annotated 68-122-109(a) due to
20.	number within the minutes.	20.	changes in how the National Board Commissioning
20. 21.	CHAIRMAN MORELOCK: Okay. Good. Any	21.	Exam is given. This exam is no longer only
22.	other comments on that? Alrighty.	22.	provided by the jurisdiction but also provided on
23.	Next item is editorial revision to	23.	demand at AMP locations which is capital
23. 24.	the recently revised Rule 0800-03-03. Yes. I let	24.	A-M-P locations and also administered by the
	it slip by. I apologize for that. But if you're	25.	National Board on the last day of the National
25.	removers randovers of that Dut II VULIE	. د∠	radional Board on the last day of the National

	Page 121		Page 123
1.	Board Inservice Commissioning Exam two-week	1.	designated?
2.	course.	2.	CHAIRMAN MORELOCK: We could, because
3.	So this is just a proposed wording.	3.	you've got the new construction
4.	I guess I see two options. We could change the	4.	MR. ROBINSON: Right.
5.	law, but if that's going to be an arduous process,	5.	CHAIRMAN MORELOCK: Inservice.
6.	we could do it as a Board case. And that might be	6.	Yeah.
7.	a more streamlined approach to get that completed.	7.	MR. ROBINSON: Okay.
8.	So I'll look to our Administrator and Mr. Bailey	8.	CHAIRMAN MORELOCK: We can do that.
9.	to advise the Board on what would be the best	9.	Sure. Okay.
10.	route to take for that. But the revised words	10.	MR. BAILEY: What was that editorial
11.	would just simply state that it's no longer only	11.	change?
12.	administered by the jurisdiction. And this has	12.	CHAIRMAN MORELOCK: The editorial
13.	been in place for five or six years. So	13.	change would be on the fourth line from the bottom
14.	MR. ROBINSON: Question.	14.	of our agenda where it says, the last day of the
15.	CHAIRMAN MORELOCK: I just want to	15.	National Board, just strike out Inservice Commission
16.	update I want to clarify what we're really doing.	16.	(IS) two-week, and just leave the last day of the
17.	MR. ROBINSON: Question.	17.	National Board course.
18.	CHAIRMAN MORELOCK: Yes, sir.	18.	MR. BAILEY: Okay.
19.	MR. ROBINSON: What's the chances of	19.	MR. ROBINSON: Cool.
20.	AMP locations	20.	MR. HARGROVE: Mr. Chairman.
21.	CHAIRMAN MORELOCK: Changing?	21.	CHAIRMAN MORELOCK: Yes, sir.
22.	MR. ROBINSON: Right.	22.	MR. HARGROVE: You stated the
23.	CHAIRMAN MORELOCK: Well, if you look	23.	National Board Inservice Commission exam in your
24.	in what I proposed, I didn't actually put AMP in the	24.	statement
25.	proposal. I put where did I put it?	25.	CHAIRMAN MORELOCK: Well
	Page 122	<u> </u>	Page 124
1.		1.	Page 124 MR. HARGROVE: but it's written
1. 2.	MR. ROBINSON: How about we change it	1. 2.	Page 124 MR. HARGROVE: but it's written differently. So
1		1	MR. HARGROVE: but it's written
2.	MR. ROBINSON: How about we change it to approved designations.	2.	MR. HARGROVE: but it's written differently. So
2. 3.	MR. ROBINSON: How about we change it to approved designations. MR. PISCHKE: Approved designated	2. 3.	MR. HARGROVE: but it's written differently. So CHAIRMAN MORELOCK: and we can
2. 3. 4.	MR. ROBINSON: How about we change it to approved designations. MR. PISCHKE: Approved designated locations.	2. 3. 4.	MR. HARGROVE: but it's written differently. So CHAIRMAN MORELOCK: and we can strike that, as well.
2. 3. 4. 5.	MR. ROBINSON: How about we change it to approved designations. MR. PISCHKE: Approved designated locations. CHAIRMAN MORELOCK: Yeah. We just	2. 3. 4. 5.	MR. HARGROVE: but it's written differently. So CHAIRMAN MORELOCK: and we can strike that, as well. MR. HARGROVE: Okay.
2. 3. 4. 5. 6.	MR. ROBINSON: How about we change it to approved designations. MR. PISCHKE: Approved designated locations. CHAIRMAN MORELOCK: Yeah. We just use we didn't say AMP.	2. 3. 4. 5. 6.	MR. HARGROVE: but it's written differently. So CHAIRMAN MORELOCK: and we can strike that, as well. MR. HARGROVE: Okay. CHAIRMAN MORELOCK: So we need to put
2. 3. 4. 5. 6. 7.	MR. ROBINSON: How about we change it to approved designations. MR. PISCHKE: Approved designated locations. CHAIRMAN MORELOCK: Yeah. We just use we didn't say AMP. MR. ROBINSON: Then okay. So A,	2. 3. 4. 5. 6. 7.	MR. HARGROVE: but it's written differently. So CHAIRMAN MORELOCK: and we can strike that, as well. MR. HARGROVE: Okay. CHAIRMAN MORELOCK: So we need to put that yeah. We need to up in the bullet point,
2. 3. 4. 5. 6. 7. 8.	MR. ROBINSON: How about we change it to approved designations. MR. PISCHKE: Approved designated locations. CHAIRMAN MORELOCK: Yeah. We just use we didn't say AMP. MR. ROBINSON: Then okay. So A, and then I think it was also down below. So we just	2. 3. 4. 5. 6. 7. 8.	MR. HARGROVE: but it's written differently. So CHAIRMAN MORELOCK: and we can strike that, as well. MR. HARGROVE: Okay. CHAIRMAN MORELOCK: So we need to put that yeah. We need to up in the bullet point, we would say, National Board, and then strike out
2. 3. 4. 5. 6. 7. 8. 9.	MR. ROBINSON: How about we change it to approved designations. MR. PISCHKE: Approved designated locations. CHAIRMAN MORELOCK: Yeah. We just use we didn't say AMP. MR. ROBINSON: Then okay. So A, and then I think it was also down below. So we just go ahead and make	2. 3. 4. 5. 6. 7. 8. 9.	MR. HARGROVE: but it's written differently. So CHAIRMAN MORELOCK: and we can strike that, as well. MR. HARGROVE: Okay. CHAIRMAN MORELOCK: So we need to put that yeah. We need to up in the bullet point, we would say, National Board, and then strike out Inservice Commission or no, we leave Commission.
2. 3. 4. 5. 6. 7. 8. 9.	MR. ROBINSON: How about we change it to approved designations. MR. PISCHKE: Approved designated locations. CHAIRMAN MORELOCK: Yeah. We just use we didn't say AMP. MR. ROBINSON: Then okay. So A, and then I think it was also down below. So we just go ahead and make CHAIRMAN MORELOCK: Yeah. Here it is. I'm sorry. National Board it says, examinations for chief, deputy, special inspectors	2. 3. 4. 5. 6. 7. 8. 9.	MR. HARGROVE: but it's written differently. So CHAIRMAN MORELOCK: and we can strike that, as well. MR. HARGROVE: Okay. CHAIRMAN MORELOCK: So we need to put that yeah. We need to up in the bullet point, we would say, National Board, and then strike out Inservice Commission or no, we leave Commission. National Board Commission course. MR. BAILEY: So you take out the "-ing" on Commissioning, take out the word "Exam,"
2. 3. 4. 5. 6. 7. 8. 9. 10.	MR. ROBINSON: How about we change it to approved designations. MR. PISCHKE: Approved designated locations. CHAIRMAN MORELOCK: Yeah. We just use we didn't say AMP. MR. ROBINSON: Then okay. So A, and then I think it was also down below. So we just go ahead and make CHAIRMAN MORELOCK: Yeah. Here it is. I'm sorry. National Board it says, examinations for chief, deputy, special inspectors shall be administered by the National Board member	2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12.	MR. HARGROVE: but it's written differently. So CHAIRMAN MORELOCK: and we can strike that, as well. MR. HARGROVE: Okay. CHAIRMAN MORELOCK: So we need to put that yeah. We need to up in the bullet point, we would say, National Board, and then strike out Inservice Commission or no, we leave Commission. National Board Commission course. MR. BAILEY: So you take out the "-ing" on Commissioning, take out the word "Exam," and insert the word "course" instead?
2. 3. 4. 5. 6. 7. 8. 9. 10. 11.	MR. ROBINSON: How about we change it to approved designations. MR. PISCHKE: Approved designated locations. CHAIRMAN MORELOCK: Yeah. We just use we didn't say AMP. MR. ROBINSON: Then okay. So A, and then I think it was also down below. So we just go ahead and make CHAIRMAN MORELOCK: Yeah. Here it is. I'm sorry. National Board it says, examinations for chief, deputy, special inspectors	2. 3. 4. 5. 6. 7. 8. 9. 10. 11.	MR. HARGROVE: but it's written differently. So CHAIRMAN MORELOCK: and we can strike that, as well. MR. HARGROVE: Okay. CHAIRMAN MORELOCK: So we need to put that yeah. We need to up in the bullet point, we would say, National Board, and then strike out Inservice Commission or no, we leave Commission. National Board Commission course. MR. BAILEY: So you take out the "-ing" on Commissioning, take out the word "Exam," and insert the word "course" instead? CHAIRMAN MORELOCK: Well, I'm looking
2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14.	MR. ROBINSON: How about we change it to approved designations. MR. PISCHKE: Approved designated locations. CHAIRMAN MORELOCK: Yeah. We just use we didn't say AMP. MR. ROBINSON: Then okay. So A, and then I think it was also down below. So we just go ahead and make CHAIRMAN MORELOCK: Yeah. Here it is. I'm sorry. National Board it says, examinations for chief, deputy, special inspectors shall be administered by the National Board member jurisdiction or provided at any on-demand provider locations. So that's not AMP.	2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12.	MR. HARGROVE: but it's written differently. So CHAIRMAN MORELOCK: and we can strike that, as well. MR. HARGROVE: Okay. CHAIRMAN MORELOCK: So we need to put that yeah. We need to up in the bullet point, we would say, National Board, and then strike out Inservice Commission or no, we leave Commission. National Board Commission course. MR. BAILEY: So you take out the "-ing" on Commissioning, take out the word "Exam," and insert the word "course" instead? CHAIRMAN MORELOCK: Well, I'm looking at the bullet point where it says, revision to
2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15.	MR. ROBINSON: How about we change it to approved designations. MR. PISCHKE: Approved designated locations. CHAIRMAN MORELOCK: Yeah. We just use we didn't say AMP. MR. ROBINSON: Then okay. So A, and then I think it was also down below. So we just go ahead and make CHAIRMAN MORELOCK: Yeah. Here it is. I'm sorry. National Board it says, examinations for chief, deputy, special inspectors shall be administered by the National Board member jurisdiction or provided at any on-demand provider locations. So that's not AMP. MR. ROBINSON: Great.	2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15.	MR. HARGROVE: but it's written differently. So CHAIRMAN MORELOCK: and we can strike that, as well. MR. HARGROVE: Okay. CHAIRMAN MORELOCK: So we need to put that yeah. We need to up in the bullet point, we would say, National Board, and then strike out Inservice Commission or no, we leave Commission. National Board Commission course. MR. BAILEY: So you take out the "-ing" on Commissioning, take out the word "Exam," and insert the word "course" instead? CHAIRMAN MORELOCK: Well, I'm looking at the bullet point where it says, revision to Tennessee Code Annotated
2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15. 16.	MR. ROBINSON: How about we change it to approved designations. MR. PISCHKE: Approved designated locations. CHAIRMAN MORELOCK: Yeah. We just use we didn't say AMP. MR. ROBINSON: Then okay. So A, and then I think it was also down below. So we just go ahead and make CHAIRMAN MORELOCK: Yeah. Here it is. I'm sorry. National Board it says, examinations for chief, deputy, special inspectors shall be administered by the National Board member jurisdiction or provided at any on-demand provider locations. So that's not AMP. MR. ROBINSON: Great. CHAIRMAN MORELOCK: Or administered	2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15. 16.	MR. HARGROVE: but it's written differently. So CHAIRMAN MORELOCK: and we can strike that, as well. MR. HARGROVE: Okay. CHAIRMAN MORELOCK: So we need to put that yeah. We need to up in the bullet point, we would say, National Board, and then strike out Inservice Commission or no, we leave Commission. National Board Commission course. MR. BAILEY: So you take out the "-ing" on Commissioning, take out the word "Exam," and insert the word "course" instead? CHAIRMAN MORELOCK: Well, I'm looking at the bullet point where it says, revision to Tennessee Code Annotated MR. BAILEY: Yeah. That's where I'm
2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15. 16. 17.	MR. ROBINSON: How about we change it to approved designations. MR. PISCHKE: Approved designated locations. CHAIRMAN MORELOCK: Yeah. We just use we didn't say AMP. MR. ROBINSON: Then okay. So A, and then I think it was also down below. So we just go ahead and make CHAIRMAN MORELOCK: Yeah. Here it is. I'm sorry. National Board it says, examinations for chief, deputy, special inspectors shall be administered by the National Board member jurisdiction or provided at any on-demand provider locations. So that's not AMP. MR. ROBINSON: Great. CHAIRMAN MORELOCK: Or administered by the National Board on the last day of the	2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15. 16. 17.	MR. HARGROVE: but it's written differently. So CHAIRMAN MORELOCK: and we can strike that, as well. MR. HARGROVE: Okay. CHAIRMAN MORELOCK: So we need to put that yeah. We need to up in the bullet point, we would say, National Board, and then strike out Inservice Commission or no, we leave Commission. National Board Commission course. MR. BAILEY: So you take out the "-ing" on Commissioning, take out the word "Exam," and insert the word "course" instead? CHAIRMAN MORELOCK: Well, I'm looking at the bullet point where it says, revision to Tennessee Code Annotated MR. BAILEY: Yeah. That's where I'm looking at.
2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15. 16. 17. 18.	MR. ROBINSON: How about we change it to approved designations. MR. PISCHKE: Approved designated locations. CHAIRMAN MORELOCK: Yeah. We just use we didn't say AMP. MR. ROBINSON: Then okay. So A, and then I think it was also down below. So we just go ahead and make CHAIRMAN MORELOCK: Yeah. Here it is. I'm sorry. National Board it says, examinations for chief, deputy, special inspectors shall be administered by the National Board member jurisdiction or provided at any on-demand provider locations. So that's not AMP. MR. ROBINSON: Great. CHAIRMAN MORELOCK: Or administered by the National Board on the last day of the Inservice Commission Exam.	2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15. 16. 17.	MR. HARGROVE: but it's written differently. So CHAIRMAN MORELOCK: and we can strike that, as well. MR. HARGROVE: Okay. CHAIRMAN MORELOCK: So we need to put that yeah. We need to up in the bullet point, we would say, National Board, and then strike out Inservice Commission or no, we leave Commission. National Board Commission course. MR. BAILEY: So you take out the "-ing" on Commissioning, take out the word "Exam," and insert the word "course" instead? CHAIRMAN MORELOCK: Well, I'm looking at the bullet point where it says, revision to Tennessee Code Annotated MR. BAILEY: Yeah. That's where I'm looking at. CHAIRMAN MORELOCK: Yeah. And so the
2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15. 16. 17. 18.	MR. ROBINSON: How about we change it to approved designations. MR. PISCHKE: Approved designated locations. CHAIRMAN MORELOCK: Yeah. We just use we didn't say AMP. MR. ROBINSON: Then okay. So A, and then I think it was also down below. So we just go ahead and make CHAIRMAN MORELOCK: Yeah. Here it is. I'm sorry. National Board it says, examinations for chief, deputy, special inspectors shall be administered by the National Board member jurisdiction or provided at any on-demand provider locations. So that's not AMP. MR. ROBINSON: Great. CHAIRMAN MORELOCK: Or administered by the National Board on the last day of the Inservice Commission Exam. MR. ROBINSON: And I looked at that	2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15. 16. 17. 18. 19. 20.	MR. HARGROVE: but it's written differently. So CHAIRMAN MORELOCK: and we can strike that, as well. MR. HARGROVE: Okay. CHAIRMAN MORELOCK: So we need to put that yeah. We need to up in the bullet point, we would say, National Board, and then strike out Inservice Commission or no, we leave Commission. National Board Commission course. MR. BAILEY: So you take out the "-ing" on Commissioning, take out the word "Exam," and insert the word "course" instead? CHAIRMAN MORELOCK: Well, I'm looking at the bullet point where it says, revision to Tennessee Code Annotated MR. BAILEY: Yeah. That's where I'm looking at. CHAIRMAN MORELOCK: Yeah. And so the National Board Commissioning Exam, that sentence is
2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15. 16. 17. 18. 19. 20. 21.	MR. ROBINSON: How about we change it to approved designations. MR. PISCHKE: Approved designated locations. CHAIRMAN MORELOCK: Yeah. We just use we didn't say AMP. MR. ROBINSON: Then okay. So A, and then I think it was also down below. So we just go ahead and make CHAIRMAN MORELOCK: Yeah. Here it is. I'm sorry. National Board it says, examinations for chief, deputy, special inspectors shall be administered by the National Board member jurisdiction or provided at any on-demand provider locations. So that's not AMP. MR. ROBINSON: Great. CHAIRMAN MORELOCK: Or administered by the National Board on the last day of the Inservice Commission Exam. MR. ROBINSON: And I looked at that National Board Inservice Commission. Wouldn't it	2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15. 16. 17. 18. 19. 20. 21.	MR. HARGROVE: but it's written differently. So CHAIRMAN MORELOCK: and we can strike that, as well. MR. HARGROVE: Okay. CHAIRMAN MORELOCK: So we need to put that yeah. We need to up in the bullet point, we would say, National Board, and then strike out Inservice Commission or no, we leave Commission. National Board Commission course. MR. BAILEY: So you take out the "-ing" on Commissioning, take out the word "Exam," and insert the word "course" instead? CHAIRMAN MORELOCK: Well, I'm looking at the bullet point where it says, revision to Tennessee Code Annotated MR. BAILEY: Yeah. That's where I'm looking at. CHAIRMAN MORELOCK: Yeah. And so the National Board Commissioning Exam, that sentence is fine. And then the last part of the sentence says,
2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15. 16. 17. 18. 19. 20. 21. 22.	MR. ROBINSON: How about we change it to approved designations. MR. PISCHKE: Approved designated locations. CHAIRMAN MORELOCK: Yeah. We just use we didn't say AMP. MR. ROBINSON: Then okay. So A, and then I think it was also down below. So we just go ahead and make CHAIRMAN MORELOCK: Yeah. Here it is. I'm sorry. National Board it says, examinations for chief, deputy, special inspectors shall be administered by the National Board member jurisdiction or provided at any on-demand provider locations. So that's not AMP. MR. ROBINSON: Great. CHAIRMAN MORELOCK: Or administered by the National Board on the last day of the Inservice Commission Exam. MR. ROBINSON: And I looked at that National Board Inservice Commission. Wouldn't itcould would it be prudent just to say National	2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15. 16. 17. 18. 19. 20. 21. 22.	MR. HARGROVE: but it's written differently. So CHAIRMAN MORELOCK: and we can strike that, as well. MR. HARGROVE: Okay. CHAIRMAN MORELOCK: So we need to put that yeah. We need to up in the bullet point, we would say, National Board, and then strike out Inservice Commission or no, we leave Commission. National Board Commission course. MR. BAILEY: So you take out the "-ing" on Commissioning, take out the word "Exam," and insert the word "course" instead? CHAIRMAN MORELOCK: Well, I'm looking at the bullet point where it says, revision to Tennessee Code Annotated MR. BAILEY: Yeah. That's where I'm looking at. CHAIRMAN MORELOCK: Yeah. And so the National Board Commissioning Exam, that sentence is fine. And then the last part of the sentence says, also administered by the National Board on the last
2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15. 16. 17. 18. 19. 20. 21. 22. 23.	MR. ROBINSON: How about we change it to approved designations. MR. PISCHKE: Approved designated locations. CHAIRMAN MORELOCK: Yeah. We just use we didn't say AMP. MR. ROBINSON: Then okay. So A, and then I think it was also down below. So we just go ahead and make CHAIRMAN MORELOCK: Yeah. Here it is. I'm sorry. National Board it says, examinations for chief, deputy, special inspectors shall be administered by the National Board member jurisdiction or provided at any on-demand provider locations. So that's not AMP. MR. ROBINSON: Great. CHAIRMAN MORELOCK: Or administered by the National Board on the last day of the Inservice Commission Exam. MR. ROBINSON: And I looked at that National Board Inservice Commission. Wouldn't it could would it be prudent just to say National Board Commission	2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15. 16. 17. 18. 19. 20. 21. 22. 23.	MR. HARGROVE: but it's written differently. So CHAIRMAN MORELOCK: and we can strike that, as well. MR. HARGROVE: Okay. CHAIRMAN MORELOCK: So we need to put that yeah. We need to up in the bullet point, we would say, National Board, and then strike out Inservice Commission or no, we leave Commission. National Board Commission course. MR. BAILEY: So you take out the "-ing" on Commissioning, take out the word "Exam," and insert the word "course" instead? CHAIRMAN MORELOCK: Well, I'm looking at the bullet point where it says, revision to Tennessee Code Annotated MR. BAILEY: Yeah. That's where I'm looking at. CHAIRMAN MORELOCK: Yeah. And so the National Board Commissioning Exam, that sentence is fine. And then the last part of the sentence says, also administered by the National Board on the last day of the National Board Commission course. And
2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15. 16. 17. 18. 19. 20. 21. 22. 23. 24.	MR. ROBINSON: How about we change it to approved designations. MR. PISCHKE: Approved designated locations. CHAIRMAN MORELOCK: Yeah. We just use we didn't say AMP. MR. ROBINSON: Then okay. So A, and then I think it was also down below. So we just go ahead and make CHAIRMAN MORELOCK: Yeah. Here it is. I'm sorry. National Board it says, examinations for chief, deputy, special inspectors shall be administered by the National Board member jurisdiction or provided at any on-demand provider locations. So that's not AMP. MR. ROBINSON: Great. CHAIRMAN MORELOCK: Or administered by the National Board on the last day of the Inservice Commission Exam. MR. ROBINSON: And I looked at that National Board Inservice Commission. Wouldn't itcould would it be prudent just to say National Board Commission CHAIRMAN MORELOCK: We could.	2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15. 16. 17. 18. 19. 20. 21. 22. 23. 24.	MR. HARGROVE: but it's written differently. So CHAIRMAN MORELOCK: and we can strike that, as well. MR. HARGROVE: Okay. CHAIRMAN MORELOCK: So we need to put that yeah. We need to up in the bullet point, we would say, National Board, and then strike out Inservice Commission or no, we leave Commission. National Board Commission course. MR. BAILEY: So you take out the "-ing" on Commissioning, take out the word "Exam," and insert the word "course" instead? CHAIRMAN MORELOCK: Well, I'm looking at the bullet point where it says, revision to Tennessee Code Annotated MR. BAILEY: Yeah. That's where I'm looking at. CHAIRMAN MORELOCK: Yeah. And so the National Board Commissioning Exam, that sentence is fine. And then the last part of the sentence says, also administered by the National Board on the last day of the National Board Commission course. And strike out Inservice, parenthetical IS, and
2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15. 16. 17. 18. 19. 20. 21. 22. 23.	MR. ROBINSON: How about we change it to approved designations. MR. PISCHKE: Approved designated locations. CHAIRMAN MORELOCK: Yeah. We just use we didn't say AMP. MR. ROBINSON: Then okay. So A, and then I think it was also down below. So we just go ahead and make CHAIRMAN MORELOCK: Yeah. Here it is. I'm sorry. National Board it says, examinations for chief, deputy, special inspectors shall be administered by the National Board member jurisdiction or provided at any on-demand provider locations. So that's not AMP. MR. ROBINSON: Great. CHAIRMAN MORELOCK: Or administered by the National Board on the last day of the Inservice Commission Exam. MR. ROBINSON: And I looked at that National Board Inservice Commission. Wouldn't it could would it be prudent just to say National Board Commission	2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15. 16. 17. 18. 19. 20. 21. 22. 23.	MR. HARGROVE: but it's written differently. So CHAIRMAN MORELOCK: and we can strike that, as well. MR. HARGROVE: Okay. CHAIRMAN MORELOCK: So we need to put that yeah. We need to up in the bullet point, we would say, National Board, and then strike out Inservice Commission or no, we leave Commission. National Board Commission course. MR. BAILEY: So you take out the "-ing" on Commissioning, take out the word "Exam," and insert the word "course" instead? CHAIRMAN MORELOCK: Well, I'm looking at the bullet point where it says, revision to Tennessee Code Annotated MR. BAILEY: Yeah. That's where I'm looking at. CHAIRMAN MORELOCK: Yeah. And so the National Board Commissioning Exam, that sentence is fine. And then the last part of the sentence says, also administered by the National Board on the last day of the National Board Commission course. And

	Page 125	1	Page 127
1.	MR. HARTFORD: Well, I have a	1.	inservice.
2.	question.	2.	MR. ROBINSON: Right. And National
3.	CHAIRMAN MORELOCK: Yes.	3.	Board Commissioning Exam, it's encompassing, you
4.	MR. HARTFORD: I'm sorry.	4.	know, the AI, ANI, as well as the IS. So and
5.	Christopher Hartford, Hartford Steam Boiler. They	5.	keep in mind that, you know, it used to be that the
6.	provide multiple courses, so if you don't say which	6.	AI could take the test with the jurisdiction, as
7.	course you're looking for, that could kind of go	7.	well as the ANI or the IS.
8.	against you. You can go to National Board. They	8.	CHAIRMAN MORELOCK: The IS. Right.
9.	have, I think, four or five different courses you	9.	MR. ROBINSON: So by saying what
10.	can take.	10.	we're saying now is encompassing all of those
11.	CHAIRMAN MORELOCK: For a Commission?	11.	entities.
12.	MR. HARTFORD: Well, you can be A	12.	MR. HARTFORD: Okay. I'm just
13.	Commissioned. You can be	13.	never mind. I just think it should probably try to
14.	MR. TOTH: That's not a commission.	14.	be specific, but I understand what you're saying.
15.	MR. HARTFORD: commissioned. IS	15.	MR. ROBINSON: Right. We're trying
16.	Commission.	16.	to leave some generality. At the same instance,
17.	MR. TOTH: That's not a commission.	17.	we're covering everything.
18.	That's an endorsement.	18.	CHAIRMAN MORELOCK: Yeah. They need
19.	CHAIRMAN MORELOCK: Endorsement.	19.	to be commissioned. That's the given. So okay?
20.	MR. ROBINSON: Endorsement.	20.	All right. You've got
21.	CHAIRMAN MORELOCK: Right.	21.	MR. BAILEY: Mr. Chairman, as far as
22.	MR. ROBINSON: Right. Right.	22.	the legislative change, I think it's too late for it
23.	MR. HARTFORD: Right. But you still	23.	to get on our department's legislative agenda.
24.	have to all of those get the IS first, right?	24.	CHAIRMAN MORELOCK: Okay.
25.	But if you just say, you have to take a National	25.	MR. BAILEY: The Governor's
23.	But if you just say, you have to take a National	25.	WIK. BAILE 1. THE GOVERNOIS
1			
	Page 126		Page 128
1.	Page 126 Board course	1.	Page 128 legislative agenda. I mean, that'd have to happen
1. 2.	Board course	1. 2.	legislative agenda. I mean, that'd have to happen
1. 2. 3.	Board course CHAIRMAN MORELOCK: Well, but	1. 2. 3.	legislative agenda. I mean, that'd have to happen sometime next year.
2.	Board course	2.	legislative agenda. I mean, that'd have to happen sometime next year. MS. JEFFERSON: Actually, they
2. 3.	Board course CHAIRMAN MORELOCK: Well, but MR. HARTFORD: I mean, that could be	2. 3. 4.	legislative agenda. I mean, that'd have to happen sometime next year. MS. JEFFERSON: Actually, they generally ask for recommendations around September,
2. 3. 4. 5.	Board course CHAIRMAN MORELOCK: Well, but MR. HARTFORD: I mean, that could be CHAIRMAN MORELOCK: But you have to	2. 3. 4. 5.	legislative agenda. I mean, that'd have to happen sometime next year. MS. JEFFERSON: Actually, they generally ask for recommendations around September, October. So this is one that we would be able
2. 3. 4. 5. 6.	Board course CHAIRMAN MORELOCK: Well, but MR. HARTFORD: I mean, that could be CHAIRMAN MORELOCK: But you have to choose between see that they've split the	2. 3. 4. 5. 6.	legislative agenda. I mean, that'd have to happen sometime next year. MS. JEFFERSON: Actually, they generally ask for recommendations around September, October. So this is one that we would be able MR. BAILEY: Sometimes even sooner.
2. 3. 4. 5. 6. 7.	Board course CHAIRMAN MORELOCK: Well, but MR. HARTFORD: I mean, that could be CHAIRMAN MORELOCK: But you have to choose between see that they've split the commission now to where you either go inservice or	2. 3. 4. 5. 6. 7.	legislative agenda. I mean, that'd have to happen sometime next year. MS. JEFFERSON: Actually, they generally ask for recommendations around September, October. So this is one that we would be able MR. BAILEY: Sometimes even sooner. MS. JEFFERSON: Sometimes sooner.
2. 3. 4. 5. 6.	Board course CHAIRMAN MORELOCK: Well, but MR. HARTFORD: I mean, that could be CHAIRMAN MORELOCK: But you have to choose between see that they've split the commission now to where you either go inservice or new construction. And so that's the AI Commission,	2. 3. 4. 5. 6.	legislative agenda. I mean, that'd have to happen sometime next year. MS. JEFFERSON: Actually, they generally ask for recommendations around September, October. So this is one that we would be able MR. BAILEY: Sometimes even sooner. MS. JEFFERSON: Sometimes sooner. MR. BAILEY: I mean yeah.
2. 3. 4. 5. 6. 7. 8.	Board course CHAIRMAN MORELOCK: Well, but MR. HARTFORD: I mean, that could be CHAIRMAN MORELOCK: But you have to choose between see that they've split the commission now to where you either go inservice or new construction. And so that's the AI Commission, is the new construction. The IS is the inservice,	2. 3. 4. 5. 6. 7. 8.	legislative agenda. I mean, that'd have to happen sometime next year. MS. JEFFERSON: Actually, they generally ask for recommendations around September, October. So this is one that we would be able MR. BAILEY: Sometimes even sooner. MS. JEFFERSON: Sometimes sooner. MR. BAILEY: I mean yeah. MS. JEFFERSON: Well, sometimes
2. 3. 4. 5. 6. 7. 8. 9.	Board course CHAIRMAN MORELOCK: Well, but MR. HARTFORD: I mean, that could be CHAIRMAN MORELOCK: But you have to choose between see that they've split the commission now to where you either go inservice or new construction. And so that's the AI Commission,	2. 3. 4. 5. 6. 7. 8. 9.	legislative agenda. I mean, that'd have to happen sometime next year. MS. JEFFERSON: Actually, they generally ask for recommendations around September, October. So this is one that we would be able MR. BAILEY: Sometimes even sooner. MS. JEFFERSON: Sometimes sooner. MR. BAILEY: I mean yeah. MS. JEFFERSON: Well, sometimes yeah. Well, sooner than that. And then they submit
2. 3. 4. 5. 6. 7. 8. 9. 10.	Board course CHAIRMAN MORELOCK: Well, but MR. HARTFORD: I mean, that could be CHAIRMAN MORELOCK: But you have to choose between see that they've split the commission now to where you either go inservice or new construction. And so that's the AI Commission, is the new construction. The IS is the inservice, and that's your two main commissioning exams that would lead to the endorsements.	2. 3. 4. 5. 6. 7. 8. 9. 10.	legislative agenda. I mean, that'd have to happen sometime next year. MS. JEFFERSON: Actually, they generally ask for recommendations around September, October. So this is one that we would be able MR. BAILEY: Sometimes even sooner. MS. JEFFERSON: Sometimes sooner. MR. BAILEY: I mean yeah. MS. JEFFERSON: Well, sometimes yeah. Well, sooner than that. And then they submit those in I'm sorry. They submit those in
2. 3. 4. 5. 6. 7. 8. 9. 10. 11.	Board course CHAIRMAN MORELOCK: Well, but MR. HARTFORD: I mean, that could be CHAIRMAN MORELOCK: But you have to choose between see that they've split the commission now to where you either go inservice or new construction. And so that's the AI Commission, is the new construction. The IS is the inservice, and that's your two main commissioning exams that would lead to the endorsements. MR. HARTFORD: Right. But I think if	2. 3. 4. 5. 6. 7. 8. 9. 10. 11.	legislative agenda. I mean, that'd have to happen sometime next year. MS. JEFFERSON: Actually, they generally ask for recommendations around September, October. So this is one that we would be able MR. BAILEY: Sometimes even sooner. MS. JEFFERSON: Sometimes sooner. MR. BAILEY: I mean yeah. MS. JEFFERSON: Well, sometimes yeah. Well, sooner than that. And then they submit those in I'm sorry. They submit those in September, October. So what we would need to do
2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12.	Board course CHAIRMAN MORELOCK: Well, but MR. HARTFORD: I mean, that could be CHAIRMAN MORELOCK: But you have to choose between see that they've split the commission now to where you either go inservice or new construction. And so that's the AI Commission, is the new construction. The IS is the inservice, and that's your two main commissioning exams that would lead to the endorsements. MR. HARTFORD: Right. But I think if you're looking for a particular commission from	2. 3. 4. 5. 6. 7. 8. 9. 10.	legislative agenda. I mean, that'd have to happen sometime next year. MS. JEFFERSON: Actually, they generally ask for recommendations around September, October. So this is one that we would be able MR. BAILEY: Sometimes even sooner. MS. JEFFERSON: Sometimes sooner. MR. BAILEY: I mean yeah. MS. JEFFERSON: Well, sometimes yeah. Well, sooner than that. And then they submit those in I'm sorry. They submit those in September, October. So what we would need to do we'll just keep a list. We'll maintain a list of
2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13.	Board course CHAIRMAN MORELOCK: Well, but MR. HARTFORD: I mean, that could be CHAIRMAN MORELOCK: But you have to choose between see that they've split the commission now to where you either go inservice or new construction. And so that's the AI Commission, is the new construction. The IS is the inservice, and that's your two main commissioning exams that would lead to the endorsements. MR. HARTFORD: Right. But I think if you're looking for a particular commission from in Tennessee, you're going to have which course that	2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13.	legislative agenda. I mean, that'd have to happen sometime next year. MS. JEFFERSON: Actually, they generally ask for recommendations around September, October. So this is one that we would be able MR. BAILEY: Sometimes even sooner. MS. JEFFERSON: Sometimes sooner. MR. BAILEY: I mean yeah. MS. JEFFERSON: Well, sometimes yeah. Well, sooner than that. And then they submit those in I'm sorry. They submit those in September, October. So what we would need to do we'll just keep a list. We'll maintain a list of these recommendations, statutory recommendations,
2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12.	Board course CHAIRMAN MORELOCK: Well, but MR. HARTFORD: I mean, that could be CHAIRMAN MORELOCK: But you have to choose between see that they've split the commission now to where you either go inservice or new construction. And so that's the AI Commission, is the new construction. The IS is the inservice, and that's your two main commissioning exams that would lead to the endorsements. MR. HARTFORD: Right. But I think if you're looking for a particular commission from in Tennessee, you're going to have which course that they need to take depending on	2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14.	legislative agenda. I mean, that'd have to happen sometime next year. MS. JEFFERSON: Actually, they generally ask for recommendations around September, October. So this is one that we would be able MR. BAILEY: Sometimes even sooner. MS. JEFFERSON: Sometimes sooner. MR. BAILEY: I mean yeah. MS. JEFFERSON: Well, sometimes yeah. Well, sooner than that. And then they submit those in I'm sorry. They submit those in September, October. So what we would need to do we'll just keep a list. We'll maintain a list of these recommendations, statutory recommendations, and we will provide them to the proper persons for
2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15.	Board course CHAIRMAN MORELOCK: Well, but MR. HARTFORD: I mean, that could be CHAIRMAN MORELOCK: But you have to choose between see that they've split the commission now to where you either go inservice or new construction. And so that's the AI Commission, is the new construction. The IS is the inservice, and that's your two main commissioning exams that would lead to the endorsements. MR. HARTFORD: Right. But I think if you're looking for a particular commission from in Tennessee, you're going to have which course that they need to take depending on CHAIRMAN MORELOCK: Well	2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15.	legislative agenda. I mean, that'd have to happen sometime next year. MS. JEFFERSON: Actually, they generally ask for recommendations around September, October. So this is one that we would be able MR. BAILEY: Sometimes even sooner. MS. JEFFERSON: Sometimes sooner. MR. BAILEY: I mean yeah. MS. JEFFERSON: Well, sometimes yeah. Well, sooner than that. And then they submit those in I'm sorry. They submit those in September, October. So what we would need to do we'll just keep a list. We'll maintain a list of these recommendations, statutory recommendations, and we will provide them to the proper persons for the next legislative session.
2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15. 16.	Board course CHAIRMAN MORELOCK: Well, but MR. HARTFORD: I mean, that could be CHAIRMAN MORELOCK: But you have to choose between see that they've split the commission now to where you either go inservice or new construction. And so that's the AI Commission, is the new construction. The IS is the inservice, and that's your two main commissioning exams that would lead to the endorsements. MR. HARTFORD: Right. But I think if you're looking for a particular commission from in Tennessee, you're going to have which course that they need to take depending on CHAIRMAN MORELOCK: Well MR. HARTFORD: which one you want	2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15. 16.	legislative agenda. I mean, that'd have to happen sometime next year. MS. JEFFERSON: Actually, they generally ask for recommendations around September, October. So this is one that we would be able MR. BAILEY: Sometimes even sooner. MS. JEFFERSON: Sometimes sooner. MR. BAILEY: I mean yeah. MS. JEFFERSON: Well, sometimes yeah. Well, sooner than that. And then they submit those in I'm sorry. They submit those in September, October. So what we would need to do we'll just keep a list. We'll maintain a list of these recommendations, statutory recommendations, and we will provide them to the proper persons for the next legislative session. CHAIRMAN MORELOCK: Okay. And
2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15. 16. 17.	Board course CHAIRMAN MORELOCK: Well, but MR. HARTFORD: I mean, that could be CHAIRMAN MORELOCK: But you have to choose between see that they've split the commission now to where you either go inservice or new construction. And so that's the AI Commission, is the new construction. The IS is the inservice, and that's your two main commissioning exams that would lead to the endorsements. MR. HARTFORD: Right. But I think if you're looking for a particular commission from in Tennessee, you're going to have which course that they need to take depending on CHAIRMAN MORELOCK: Well MR. HARTFORD: which one you want to have.	2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15. 16. 17.	legislative agenda. I mean, that'd have to happen sometime next year. MS. JEFFERSON: Actually, they generally ask for recommendations around September, October. So this is one that we would be able MR. BAILEY: Sometimes even sooner. MS. JEFFERSON: Sometimes sooner. MR. BAILEY: I mean yeah. MS. JEFFERSON: Well, sometimes yeah. Well, sooner than that. And then they submit those in I'm sorry. They submit those in September, October. So what we would need to do we'll just keep a list. We'll maintain a list of these recommendations, statutory recommendations, and we will provide them to the proper persons for the next legislative session. CHAIRMAN MORELOCK: Okay. And depending on what the Boiler Unit feels of its sense
2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15. 16. 17.	Board course CHAIRMAN MORELOCK: Well, but MR. HARTFORD: I mean, that could be CHAIRMAN MORELOCK: But you have to choose between see that they've split the commission now to where you either go inservice or new construction. And so that's the AI Commission, is the new construction. The IS is the inservice, and that's your two main commissioning exams that would lead to the endorsements. MR. HARTFORD: Right. But I think if you're looking for a particular commission from in Tennessee, you're going to have which course that they need to take depending on CHAIRMAN MORELOCK: Well MR. HARTFORD: which one you want	2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15. 16. 17.	legislative agenda. I mean, that'd have to happen sometime next year. MS. JEFFERSON: Actually, they generally ask for recommendations around September, October. So this is one that we would be able MR. BAILEY: Sometimes even sooner. MS. JEFFERSON: Sometimes sooner. MR. BAILEY: I mean yeah. MS. JEFFERSON: Well, sometimes yeah. Well, sooner than that. And then they submit those in I'm sorry. They submit those in September, October. So what we would need to do we'll just keep a list. We'll maintain a list of these recommendations, statutory recommendations, and we will provide them to the proper persons for the next legislative session. CHAIRMAN MORELOCK: Okay. And depending on what the Boiler Unit feels of its sense of urgency, what ASME National Board both does, if
2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15. 16. 17.	Board course CHAIRMAN MORELOCK: Well, but MR. HARTFORD: I mean, that could be CHAIRMAN MORELOCK: But you have to choose between see that they've split the commission now to where you either go inservice or new construction. And so that's the AI Commission, is the new construction. The IS is the inservice, and that's your two main commissioning exams that would lead to the endorsements. MR. HARTFORD: Right. But I think if you're looking for a particular commission from in Tennessee, you're going to have which course that they need to take depending on CHAIRMAN MORELOCK: Well MR. HARTFORD: which one you want to have. CHAIRMAN MORELOCK: I mean, we could	2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15. 16. 17. 18. 19. 20.	legislative agenda. I mean, that'd have to happen sometime next year. MS. JEFFERSON: Actually, they generally ask for recommendations around September, October. So this is one that we would be able MR. BAILEY: Sometimes even sooner. MS. JEFFERSON: Sometimes sooner. MR. BAILEY: I mean yeah. MS. JEFFERSON: Well, sometimes yeah. Well, sooner than that. And then they submit those in I'm sorry. They submit those in September, October. So what we would need to do we'll just keep a list. We'll maintain a list of these recommendations, statutory recommendations, and we will provide them to the proper persons for the next legislative session. CHAIRMAN MORELOCK: Okay. And depending on what the Boiler Unit feels of its sense of urgency, what ASME National Board both does, if there is a with a two-year publication cycle of
2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15. 16. 17. 18. 19. 20. 21.	Board course CHAIRMAN MORELOCK: Well, but MR. HARTFORD: I mean, that could be CHAIRMAN MORELOCK: But you have to choose between see that they've split the commission now to where you either go inservice or new construction. And so that's the AI Commission, is the new construction. The IS is the inservice, and that's your two main commissioning exams that would lead to the endorsements. MR. HARTFORD: Right. But I think if you're looking for a particular commission from in Tennessee, you're going to have which course that they need to take depending on CHAIRMAN MORELOCK: Well MR. HARTFORD: which one you want to have. CHAIRMAN MORELOCK: I mean, we could MR. HARTFORD: I mean, it's obviously	2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15. 16. 17. 18. 19. 20. 21.	legislative agenda. I mean, that'd have to happen sometime next year. MS. JEFFERSON: Actually, they generally ask for recommendations around September, October. So this is one that we would be able MR. BAILEY: Sometimes even sooner. MS. JEFFERSON: Sometimes sooner. MR. BAILEY: I mean yeah. MS. JEFFERSON: Well, sometimes yeah. Well, sooner than that. And then they submit those in I'm sorry. They submit those in September, October. So what we would need to do we'll just keep a list. We'll maintain a list of these recommendations, statutory recommendations, and we will provide them to the proper persons for the next legislative session. CHAIRMAN MORELOCK: Okay. And depending on what the Boiler Unit feels of its sense of urgency, what ASME National Board both does, if there is a with a two-year publication cycle of these documents, if there's a concern or a need,
2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15. 16. 17. 18. 19. 20. 21. 22.	Board course CHAIRMAN MORELOCK: Well, but MR. HARTFORD: I mean, that could be CHAIRMAN MORELOCK: But you have to choose between see that they've split the commission now to where you either go inservice or new construction. And so that's the AI Commission, is the new construction. The IS is the inservice, and that's your two main commissioning exams that would lead to the endorsements. MR. HARTFORD: Right. But I think if you're looking for a particular commission from in Tennessee, you're going to have which course that they need to take depending on CHAIRMAN MORELOCK: Well MR. HARTFORD: which one you want to have. CHAIRMAN MORELOCK: I mean, we could MR. HARTFORD: I mean, it's obviously your decision.	2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15. 16. 17. 18. 19. 20. 21. 22.	legislative agenda. I mean, that'd have to happen sometime next year. MS. JEFFERSON: Actually, they generally ask for recommendations around September, October. So this is one that we would be able MR. BAILEY: Sometimes even sooner. MS. JEFFERSON: Sometimes sooner. MR. BAILEY: I mean yeah. MS. JEFFERSON: Well, sometimes yeah. Well, sooner than that. And then they submit those in I'm sorry. They submit those in September, October. So what we would need to do we'll just keep a list. We'll maintain a list of these recommendations, statutory recommendations, and we will provide them to the proper persons for the next legislative session. CHAIRMAN MORELOCK: Okay. And depending on what the Boiler Unit feels of its sense of urgency, what ASME National Board both does, if there is a with a two-year publication cycle of these documents, if there's a concern or a need, ASME will pass an enabling code case that can be
2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15. 16. 17. 20. 21. 22. 23.	Board course CHAIRMAN MORELOCK: Well, but MR. HARTFORD: I mean, that could be CHAIRMAN MORELOCK: But you have to choose between see that they've split the commission now to where you either go inservice or new construction. And so that's the AI Commission, is the new construction. The IS is the inservice, and that's your two main commissioning exams that would lead to the endorsements. MR. HARTFORD: Right. But I think if you're looking for a particular commission from in Tennessee, you're going to have which course that they need to take depending on CHAIRMAN MORELOCK: Well MR. HARTFORD: which one you want to have. CHAIRMAN MORELOCK: I mean, we could MR. HARTFORD: I mean, it's obviously your decision. CHAIRMAN MORELOCK: We could put the	2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15. 16. 17. 18. 19. 20. 21.	legislative agenda. I mean, that'd have to happen sometime next year. MS. JEFFERSON: Actually, they generally ask for recommendations around September, October. So this is one that we would be able MR. BAILEY: Sometimes even sooner. MS. JEFFERSON: Sometimes sooner. MR. BAILEY: I mean yeah. MS. JEFFERSON: Well, sometimes yeah. Well, sooner than that. And then they submit those in I'm sorry. They submit those in September, October. So what we would need to do we'll just keep a list. We'll maintain a list of these recommendations, statutory recommendations, and we will provide them to the proper persons for the next legislative session. CHAIRMAN MORELOCK: Okay. And depending on what the Boiler Unit feels of its sense of urgency, what ASME National Board both does, if there is a with a two-year publication cycle of these documents, if there's a concern or a need, ASME will pass an enabling code case that can be used immediately. Then when the words are actually
2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15. 16. 17. 20. 21. 22.	Board course CHAIRMAN MORELOCK: Well, but MR. HARTFORD: I mean, that could be CHAIRMAN MORELOCK: But you have to choose between see that they've split the commission now to where you either go inservice or new construction. And so that's the AI Commission, is the new construction. The IS is the inservice, and that's your two main commissioning exams that would lead to the endorsements. MR. HARTFORD: Right. But I think if you're looking for a particular commission from in Tennessee, you're going to have which course that they need to take depending on CHAIRMAN MORELOCK: Well MR. HARTFORD: which one you want to have. CHAIRMAN MORELOCK: I mean, we could MR. HARTFORD: I mean, it's obviously your decision.	2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15. 16. 17. 18. 19. 20. 21. 22. 23.	legislative agenda. I mean, that'd have to happen sometime next year. MS. JEFFERSON: Actually, they generally ask for recommendations around September, October. So this is one that we would be able MR. BAILEY: Sometimes even sooner. MS. JEFFERSON: Sometimes sooner. MR. BAILEY: I mean yeah. MS. JEFFERSON: Well, sometimes yeah. Well, sooner than that. And then they submit those in I'm sorry. They submit those in September, October. So what we would need to do we'll just keep a list. We'll maintain a list of these recommendations, statutory recommendations, and we will provide them to the proper persons for the next legislative session. CHAIRMAN MORELOCK: Okay. And depending on what the Boiler Unit feels of its sense of urgency, what ASME National Board both does, if there is a with a two-year publication cycle of these documents, if there's a concern or a need, ASME will pass an enabling code case that can be

Page 129 a board case, get it in the book now, and en legislative action you submit that ets written into or revised into the could annul that board case. So is es? MR. TOTH: Mr. Chairman, just from ace, the Board cases were started to be able Board cases and interpretations based off and regulations. In this case here, being e122, that's a statute. It really would not However, within 0800-03-03, you do have the of as Commission. CHAIRMAN MORELOCK: You do. MR. TOTH: And within the commission, eplains what that is, how that would be	1. 2. 3. 4. 5. 6. 7. 8. 9. 10. 11.	Page 131 MR. TOTH: As you can see, because you have a state commission CHAIRMAN MORELOCK: Yeah. MR. TOTH: versus the National Board Commission. CHAIRMAN MORELOCK: Right. That's right. So MR. TOTH: Okay. MR. ROBINSON: Martin. Or MR. TOTH: Yes. MR. ROBINSON: Are there some states
en legislative action you submit that ets written into or revised into the could annul that board case. So is es? MR. TOTH: Mr. Chairman, just from ace, the Board cases were started to be able Board cases and interpretations based off and regulations. In this case here, being e122, that's a statute. It really would not However, within 0800-03-03, you do have the of as Commission. CHAIRMAN MORELOCK: You do. MR. TOTH: And within the commission, eplains what that is, how that would be	2. 3. 4. 5. 6. 7. 8. 9. 10.	you have a state commission CHAIRMAN MORELOCK: Yeah. MR. TOTH: versus the National Board Commission. CHAIRMAN MORELOCK: Right. That's right. So MR. TOTH: Okay. MR. ROBINSON: Martin. Or MR. TOTH: Yes.
ets written into or revised into the could annul that board case. So is es? MR. TOTH: Mr. Chairman, just from ace, the Board cases were started to be able Board cases and interpretations based off and regulations. In this case here, being e-122, that's a statute. It really would not However, within 0800-03-03, you do have the of as Commission. CHAIRMAN MORELOCK: You do. MR. TOTH: And within the commission, eplains what that is, how that would be	3. 4. 5. 6. 7. 8. 9. 10.	CHAIRMAN MORELOCK: Yeah. MR. TOTH: versus the National Board Commission. CHAIRMAN MORELOCK: Right. That's right. So MR. TOTH: Okay. MR. ROBINSON: Martin. Or MR. TOTH: Yes.
MR. TOTH: Mr. Chairman, just from ace, the Board cases were started to be able Board cases and interpretations based off and regulations. In this case here, being 122, that's a statute. It really would not However, within 0800-03-03, you do have the of as Commission. CHAIRMAN MORELOCK: You do. MR. TOTH: And within the commission, aplains what that is, how that would be	4. 5. 6. 7. 8. 9. 10.	MR. TOTH: versus the National Board Commission. CHAIRMAN MORELOCK: Right. That's right. So MR. TOTH: Okay. MR. ROBINSON: Martin. Or MR. TOTH: Yes.
MR. TOTH: Mr. Chairman, just from ace, the Board cases were started to be able Board cases and interpretations based off and regulations. In this case here, being 122, that's a statute. It really would not However, within 0800-03-03, you do have the of as Commission. CHAIRMAN MORELOCK: You do. MR. TOTH: And within the commission, aplains what that is, how that would be	5. 6. 7. 8. 9. 10.	Board Commission. CHAIRMAN MORELOCK: Right. That's right. So MR. TOTH: Okay. MR. ROBINSON: Martin. Or MR. TOTH: Yes.
MR. TOTH: Mr. Chairman, just from ace, the Board cases were started to be able Board cases and interpretations based off and regulations. In this case here, being 122, that's a statute. It really would not However, within 0800-03-03, you do have the of as Commission. CHAIRMAN MORELOCK: You do. MR. TOTH: And within the commission, aplains what that is, how that would be	6. 7. 8. 9. 10.	CHAIRMAN MORELOCK: Right. That's right. So MR. TOTH: Okay. MR. ROBINSON: Martin. Or MR. TOTH: Yes.
Board cases were started to be able Board cases and interpretations based off and regulations. In this case here, being 122, that's a statute. It really would not However, within 0800-03-03, you do have the of as Commission. CHAIRMAN MORELOCK: You do. MR. TOTH: And within the commission, eplains what that is, how that would be	7. 8. 9. 10.	right. So MR. TOTH: Okay. MR. ROBINSON: Martin. Or MR. TOTH: Yes.
Board cases and interpretations based off and regulations. In this case here, being 122, that's a statute. It really would not However, within 0800-03-03, you do have the of as Commission. CHAIRMAN MORELOCK: You do. MR. TOTH: And within the commission, splains what that is, how that would be	8. 9. 10. 11.	MR. TOTH: Okay. MR. ROBINSON: Martin. Or MR. TOTH: Yes.
and regulations. In this case here, being 122, that's a statute. It really would not However, within 0800-03-03, you do have the of as Commission. CHAIRMAN MORELOCK: You do. MR. TOTH: And within the commission, aplains what that is, how that would be	9. 10. 11.	MR. ROBINSON: Martin. Or MR. TOTH: Yes.
However, within 0800-03-03, you do have the of as Commission. CHAIRMAN MORELOCK: You do. MR. TOTH: And within the commission, eplains what that is, how that would be	10. 11.	MR. TOTH: Yes.
However, within 0800-03-03, you do have the of as Commission. CHAIRMAN MORELOCK: You do. MR. TOTH: And within the commission, aplains what that is, how that would be	11.	
of as Commission. CHAIRMAN MORELOCK: You do. MR. TOTH: And within the commission, plains what that is, how that would be	1	MIK KLIKUNNIN' Are there come ctated
CHAIRMAN MORELOCK: You do. MR. TOTH: And within the commission, plains what that is, how that would be	12.	that'll allow you to get your I for all practical
MR. TOTH: And within the commission, plains what that is, how that would be	13.	purposes, IS Commission before your National Board
plains what that is, how that would be	14.	Commission?
•	1	
	15.	MR. TOTH: There are some states that
t would be given by. So therefore, you are	16.	may do that.
You could do either a Board interpretation	17.	MR. HARTFORD: Yes.
rd case based off of your rule, not the	18.	CHAIRMAN MORELOCK: Okay.
CHATDIANI MODEL OCH OL	19.	MR. TOTH: You know, I know that
CHAIRMAN MORELOCK: Okay.	20.	there were states that were non classified as
MR. TOTH: That's how we used to do	21.	non-coach states at times
GWA TRANSA MORTH OGW. OL. WAII	22.	MR. ROBINSON: Yes.
CHAIRMAN MORELOCK: Okay. Well, our	23.	MR. TOTH: that did do that. I'm
was, is that it says that the Board us,	24.	not for sure as much, because I've been out of the
Chief Inspector proctors the exam.	25.	loop for a while, as to if, you know, they allow for
Page 130	<u> </u>	Page 132
MR. TOTH: Okay. And	1.	you to do inservice inspections, you know, before
CHAIRMAN MORELOCK: And we don't do	2.	you get a commission, but
om man me moral de come me m	3.	MR. ROBINSON: Okay. Thank you.
MR. TOTH: And I can give you a	4.	CHAIRMAN MORELOCK: Good.
of background history on that, because	5.	MR. HARTFORD: I'm commissioned in
isdictions and some still do this	6.	New York State and New Hampshire and Vermont. They
heir own individual exam for their state	7.	all have that. But they all you have to be an IS
follow that up with a commission exam	8.	inspector first. That like, you take the test
the National Board. So they may do their	9.	through the AMP usually, and then once you have that
m that has specific rules and requirements	10.	and you have your National Board card, you go and
s. That's where that came from.	11.	you can take the test, the physical test, at the
CHAIRMAN MORELOCK: Okay.	12.	location. Or some of them have reciprocity or
·	13.	whatever, but
MR. TOTH: Okay? CHAIRMAN MORELOCK: Okay.	14.	
MR. TOTH: And so now it was carried	1	CHAIRMAN MORELOCK: Right.
	15.	MR. HARTFORD: if it's your first
the miles which them becaused in the	16.	one, you actually go take the test with your card.
the rules, which then brought in the	17.	And that's
sioning of the through the National Board,	18.	MR. TOTH: For an
sioning of the through the National Board, a governing body.	1	MR. HARTFORD: For the state
sioning of the through the National Board, a governing body. CHAIRMAN MORELOCK: Okay. We just		commission.
sioning of the through the National Board, a governing body. CHAIRMAN MORELOCK: Okay. We just to clarify a contradiction in	1	MR. TOTH: For the state.
sioning of the through the National Board, a governing body. CHAIRMAN MORELOCK: Okay. We just to clarify a contradiction in MR. TOTH: Yes.		MR. HARTFORD: Right. So you have to
sioning of the through the National Board, a governing body. CHAIRMAN MORELOCK: Okay. We just to clarify a contradiction in MR. TOTH: Yes. CHAIRMAN MORELOCK: Tennessee Code	1	already be an IS, but you're an IS who's not allowed
sioning of the through the National Board, a governing body. CHAIRMAN MORELOCK: Okay. We just to clarify a contradiction in MR. TOTH: Yes. CHAIRMAN MORELOCK: Tennessee Code ed with actually what we're doing.	23.	•
sioning of the through the National Board, a governing body. CHAIRMAN MORELOCK: Okay. We just to clarify a contradiction in MR. TOTH: Yes. CHAIRMAN MORELOCK: Tennessee Code ed with actually what we're doing. MR. TOTH: Yeah. Yes.	23. 24.	to do any inspections, and then you can get your
sioning of the through the National Board, a governing body. CHAIRMAN MORELOCK: Okay. We just to clarify a contradiction in MR. TOTH: Yes. CHAIRMAN MORELOCK: Tennessee Code ed with actually what we're doing.	23.	•
si	CHAIRMAN MORELOCK: Okay. We just clarify a contradiction in MR. TOTH: Yes.	CHAIRMAN MORELOCK: Okay. We just 19. clarify a contradiction in 20. MR. TOTH: Yes. 21. CHAIRMAN MORELOCK: Tennessee Code 22.

	Page 133	_	Dogg 125
,		1	Page 135 and the Board members and the Boiler Unit. And so
1.	CHAIRMAN MORELOCK: Okay. All right.	1.	
2.	So we're just trying to clean that up a little bit.	2.	the Boiler Unit is working on development of
3.	So with all that said, then the path forward looks	3.	several Board cases and Board interpretations. We
4.	like we could write a Board case or interpretation	4.	just couldn't get them all ready for this meeting.
5.	off of 0800-03-03, then you all could add this to	5.	So you'll see those come up in March, June
6.	your legislative actions for August, September of	6.	timeframe. And we'll start working through those.
7.	2017, and then if 68-122-109 is revised, we could	7.	So I just wanted all the everybody
8.	leave that Board case or annul it.	8.	to know it was all that didn't fall on deaf
9.	MR. ROBINSON: Annul it.	9.	ears. We're acting on that. So look for some
10.	MR. BAILEY: I mean, I think we could	10.	good stuff coming from that. So now go ahead.
11.	check to see if this could get on this year's	11.	MR. HARTFORD: Okay. I was wondering
12.	agenda, but I kind of doubt it.	12.	about the progress of the committees towards their
13.	CHAIRMAN MORELOCK: Well, it's	13.	goals. Specifically, during the last meeting, there
14.	December, so I understand.	14.	was a committee formed for to develop
15.	MR. BAILEY: Well, you can always	15.	high-pressure operator training, and nobody has
16.	ask.	16.	talked about it. And I was wondering if we could
17.	CHAIRMAN MORELOCK: Okay.	17.	have a status of that mentioned during Board
18.	MR. BAILEY: But I think they're	18.	meetings.
19.	going to say no.	19.	CHAIRMAN MORELOCK: Okay. Who set
20.	CHAIRMAN MORELOCK: Okay. We'll let	20.	that committee up?
21.	you check on that, but we'll plan on it maybe being	21.	MR. HARTFORD: The State inspector.
22.	late next year, and we'll develop a Board case and	22.	I don't know his name.
23.	try to have a draft of that ready in March. I've	23.	MR. BAUGHMAN: It's Jesse (phonetic).
24.	got it pretty much done so I'll just finish it up	24.	MR. ROBINSON: Jesse.
25.	and submit it to the Boiler Unit. Okay?	25.	CHAIRMAN MORELOCK: Jesse?
	Page 134		Page 136
1.	Page 134 All right, Let's see, Okay, So	1.	Page 136 MR. HARTFORD: He was over on the
1. 2.	All right. Let's see. Okay. So	1. 2.	MR. HARTFORD: He was over on the
2.	All right. Let's see. Okay. So that takes us to Item nine, which is rule cases	2.	MR. HARTFORD: He was over on the left side of the room.
2. 3.	All right. Let's see. Okay. So that takes us to Item nine, which is rule cases and interpretations. We are going to just for	1	MR. HARTFORD: He was over on the left side of the room. CHAIRMAN MORELOCK: Okay.
2. 3. 4.	All right. Let's see. Okay. So that takes us to Item nine, which is rule cases and interpretations. We are going to just for information, I do want to say a big thank you,	2. 3. 4.	MR. HARTFORD: He was over on the left side of the room. CHAIRMAN MORELOCK: Okay. MR. BAUGHMAN: I'll address that
2. 3. 4. 5.	All right. Let's see. Okay. So that takes us to Item nine, which is rule cases and interpretations. We are going to just for information, I do want to say a big thank you, again, for the Fall conference. It was very	2. 3. 4. 5.	MR. HARTFORD: He was over on the left side of the room. CHAIRMAN MORELOCK: Okay. MR. BAUGHMAN: I'll address that some. I've been in some communication with Jesse.
2. 3. 4. 5. 6.	All right. Let's see. Okay. So that takes us to Item nine, which is rule cases and interpretations. We are going to just for information, I do want to say a big thank you, again, for the Fall conference. It was very successful.	2. 3. 4. 5. 6.	MR. HARTFORD: He was over on the left side of the room. CHAIRMAN MORELOCK: Okay. MR. BAUGHMAN: I'll address that some. I've been in some communication with Jesse. Both this time of year has been pretty nuts for
2. 3. 4. 5. 6. 7.	All right. Let's see. Okay. So that takes us to Item nine, which is rule cases and interpretations. We are going to just for information, I do want to say a big thank you, again, for the Fall conference. It was very successful. MR. BAUGHMAN: Amen.	2. 3. 4. 5. 6. 7.	MR. HARTFORD: He was over on the left side of the room. CHAIRMAN MORELOCK: Okay. MR. BAUGHMAN: I'll address that some. I've been in some communication with Jesse. Both this time of year has been pretty nuts for all of us in the boiler business. So Jesse and I
2. 3. 4. 5. 6. 7. 8.	All right. Let's see. Okay. So that takes us to Item nine, which is rule cases and interpretations. We are going to just for information, I do want to say a big thank you, again, for the Fall conference. It was very successful. MR. BAUGHMAN: Amen. CHAIRMAN MORELOCK: In the length of	2. 3. 4. 5. 6. 7. 8.	MR. HARTFORD: He was over on the left side of the room. CHAIRMAN MORELOCK: Okay. MR. BAUGHMAN: I'll address that some. I've been in some communication with Jesse. Both this time of year has been pretty nuts for all of us in the boiler business. So Jesse and I have had some very limited conversation in that
2. 3. 4. 5. 6. 7. 8. 9.	All right. Let's see. Okay. So that takes us to Item nine, which is rule cases and interpretations. We are going to just for information, I do want to say a big thank you, again, for the Fall conference. It was very successful. MR. BAUGHMAN: Amen. CHAIRMAN MORELOCK: In the length of time that you had to pull that off, it was actually	2. 3. 4. 5. 6. 7. 8. 9.	MR. HARTFORD: He was over on the left side of the room. CHAIRMAN MORELOCK: Okay. MR. BAUGHMAN: I'll address that some. I've been in some communication with Jesse. Both this time of year has been pretty nuts for all of us in the boiler business. So Jesse and I have had some very limited conversation in that direction, and it's not that we've tabled it, it's
2. 3. 4. 5. 6. 7. 8. 9.	All right. Let's see. Okay. So that takes us to Item nine, which is rule cases and interpretations. We are going to just for information, I do want to say a big thank you, again, for the Fall conference. It was very successful. MR. BAUGHMAN: Amen. CHAIRMAN MORELOCK: In the length of time that you had to pull that off, it was actually astronomically fantastic, because it was done in a	2. 3. 4. 5. 6. 7. 8. 9.	MR. HARTFORD: He was over on the left side of the room. CHAIRMAN MORELOCK: Okay. MR. BAUGHMAN: I'll address that some. I've been in some communication with Jesse. Both this time of year has been pretty nuts for all of us in the boiler business. So Jesse and I have had some very limited conversation in that direction, and it's not that we've tabled it, it's just that with all that's been going on between work
2. 3. 4. 5. 6. 7. 8. 9. 10.	All right. Let's see. Okay. So that takes us to Item nine, which is rule cases and interpretations. We are going to just for information, I do want to say a big thank you, again, for the Fall conference. It was very successful. MR. BAUGHMAN: Amen. CHAIRMAN MORELOCK: In the length of time that you had to pull that off, it was actually astronomically fantastic, because it was done in a very short time. Yes, sir?	2. 3. 4. 5. 6. 7. 8. 9. 10.	MR. HARTFORD: He was over on the left side of the room. CHAIRMAN MORELOCK: Okay. MR. BAUGHMAN: I'll address that some. I've been in some communication with Jesse. Both this time of year has been pretty nuts for all of us in the boiler business. So Jesse and I have had some very limited conversation in that direction, and it's not that we've tabled it, it's just that with all that's been going on between work and family and church and life that it hasn't
2. 3. 4. 5. 6. 7. 8. 9. 10. 11.	All right. Let's see. Okay. So that takes us to Item nine, which is rule cases and interpretations. We are going to just for information, I do want to say a big thank you, again, for the Fall conference. It was very successful. MR. BAUGHMAN: Amen. CHAIRMAN MORELOCK: In the length of time that you had to pull that off, it was actually astronomically fantastic, because it was done in a very short time. Yes, sir? MR. HARTFORD: Mr. Chairman, I had	2. 3. 4. 5. 6. 7. 8. 9. 10. 11.	MR. HARTFORD: He was over on the left side of the room. CHAIRMAN MORELOCK: Okay. MR. BAUGHMAN: I'll address that some. I've been in some communication with Jesse. Both this time of year has been pretty nuts for all of us in the boiler business. So Jesse and I have had some very limited conversation in that direction, and it's not that we've tabled it, it's just that with all that's been going on between work and family and church and life that it hasn't proceeded forward to putting the gas on it real
2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12.	All right. Let's see. Okay. So that takes us to Item nine, which is rule cases and interpretations. We are going to just for information, I do want to say a big thank you, again, for the Fall conference. It was very successful. MR. BAUGHMAN: Amen. CHAIRMAN MORELOCK: In the length of time that you had to pull that off, it was actually astronomically fantastic, because it was done in a very short time. Yes, sir? MR. HARTFORD: Mr. Chairman, I had something I guess it's still under the	2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12.	MR. HARTFORD: He was over on the left side of the room. CHAIRMAN MORELOCK: Okay. MR. BAUGHMAN: I'll address that some. I've been in some communication with Jesse. Both this time of year has been pretty nuts for all of us in the boiler business. So Jesse and I have had some very limited conversation in that direction, and it's not that we've tabled it, it's just that with all that's been going on between work and family and church and life that it hasn't proceeded forward to putting the gas on it real hard. So
2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13.	All right. Let's see. Okay. So that takes us to Item nine, which is rule cases and interpretations. We are going to just for information, I do want to say a big thank you, again, for the Fall conference. It was very successful. MR. BAUGHMAN: Amen. CHAIRMAN MORELOCK: In the length of time that you had to pull that off, it was actually astronomically fantastic, because it was done in a very short time. Yes, sir? MR. HARTFORD: Mr. Chairman, I had something I guess it's still under the discussions that I wanted to bring up. It's not	2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13.	MR. HARTFORD: He was over on the left side of the room. CHAIRMAN MORELOCK: Okay. MR. BAUGHMAN: I'll address that some. I've been in some communication with Jesse. Both this time of year has been pretty nuts for all of us in the boiler business. So Jesse and I have had some very limited conversation in that direction, and it's not that we've tabled it, it's just that with all that's been going on between work and family and church and life that it hasn't proceeded forward to putting the gas on it real hard. So MR. HARTFORD: Okay.
2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14.	All right. Let's see. Okay. So that takes us to Item nine, which is rule cases and interpretations. We are going to just for information, I do want to say a big thank you, again, for the Fall conference. It was very successful. MR. BAUGHMAN: Amen. CHAIRMAN MORELOCK: In the length of time that you had to pull that off, it was actually astronomically fantastic, because it was done in a very short time. Yes, sir? MR. HARTFORD: Mr. Chairman, I had something I guess it's still under the discussions that I wanted to bring up. It's not related to these. It's new business before we move	2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15.	MR. HARTFORD: He was over on the left side of the room. CHAIRMAN MORELOCK: Okay. MR. BAUGHMAN: I'll address that some. I've been in some communication with Jesse. Both this time of year has been pretty nuts for all of us in the boiler business. So Jesse and I have had some very limited conversation in that direction, and it's not that we've tabled it, it's just that with all that's been going on between work and family and church and life that it hasn't proceeded forward to putting the gas on it real hard. So MR. HARTFORD: Okay. MR. BAUGHMAN: that's about as
2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15.	All right. Let's see. Okay. So that takes us to Item nine, which is rule cases and interpretations. We are going to just for information, I do want to say a big thank you, again, for the Fall conference. It was very successful. MR. BAUGHMAN: Amen. CHAIRMAN MORELOCK: In the length of time that you had to pull that off, it was actually astronomically fantastic, because it was done in a very short time. Yes, sir? MR. HARTFORD: Mr. Chairman, I had something I guess it's still under the discussions that I wanted to bring up. It's not related to these. It's new business before we move on to	2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15. 16.	MR. HARTFORD: He was over on the left side of the room. CHAIRMAN MORELOCK: Okay. MR. BAUGHMAN: I'll address that some. I've been in some communication with Jesse. Both this time of year has been pretty nuts for all of us in the boiler business. So Jesse and I have had some very limited conversation in that direction, and it's not that we've tabled it, it's just that with all that's been going on between work and family and church and life that it hasn't proceeded forward to putting the gas on it real hard. So MR. HARTFORD: Okay. MR. BAUGHMAN: that's about as vague of an answer as what I can give you, Chris.
2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15. 16.	All right. Let's see. Okay. So that takes us to Item nine, which is rule cases and interpretations. We are going to just for information, I do want to say a big thank you, again, for the Fall conference. It was very successful. MR. BAUGHMAN: Amen. CHAIRMAN MORELOCK: In the length of time that you had to pull that off, it was actually astronomically fantastic, because it was done in a very short time. Yes, sir? MR. HARTFORD: Mr. Chairman, I had something I guess it's still under the discussions that I wanted to bring up. It's not related to these. It's new business before we move on to CHAIRMAN MORELOCK: Sure.	2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15. 16.	MR. HARTFORD: He was over on the left side of the room. CHAIRMAN MORELOCK: Okay. MR. BAUGHMAN: I'll address that some. I've been in some communication with Jesse. Both this time of year has been pretty nuts for all of us in the boiler business. So Jesse and I have had some very limited conversation in that direction, and it's not that we've tabled it, it's just that with all that's been going on between work and family and church and life that it hasn't proceeded forward to putting the gas on it real hard. So MR. HARTFORD: Okay. MR. BAUGHMAN: that's about as vague of an answer as what I can give you, Chris. MR. HARTFORD: Okay. We were kind of
2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15. 16. 17.	All right. Let's see. Okay. So that takes us to Item nine, which is rule cases and interpretations. We are going to just for information, I do want to say a big thank you, again, for the Fall conference. It was very successful. MR. BAUGHMAN: Amen. CHAIRMAN MORELOCK: In the length of time that you had to pull that off, it was actually astronomically fantastic, because it was done in a very short time. Yes, sir? MR. HARTFORD: Mr. Chairman, I had something I guess it's still under the discussions that I wanted to bring up. It's not related to these. It's new business before we move on to CHAIRMAN MORELOCK: Sure. MR. HARTFORD: nine, ten.	2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15. 16. 17. 18.	MR. HARTFORD: He was over on the left side of the room. CHAIRMAN MORELOCK: Okay. MR. BAUGHMAN: I'll address that some. I've been in some communication with Jesse. Both this time of year has been pretty nuts for all of us in the boiler business. So Jesse and I have had some very limited conversation in that direction, and it's not that we've tabled it, it's just that with all that's been going on between work and family and church and life that it hasn't proceeded forward to putting the gas on it real hard. So MR. HARTFORD: Okay. MR. BAUGHMAN: that's about as vague of an answer as what I can give you, Chris. MR. HARTFORD: Okay. We were kind of wondering who was even forming who was this
2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15. 16. 17.	All right. Let's see. Okay. So that takes us to Item nine, which is rule cases and interpretations. We are going to just for information, I do want to say a big thank you, again, for the Fall conference. It was very successful. MR. BAUGHMAN: Amen. CHAIRMAN MORELOCK: In the length of time that you had to pull that off, it was actually astronomically fantastic, because it was done in a very short time. Yes, sir? MR. HARTFORD: Mr. Chairman, I had something I guess it's still under the discussions that I wanted to bring up. It's not related to these. It's new business before we move on to CHAIRMAN MORELOCK: Sure. MR. HARTFORD: nine, ten. CHAIRMAN MORELOCK: Yeah. Let me	2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15. 16. 17.	MR. HARTFORD: He was over on the left side of the room. CHAIRMAN MORELOCK: Okay. MR. BAUGHMAN: I'll address that some. I've been in some communication with Jesse. Both this time of year has been pretty nuts for all of us in the boiler business. So Jesse and I have had some very limited conversation in that direction, and it's not that we've tabled it, it's just that with all that's been going on between work and family and church and life that it hasn't proceeded forward to putting the gas on it real hard. So MR. HARTFORD: Okay. MR. BAUGHMAN: that's about as vague of an answer as what I can give you, Chris. MR. HARTFORD: Okay. We were kind of wondering who was even forming who was this committee was composed of. Like, I know nobody from
2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15. 16. 17. 18.	All right. Let's see. Okay. So that takes us to Item nine, which is rule cases and interpretations. We are going to just for information, I do want to say a big thank you, again, for the Fall conference. It was very successful. MR. BAUGHMAN: Amen. CHAIRMAN MORELOCK: In the length of time that you had to pull that off, it was actually astronomically fantastic, because it was done in a very short time. Yes, sir? MR. HARTFORD: Mr. Chairman, I had something I guess it's still under the discussions that I wanted to bring up. It's not related to these. It's new business before we move on to CHAIRMAN MORELOCK: Sure. MR. HARTFORD: nine, ten. CHAIRMAN MORELOCK: Yeah. Let me finish this and we'll	2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15. 16. 17. 18. 19. 20.	MR. HARTFORD: He was over on the left side of the room. CHAIRMAN MORELOCK: Okay. MR. BAUGHMAN: I'll address that some. I've been in some communication with Jesse. Both this time of year has been pretty nuts for all of us in the boiler business. So Jesse and I have had some very limited conversation in that direction, and it's not that we've tabled it, it's just that with all that's been going on between work and family and church and life that it hasn't proceeded forward to putting the gas on it real hard. So MR. HARTFORD: Okay. MR. BAUGHMAN: that's about as vague of an answer as what I can give you, Chris. MR. HARTFORD: Okay. We were kind of wondering who was even forming who was this committee was composed of. Like, I know nobody from our company got even contacted about any inputs.
2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15. 16. 17. 18. 19. 20. 21.	All right. Let's see. Okay. So that takes us to Item nine, which is rule cases and interpretations. We are going to just for information, I do want to say a big thank you, again, for the Fall conference. It was very successful. MR. BAUGHMAN: Amen. CHAIRMAN MORELOCK: In the length of time that you had to pull that off, it was actually astronomically fantastic, because it was done in a very short time. Yes, sir? MR. HARTFORD: Mr. Chairman, I had something I guess it's still under the discussions that I wanted to bring up. It's not related to these. It's new business before we move on to CHAIRMAN MORELOCK: Sure. MR. HARTFORD: nine, ten. CHAIRMAN MORELOCK: Yeah. Let me finish this and we'll MR. HARTFORD: Okay.	2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15. 16. 17. 18. 19. 20. 21.	MR. HARTFORD: He was over on the left side of the room. CHAIRMAN MORELOCK: Okay. MR. BAUGHMAN: I'll address that some. I've been in some communication with Jesse. Both this time of year has been pretty nuts for all of us in the boiler business. So Jesse and I have had some very limited conversation in that direction, and it's not that we've tabled it, it's just that with all that's been going on between work and family and church and life that it hasn't proceeded forward to putting the gas on it real hard. So MR. HARTFORD: Okay. MR. BAUGHMAN: that's about as vague of an answer as what I can give you, Chris. MR. HARTFORD: Okay. We were kind of wondering who was even forming who was this committee was composed of. Like, I know nobody from our company got even contacted about any inputs. MR. BAUGHMAN: That's what Jesse and
2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15. 16. 17. 18. 19. 20. 21. 22.	All right. Let's see. Okay. So that takes us to Item nine, which is rule cases and interpretations. We are going to just for information, I do want to say a big thank you, again, for the Fall conference. It was very successful. MR. BAUGHMAN: Amen. CHAIRMAN MORELOCK: In the length of time that you had to pull that off, it was actually astronomically fantastic, because it was done in a very short time. Yes, sir? MR. HARTFORD: Mr. Chairman, I had something I guess it's still under the discussions that I wanted to bring up. It's not related to these. It's new business before we move on to CHAIRMAN MORELOCK: Sure. MR. HARTFORD: nine, ten. CHAIRMAN MORELOCK: Yeah. Let me finish this and we'll MR. HARTFORD: Okay. CHAIRMAN MORELOCK: let you speak	2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15. 16. 17. 18. 19. 20. 21. 22.	MR. HARTFORD: He was over on the left side of the room. CHAIRMAN MORELOCK: Okay. MR. BAUGHMAN: I'll address that some. I've been in some communication with Jesse. Both this time of year has been pretty nuts for all of us in the boiler business. So Jesse and I have had some very limited conversation in that direction, and it's not that we've tabled it, it's just that with all that's been going on between work and family and church and life that it hasn't proceeded forward to putting the gas on it real hard. So MR. HARTFORD: Okay. MR. BAUGHMAN: that's about as vague of an answer as what I can give you, Chris. MR. HARTFORD: Okay. We were kind of wondering who was even forming who was this committee was composed of. Like, I know nobody from our company got even contacted about any inputs. MR. BAUGHMAN: That's what Jesse and I have started talking about.
2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15. 16. 17. 20. 21. 22. 23.	All right. Let's see. Okay. So that takes us to Item nine, which is rule cases and interpretations. We are going to just for information, I do want to say a big thank you, again, for the Fall conference. It was very successful. MR. BAUGHMAN: Amen. CHAIRMAN MORELOCK: In the length of time that you had to pull that off, it was actually astronomically fantastic, because it was done in a very short time. Yes, sir? MR. HARTFORD: Mr. Chairman, I had something I guess it's still under the discussions that I wanted to bring up. It's not related to these. It's new business before we move on to CHAIRMAN MORELOCK: Sure. MR. HARTFORD: nine, ten. CHAIRMAN MORELOCK: Yeah. Let me finish this and we'll MR. HARTFORD: Okay. CHAIRMAN MORELOCK: let you speak to that.	2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15. 16. 17. 18. 19. 20. 21. 22. 23.	MR. HARTFORD: He was over on the left side of the room. CHAIRMAN MORELOCK: Okay. MR. BAUGHMAN: I'll address that some. I've been in some communication with Jesse. Both this time of year has been pretty nuts for all of us in the boiler business. So Jesse and I have had some very limited conversation in that direction, and it's not that we've tabled it, it's just that with all that's been going on between work and family and church and life that it hasn't proceeded forward to putting the gas on it real hard. So MR. HARTFORD: Okay. MR. BAUGHMAN: that's about as vague of an answer as what I can give you, Chris. MR. HARTFORD: Okay. We were kind of wondering who was even forming who was this committee was composed of. Like, I know nobody from our company got even contacted about any inputs. MR. BAUGHMAN: That's what Jesse and I have started talking about. MR. HARTFORD: Okay.
2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15. 16. 17. 18. 19. 20. 21. 22. 23. 24.	All right. Let's see. Okay. So that takes us to Item nine, which is rule cases and interpretations. We are going to just for information, I do want to say a big thank you, again, for the Fall conference. It was very successful. MR. BAUGHMAN: Amen. CHAIRMAN MORELOCK: In the length of time that you had to pull that off, it was actually astronomically fantastic, because it was done in a very short time. Yes, sir? MR. HARTFORD: Mr. Chairman, I had something I guess it's still under the discussions that I wanted to bring up. It's not related to these. It's new business before we move on to CHAIRMAN MORELOCK: Sure. MR. HARTFORD: nine, ten. CHAIRMAN MORELOCK: Yeah. Let me finish this and we'll MR. HARTFORD: Okay. CHAIRMAN MORELOCK: let you speak to that. But what I wanted to say is there was	2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15. 16. 17. 18. 19. 20. 21. 22. 23. 24.	MR. HARTFORD: He was over on the left side of the room. CHAIRMAN MORELOCK: Okay. MR. BAUGHMAN: I'll address that some. I've been in some communication with Jesse. Both this time of year has been pretty nuts for all of us in the boiler business. So Jesse and I have had some very limited conversation in that direction, and it's not that we've tabled it, it's just that with all that's been going on between work and family and church and life that it hasn't proceeded forward to putting the gas on it real hard. So MR. HARTFORD: Okay. MR. BAUGHMAN: that's about as vague of an answer as what I can give you, Chris. MR. HARTFORD: Okay. We were kind of wondering who was even forming who was this committee was composed of. Like, I know nobody from our company got even contacted about any inputs. MR. BAUGHMAN: That's what Jesse and I have started talking about. MR. HARTFORD: Okay. MR. BAUGHMAN: He brought it up. We
2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15. 16. 17. 20. 21. 22. 23.	All right. Let's see. Okay. So that takes us to Item nine, which is rule cases and interpretations. We are going to just for information, I do want to say a big thank you, again, for the Fall conference. It was very successful. MR. BAUGHMAN: Amen. CHAIRMAN MORELOCK: In the length of time that you had to pull that off, it was actually astronomically fantastic, because it was done in a very short time. Yes, sir? MR. HARTFORD: Mr. Chairman, I had something I guess it's still under the discussions that I wanted to bring up. It's not related to these. It's new business before we move on to CHAIRMAN MORELOCK: Sure. MR. HARTFORD: nine, ten. CHAIRMAN MORELOCK: Yeah. Let me finish this and we'll MR. HARTFORD: Okay. CHAIRMAN MORELOCK: let you speak to that.	2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15. 16. 17. 18. 19. 20. 21. 22. 23.	MR. HARTFORD: He was over on the left side of the room. CHAIRMAN MORELOCK: Okay. MR. BAUGHMAN: I'll address that some. I've been in some communication with Jesse. Both this time of year has been pretty nuts for all of us in the boiler business. So Jesse and I have had some very limited conversation in that direction, and it's not that we've tabled it, it's just that with all that's been going on between work and family and church and life that it hasn't proceeded forward to putting the gas on it real hard. So MR. HARTFORD: Okay. MR. BAUGHMAN: that's about as vague of an answer as what I can give you, Chris. MR. HARTFORD: Okay. We were kind of wondering who was even forming who was this committee was composed of. Like, I know nobody from our company got even contacted about any inputs. MR. BAUGHMAN: That's what Jesse and I have started talking about. MR. HARTFORD: Okay.

	Page 137	1	Page 13
1.	present here, but we talked about who to get on	1.	MR. HARGROVE: It was recommended.
2.	board with it and who's interested. And if there's	2.	CHAIRMAN MORELOCK: It was
3.	an interest in getting somebody from both the	3.	recommended. But that was a conversation that
4.	insurance side and the boiler inspector side, we	4.	was was that on Friday after the
5.	don't want to overload this committee by any extent,	5.	MR. HARTFORD: No, no, that was
5.	but we do want to have enough of a good input across	6.	during
7.	a wide variable of people to bring things to the	7.	MR. HARGROVE: No.
3.	table.	8.	MR. BAUGHMAN: No, it was during the
9.	So yeah, I would say if there's an	9.	Board meeting itself.
).	interest, identify it with both myself and/or	10.	MR. HARGROVE: That was during the
	Jesse and we'll proceed forward with that. But	11.	meeting.
2.	hopefully, we'll have more communication to bring	12.	CHAIRMAN MORELOCK: Yeah. That
3.	in March to be able to give some more traction to	13.	was but that was a discussion item.
/. .	it and have some more information.	14.	MR. BAUGHMAN: Yes.
j.	MR. ROBINSON: This was specifically	15.	MR. ROBINSON: It was a discussion.
,. j.	for boiler qualification?	16.	CHAIRMAN MORELOCK: And Jesse took
,. 7.	MR. BAUGHMAN: Well, it was	17.	that on to lead it, but we've not seen a charter;
3.	specifically addressing training in multiple facets.	18.	we've not seen a scope. So
).).	That is, we talked about setting up some minimum	19.	MR. HARTFORD: Okay.
,.).	training requirements, not so much certifications,	20.	CHAIRMAN MORELOCK: we can't
). L.	but minimum training requirements for people	20.	endorse it until we see what we're endorsing.
2.		22.	MR. HARTFORD: Okay.
	operating boilers. And it wouldn't necessarily be just defined to high pressure. So we didn't want to	23.	MS. JEFFERSON: And also, another
3. 1	limit it to that, but then the further discussion	24.	thing, since it was recommended, I do want to I
1. 5.	went, as discussions sometimes do within boiler	25.	_
٠.	went, as discussions sometimes do within boner	23.	think it would be a good idea, I need to get Dan
	Page 138	+	Page 1
1.	guys, is that it went off to those companies that	1.	involved in this, as well as the Commissioner, just
2.	are installing boilers, the qualifications or lack	2.	to make sure this is the Department's
3.	of qualifications that exist presently, and then	3.	CHAIRMAN MORELOCK: Right.
4.	also extending that over to the training of boiler	4.	MS. JEFFERSON: what they want to
5.	inspectors and being able to have all these facets,	5.	do. We can't have Jesse acting on behalf of the
5.	the people that are installing the boilers, the	6.	Department when it hasn't
7.	people that are operating the boilers, and those	7.	CHAIRMAN MORELOCK: Right. Right.
3.	people that are inspecting the boilers. So trying	8.	MS. JEFFERSON: the Commissioner
).	to get these facets together but not taking off such	9.	hasn't signed off or reviewed it.
).	a big bite right on the front end. But when we talk	10.	CHAIRMAN MORELOCK: Right. Well,
١.	about training, it encompasses so much within our	11.	that's what I'm saying. We need a scope a
2.	industry. So we wanted to kind of narrow that down	12.	charter and a scope. And so once you Dave, why
3.	and take boiler operators first. So	13.	don't you and Jesse get that developed? Let's put
ļ.	MR. HARTFORD: Sure.	14.	that on the March agenda, and it'll depend on what
5.	CHAIRMAN MORELOCK: Yes, sir.	15.	stage you're at if it's a discussion item or and
ó.	MR. TOTH: Who would be the governing	16.	we really need you all's input to see if it's even
7.	body of this so-called committee and who authorized	17.	going to be a voted action or not really.
3.	this committee to be formed?	18.	MR. BAUGHMAN: And would it be good
).).	MR. HARTFORD: It was formed last	19.	to have that and I'm sure it'll be a discussion
).	Boiler Board meeting. And then	20.	item at that point, because this isn't anything
	MR. TOTH: So it was formed by this	21.	that's going to happen just quickly. It's going to
2.	body	22.	take a lot of input from a lot of people. But
3.	MR. HARTFORD: Yes.	23.	definitely need the input of legal on the
). 1.	MR. TOTH: at the last Boiler	24.	development of this, on whether or not it is the
+. 5.	Board meeting? Mr. Chairman?	25.	direction to go in. So because we sure don't
	Dourd meeting: wir. Chairman:	123.	direction to go in. 50 because we sufe don't
٠.		1	

	Page 141			Page 143
1.	want to spin our wheels and say, hey, we really	1.	CERTIFICATE	
2.	think that boiler training is needed in our	2.		
3.	industry. Although, we think it is. We bring		STATE OF TENNESSEE)	
4.	some of us bring blinders to the table. And so we	3.	COUNTY OF WILLIAMSON	
5.	want to make sure that everybody's in accord with	4.	COUNTY OF WILLIAMSON)	
6.	it.	5.		
7.	CHAIRMAN MORELOCK: Are you good with	6.	I, Dominique A. Dubois LCR# 686, Notary	
8.	that?	7.	Public and Court Reporter, do hereby certify that I	
9.	MR. HARTFORD: Yes.	8.	have recorded to the best of my skill and ability	
10.	CHAIRMAN MORELOCK: Okay. Good.	9.	by machine shorthand all the proceedings in the	
11.	Just want to make sure. All right. Any more	10.	foregoing transcript, and that said transcript is a	
12.	comments about that? All right. Anything any	11.	true, accurate, and complete transcript to the best of my ability.	
13.	other discussion items we've not addressed? Okay.	13.	I further certify that I am not an attorney	
14.	All right. Moving on to the next	14.	or counsel of any of the parties, nor a relative or	
15.	Board of Boiler Rules Meeting is scheduled for	15.	employee of any attorney or counsel connected with	
16.	March the 15th, located here, and my next item is	16.	the action, nor financially interested in the	
17.	11, which is adjournment. So before I adjourn, I	17.	action.	
18.	want to wish everybody a Merry Christmas. Happy	18.	SIGNED this 20th day of January, 2017.	
19.	New Year. I do want to thank the Boiler Unit and	19.		
20.	I want to thank our administrator and Dan for his	20.		
21.	legal advice and Deborah for all the things that	21.	Dominique A. Dubois, LCR# 686	
$\begin{vmatrix} 21. \\ 22. \end{vmatrix}$	she did for the Fall conference and Carlene for		Notary Public State at Large	
23.	putting up with all of our questions and requests	22.	My commission expires: 8/9/2018	
24.	for copies and agendas and all that stuff. And	23.		
25.	just, it means a lot to we've all worked really	24.		
25.	just, it means a lot to we ve an worked really	25.		
	Page 142			
1.	well together in 2016, and I hope we continue that			
2.	in 2017.			
3.	And so with that, do I have a motion			
4.	to adjourn?			
5.	MR. PISCHKE: So moved.			
6.	CHAIRMAN MORELOCK: All right.			
7.	Second?			
8.	MR. BAUGHMAN: Second.			
9.	CHAIRMAN MORELOCK: All right.			
10.	Everybody vote by with their feet. You can stand			
11.	up and leave.			
12.	END OF PROCEEDINGS.			
13.	END OF TROCEEDINGS.			
14.				
15.				
16.				
17.				
18.				
19.				
20.				
20.				
22.				
23.				
24.				
25.				
. / 1		1		

	20 0 21 10 22 21		106110611	20 27 20 27 74 44
A	30:8 31:19 32:24	advance 113:11	106:1 106:14	38:25 38:25 54:14
a1 62:12	34:20 35:4 37:14	advice 19:9 141:21	106:16	132:23
	42:1 42:17 55:4	advise 121:9	alarms 40:11	alrighty 118:22
abided 19:18	56:7 56:9 82:8	after 52:15 59:19	alert 13:11 37:14	alter 90:20 91:6
abides 104:25	88:20 91:17 98:14	60:18 75:6 139:4	alerted 35:6	alternate 94:1
abilities 31:21	112:5 113:22 114:6	arter war as solis	all 9:4 9:6 10:7 10:13	always 66:21 84:1
ability 40:9 46:5	118:11 121:24	again 8:20 23:25	11:24 13:3 16:11	133:15
117:10 143:8	128:3 128:23	37:15 45:16 52:3	16:23 19:8 20:8	amen 134:7
143:12	130:23 132:16	52:19 54:23 55:11	22:25 28:2 39:10	america 12:1
able 71:13 85:9	134:9	59:19 61:19 62:22	42:12 44:6 45:14	among 65:21
93:18 101:8 128:5	add 11:2 11:8 51:9	64:7 65:23 77:3	46:5 47:11 49:1	amp 120:23 121:20
129:7 137:13 138:5	1	80:3 84:20 85:2	51:2 51:13 51:16	121:24 122:6
above 2:1 77:5	62:19 64:12 80:8	85:3 86:4 89:13	52:25 53:1 53:11	122:15 132:9
absolutely 19:14	95:7 95:10 133:5	91:3 91:11 92:3	53:12 54:15 55:20	ani 127:4 127:7
49:23 59:2 102:14	added 11:3 11:4	92:9 106:6 134:5	58:10 58:16 59:4	annotate 62:8
107:13 107:22	63:11 63:23 71:12	against 125:8	59:6 59:8 60:5 60:7	annotated 81:8
abstain 18:3	72:1 76:6 78:18	age 30:22 63:25	61:9 65:19 65:24	120:19 124:16
abstentions 9:12	78:24 114:13	agency 111:18	67:12 67:25 69:20	130:23
58:16 108:21	adding 17:16 44:24 addition 11:5 55:21	agenda 4:1 4:5 6:6	73:9 73:20 75:23	annotation 97:12
academia 19:21		6:12 8:21 8:24 9:4	76:1 76:8 81:2	announcements 4:3
accept 115:2	58:21 61:6 68:2	9:13 12:6 109:13	82:14 85:16 87:23	annual 4:4 16:24
acceptance 109:2	74:6 76:3 78:15	123:14 127:23	88:8 89:10 95:9	51:1 52:10 62:6
access 15:4 89:19	84:9 88:6	128:1 133:12	95:21 98:17 101:3	62:9 84:11
90:2 90:7 90:19	additional 63:23	140:14	105:22 106:13	annul 129:4 133:8
91:2	additions 9:4 61:17	agendas 141:24	108:1 108:13	133:9
accessible 84:2	64:22	ago 20:16 31:4	108:15 109:4 110:7 111:1 111:3 113:5	annulled 128:24
accommodate 38:7	address 15:12 23:13	117.10	113:8 113:25 114:9	annunciation 32:1
accord 141:5	35:5 42:22 66:19	agree 21:1 95:12	113.8 113.23 114.9	35:8 00:1 102:22
accordance 94:13	67:8 79:17 101:8	97:6 97:7 100:23	114:10 114:17	another 63:12 71:9
119:11	101:14 103:9 104:14 136:4	102:15 104:24	116:24 117:13	84:21 102:20
according 104:1	addressed 54:13 61:	105:10 106:23	120:12 125:24	105:19 112:5
accurate 71:1 143:11		100.23 107.13	127:10 127:20	139:23
accurately 71:25	62:13 63:8 91:11	110:16 110:17	131:12 132:7 132:7	answer 12:17 13:13
acknowledgment 4:4	101:21 141:13	116:8	100 1 100 0 100 5	22:24 /2:23 //:3
across 30:23 137:6	addressing 61:23 101:16 137:18	agreed 19:17 107:24	134:1 135:4 135:7	81:3 117:8 136:16
acting 101:11 135:9	adds 25:20	ahead 6:16 7:23	135:8 136:7 136:10	answered 67:16
140:5		16:17 27:14 31:22	120.5 140.16	anybody 13:22 46:14
action 11:23 15:9	adjourn 141:17 142:4	34:11 48:19 55:25	141.11 141.12	49:24 90:14 115:5
85:22 86:2 86:11	adjanument 5.0	98:24 105:22 122:9	141:14 141:21	anymore 110:20
105:24 110:8 129:2	141:17	135:10	141:23 141:24	anyone 52:20
140:17 143:16	administered 120:24	ahold 46:19	141.25 142.6 142.0	anything 15:13 29:1
143:17	121:12 122:13	41 20:10 20:11 20:1	1/3.0	30:23 32:12 57:14
actions 88:8 133:6	121.12 122.13	126:8 127:4 127:6	allow 66:12 103:15	75:24 76:25 82:18
activate 38:23	administering 112:3	alarm 36:11 36:23	131:12 131:25	86:13 101:2 107:25
activated 39:11	administering 112:3	0 0 1 1 2 7 1 0 0 7 1 1 2	allowable 119:9	140:20 141:12
activities 112:2	administrative 88:4	41:13 41:14 41:21	allarmad 122.22	anyway 116:18
acts 43:7		46:3 55:8 66:5 67:5	allowing 59:17	anywhere 31:25 44:1
actual 75:2 79:23	7:19 121:8 141:20	67:9 68:12 100:1	along 75:14	48:13
81:5 91:4	adopt 8:23	100:6 100:10	already 15:10 36:14	apologize 61:19
actually 24:4 28:22	adoption 4:5	102:22 105:23		93:16 118:25

appear 60:20 61:7	128:22	71:8 71:23 74:10	78:9 78:17 78:22	69:15 69:25 71:6
appearance 18:12	aspect 72:8	74:12 76:11 77:24	79:3 79:6 79:25	72:13 74:3 100:6
19:15 22:19 30:9	assign 24:11	83:4 92:10 93:17	80:9 80:25 81:14	102:4 112:22
60:4	assigned 51:18 55:9	93:19 98:2 103:15	81:17 81:20 82:1	118:12 131:13
appears 18:12	84:8 87:19 87:24	103:20 106:6	82:19 82:25 83:3	132:1 134:15
appendices 90:18	assistant 3:10	111:11 116:12	83:23 84:4 86:24	141:17
appendix 61:12	associated 24:6 31:1	background 88:3	87:3 87:9 87:12	beforehand 59:3
62:11 65:15 65:23	31:7	130:5	87:16 87:21 88:11	began 71:10
68:18 91:13 92:17	assurance 33:15	backup 63:22 68:11	88:16 89:9 98:2	begin 6:23
96:9 96:10 96:14	assure 24:5	bad 71:21 106:25	98:19 98:25 99:2	behalf 14:3 140:5
97:15	astronomically	bailey 3:12 7:20 7:20		behind 88:23 89:1
applies 66:23	134:10	17:22 18:5 18:8	99:17 99:20 101:15	/ 1./
apply 129:11	athens 12:10	18:15 18:19 18:22	101:18 102:8	being 23:17 45:19
appreciate 27:13	atmosphere 33:24	19:6 19:7 19:11	102:10 102:13	54:1 63:10 63:19
73:25 76:19 109:1	attacks 31:8	19:13 20:3 20:5	102:17 103:22	64:1 70:2 70:17
appreciated 79:22	attendance 6:9 6:11	73:11 119:14	104:7 104:13	77:18 79:17 83:13
approach 121:7	103:5 103:19	119:18 119:20	104:21 104:24	83:16 83:18 85:24
appropriate 17:24	attendant 25:8 26:10	119:22 119:25	105:4 106:20 107:5 107:8 107:11	07.22 70.7 70.10
72:18 78:3 92:1	41:1 41:4 44:1	120:5 120:15 121:8	107:8 107:11 107:23 108:17	94:21 100:16 102:4
96:22 126:24	50:12 54:16 91:22	123:10 123:18	110:2 110:12	103:24 103:25
approval 63:14	93:15 94:1 94:10	124:11 124:17	110.2 110.12	104:5 105:19 129:9
63:19 74:9 78:13	95:4 100:2 100:5	127:21 127:25		133:21 138:5
116:25	attendants 91:15	128:6 128:8 133:10	116:22 134:7	believe 21:6 23:21
approve 57:24 57:25		133:15 133:18	135:23 136:4	31:5 72:1 87:14
58:1	attendees 6:20	based 15:3 57:22	136:15 136:21	88:19 88:21 90:2
approved 4:21 9:12	attention 72:12	64:21 69:19 70:24 71:22 74:22 85:22	136:24 137:17	91:3 94:9 102:6
30:9 30:9 58:17	79:18	118:16 129:8	139:8 139:14	117:21 117:25
60:11 63:7 70:14	attorney 143:13	129:18	140:18 142:8	118:3 believes 56:4
73:12 73:14 80:14	143:15	basement 31:14	becoming 14:11	
80:18 108:22 113:9	5.5.5 E 5 C 5 C	basically 15:6 47:1	been 20:6 20:15 22:8	bell 106:4 below 122:8
116:7 120:12 122:2	addiolized 150.17	114:23	22:8 22:11 25:24	bennett 3:13 7:2 7:2
122:3	available 6:14 21:2	basis 16:25 51:1 62:6		59:15 110:9 110:21
aptitude 52:21	46:3 79:14 84:2	84:11 85:18	46:9 49:13 49:24	110:24 113:13
arduous 121:5	aware 22:6 49:16	bat 111:24	52:20 60:11 62:4	beside 28:17
area 32:4 34:23	60:18	baughman 3:5 7:14	62:9 63:6 63:14	best 20:20 64:19
areas 24:7 61:4	away 54:16 82:17	7:14 9:2 9:7 13:1	63:15 63:17 64:8	77:16 121:9 143:8
around 29:16 34:21	awful 73:8	17:8 20:10 21:8	64:8 64:9 66:6 67:3	143:11
44:5 46:24 64:23	awry 85:22	34:10 34:12 34:18	69:13 69:21 70:9	better 62:25
85:10 110:15 128:4	ang control of the state of the	34:22 45:23 47:3	70:16 71:2 71:11	between 54:21 57:5
arrangement 78:16	9:10 58:11 58:12	17·8 17·11 17·13	72:6 77:20 77:25	65:17 102:25
arrangements 64:6	58:13 58:14 108:15	47:17 48:1 48:10	78:14 82:12 85:13	106:21 126:6
arrive 12:8	108:16 108:17	48:16 55:22 55:24	88:12 89:17 93:18	134:25 136:10
aside 43:3	108:18 108:19	56:1 56:15 56:18	105:21 109:3	big 99:21 134:4
ask 9:14 11:16 14:13	B	56:22 65:3 69:4	110:17 121:13	138·10
27:23 32:25 64:20	back 6:13 10:3 15:19	60.11 60.19 70.1	131:24 136:5 136:6	bit 22:17 42:17 48:21
72:18 105:5 128:4		70:4 70:6 70:8	136:10	63:3 130:5 133:2
133:16	16:4 30:10 30:21 31:2 40:1 44:20	70:15 70:21 71:4	before 1:12 2:3 6:5	bite 138:10
asked 72:13	44:23 46:8 48:8	72:21 72:24 73:3	8:21 15:13 16:22	blanket 76:5
asking 87:22	49:15 51:11 68:9	73:19 73:24 77:12	19:23 48:11 58:24	bli 93:25
asme 119:11 128:19	+ 7.13 31.11 00.7		59:18 60:20 69:8	~

blinders 141:4	3:8 3:10 3:17 3:22	102:7 102:25 103:3	brought 31:12 69:8	37:11 68:12 71:3
block 93:9 93:11	3:23 4:6 4:19 5:4	103:4 103:5 103:15		
93:13	6:4 7:16 8:1 8:17	103:17 103:18	buckman 59:9 60:2	117:6 118:16 121:
blow 86:8	8:18 10:21 10:25	103:19 103:24	76:20 86:25 88:7	128:22 128:24
blowdown 95:8	15:13 15:22 17:20	104:12 104:17	88:7	129:1 129:4 129:9
board 1:10 2:3 3:4	19:21 20:25 22:16	105:1 111:5 111:6	build 25:4 25:14	129:18 133:4 133:
3:5 3:7 3:8 3:13	23:18 24:6 24:17	111:16 111:17	35:14	133:22
4:21 4:21 4:22 5:1	25:7 26:10 30:24	116:7 120:9 125:5	building 5:6 6:21	cases 5:2 46:15 129:
5:4 6:3 6:6 7:2 7:9	31:1 31:18 35:16	128:18 133:25	6:21 29:16 30:16	129:8 134:2 135:3
7:11 7:13 7:14 9:20	35:23 35:25 36:4	135:1 135:2 136:7	31:13 31:24 40:8	catastrophic 31:17
11:1 14:3 14:7	36:14 36:17 36:23	137:4 137:16	bullet 124:7 124:15	catch 120:14
17:11 18:25 19:23	38:13 38:23 38:24	137:25 138:4	burner 65:16	caught 22:19 23:4
19:25 21:10 23:14	38:25 39:13 40:9	138:13 138:20	business 4:7 4:9	75:23
42:11 59:17 60:20	40:16 40:21 41:1	138:24 141:2	11:14 11:14 11:15	cause 2:1 66:9 66:10
62:16 63:8 69:8	41:4 41:4 41:17	141:15 141:19	134:15 136:7	67:9 99:13 100:6
69:25 72:9 74:5	42:3 43:25 44:2	boilers 13:7 15:10	button 56:5	caused 60:15 101:1
78:8 91:19 93:17	44:10 46:4 46:7	21:21 22:21 24:25		cautioned 80:10
109:1 109:19 111:1	47:21 50:11 56:3	25:1 28:13 31:9	C	cell 9:15 35:4 35:5
111:8 111:16	56:6 56:11 56:19	31:14 32:4 35:22	cable 102:25	37:14 44:22 68:21
111:17 112:4 112:7		47:2 47:6 54:21	calculation 119:2	cellular 14:21 15:7
113:4 113:10 114:7		62:12 63:4 66:20	call 4:2 6:17 9:5 42:2	
114:21 114:25	63:11 63:13 63:17	78:23 90:21 92:8	46:16 58:10 79:8	certain 12:3
115:1 115:18	63:22 63:24 64:1	104:6 137:22 138:2	79:9 79:12 79:12	certain 12.3
116:13 116:23	64:3 64:3 64:7	138:6 138:7 138:8	79:16 79:19 79:23	certainly 18.12
117:9 117:9 118:5	64:12 65:17 65:20	boisco 3:17 8:2	80:1 80:10 80:21	
118:10 118:16	65:22 66:3 66:6	book 116:24 117:17	83:16 108:14	certification 49:12
120:20 120:25	66:7 66:7 66:8	129:1	called 16:22 47:19	49:16
121:1 121:6 121:9	66:12 66:13 66:16	botched 73:16	48:13 54:16 138:17	certifications 137:20
122:11 122:13	66:17 66:18 66:23	both 90:9 128:19	came 2:1 48:11 71:6	certifica 0> 00.20
122:18 122:21	67:1 67:3 67:4 67:7			certify 1 13.7 1 13.13
122:23 123:15	67:10 67:11 67:20	bothersome 74:1	candor 73:25	chain 24:15
123:17 123:23	68:1 68:7 68:8	bottom 85:19 123:13		chair 7:11 72:13
124:8 124:10	68:12 71:12 71:25	bounds 20:12	68:9 101:2	chairman 1:12 3:3
124:20 124:22	74:7 76:9 76:15	break 36:13 56:13	l	6:2 7:10 7:22 8:20
124:23 125:8 126:1	76:25 77:5 77:6	109:5	capability 17:11	8:25 9:3 9:11 10:1
127:3 128:19 129:1	78:15 78:18 79:1	brian 1:12 3:3 7:10	capacity 33:7 63:23	10:7 10:11 11:10
129:4 129:7 129:8	79:9 81:6 82:3 83:7	12:22 40:2 92:19	64:5 79:1 97:20	12:19 12:24 13:2
129:17 129:18	83:7 83:19 83:21	107:23 110:3	capital 120:23	13:15 13:18 13:21
129:24 130:9	84:20 85:23 86:3	113:18	captured 45:19	14:1 16:1 16:14
130:17 131:5	86:20 87:24 90:3	bright 95:18	71:25 107:20 108:3	10.10 17.0 17.22
131:13 132:10	91:14 91:17 91:22	bring 72:12 77:8	car 101:9	17:25 18:6 18:14
133:4 133:8 133:22		103:23 111:10	card 132:10 132:16	18:18 18:20 18:22
135:1 135:3 135:3	93:9 93:14 93:15	112:10 134:14	care 30:11 95:20	18:24 19:10 19:12
135:17 137:2	94:1 94:2 94:5	137:7 137:12 141:3	97:12	19:16 20:4 20:8
138:20 138:25	94:18 95:3 95:4	141:4	carciul 60.13	21:7 21:9 21:16
139:9 141:15	95:6 96:6 96:8	141.4 bringing 61:19 77:17	carlene 3:13 6:8 7:2	21:18 23:1 23:9
boat 86:9	96:11 96:17 100:2	brings 37:10	7.21 171.22	23:12 24:19 24:22
bob 42:8	100:4 100:5 100:5	brooks 13:8 13:9	carried 130:15	25:4 25:11 25:14
body 130:18 138:17	100:9 100:16		carries 72:16	26:16 26:20 27:3
138:22	100:19 101:1 101:2	62:16 63:5 63:12	carry 48:25	27:10 27:13 28:6
boiler 1:2 1:10 2:3	101:6 101:7 102:1	65:20 65:21	case 27:25 37:2 37:4	28:19 28:21 29:2
201101 1.2 1.10 2.3				

29:6 29:8 29:13	111:23 112:1	chance 113:12	choose 21:12 26:25	column 62:14 62:15
32:10 33:1 34:8	112:11 112:15	chances 121:19	38:2 46:18 126:6	combustion 3:19
34:11 35:14 35:22	112:20 112:25	change 18:4 20:7	chosen 37:13	3:20 8:13 8:15
36:3 36:21 37:18	113:3 113:15	78:19 80:12 80:13	chris 136:16	12:13
38:1 38:5 38:9 40:1	113:19 113:24	80:17 88:12 110:13		comes 11:19 15:9
40:13 40:18 40:23	114:1 114:5 114:9	121:4 122:1 123:11	christopher 3:22	19:22 48:6 57:8
40:25 41:8 41:10	114:14 114:17	123:13 127:22	8:16 125:5	58:22 105:19
42:19 42:24 43:5	115:9 115:13	changed 14:16 53:21		coming 16:25 19:25
43:11 43:19 44:16	115:17 116:2 116:6		circuits 102:22	30:10 47:9 48:15
44:19 44:23 45:2	116:14 116:17	78:19 89:14 89:16	circumstances 109:2	
45:5 45:11 45:15	116:20 117:2 117:7		clarification 27:12	command 24:15
45:22 48:17 48:18	117:23 118:2 118:6	10/11/11/2011	41:13 51:24 65:11	comment 8:5 25:5
50:11 50:15 51:14	118:8 118:14	changes 5:1 9:4 11:1		26:6 30:22 35:15
51:16 51:20 52:4	118:15 118:18	31:16 60:13 62:25	/0 / 0 / 0 0	42:16 55:6 71:24
53:1 53:9 53:12	118:21 119:7	69:24 69:24 70:1	clarified 50:3 92:14	79:21 80:9 81:1
53:16 53:22 54:4	119:15 119:19	70:9 70:16 78:14	clarifies 94:9	96:23 107:20
54:6 55:3 55:5	119:21 119:24	79:13 90:23 120:20	clarify 16:2 24:21	
55:16 55:20 55:23	120:3 120:6 120:11	changing 90:15	27.7 42.22 43.10	comments 11:11 13:23 17:7 21:19
55:25 56:23 57:14	121:15 121:18	121:21	48:2 55:2 55:11	34:9 45:20 53:2
57:17 57:19 57:24	121:21 121:23	chapman 3:10 7:4	55:18 94:3 99:22	55:21 56:24 57:23
58:2 58:5 58:8	122:5 122:10	7:4 9:24 9:25 10:2	114:12 121:16	58:21 64:20 65:8
58:15 59:4 59:8	122:17 122:24	10:6 10:9 10:12	130:20	69:3 74:5 74:9
64:24 65:2 65:4	123:2 123:5 123:8	50:17 58:18 114:21	clarity 97:8	74:18 74:20 86:23
65:7 69:2 69:19	123:12 123:20	115:12 117:5	class 67:21 67:22	89:12 95:21 98:2
70:3 70:5 70:7 74:3			classification 93:24	111:10 112:8
74:21 74:24 75:1	124:3 124:6 124:14	charge 82:7 chart 24:13 25:5	classified 87:12	111:10 112:8
75:5 75:16 75:19	124:19 125:3	Chart 24.13 23.3	131:20	112.10 113.10
77:2 77:11 78:5	125:11 125:19	26:2 26:5 54:18	clean 73:9 133:2	115:5 115:6 118:22
80:8 82:2 82:11	125:21 126:2 126:5	91:12 91:20 97:8 97:8	cleaned 58:24	141:12
86:22 88:24 89:1	126:16 126:19	charter 139:17	cleaning 114:23	commission 114:8
89:4 89:8 89:11	126:23 127:8	140:12	clear 25:9 25:9 26:11	122:19 122:21
90:11 90:25 91:5	127:18 127:21	= :	27:8 66:9	122:19 122:21 122:23 123:15
91:9 91:24 92:2	127:24 128:17	chattanooga 37:10	cleared 100:1	123:23 123:13
92:20 92:23 93:5	129:6 129:13	check 44:7 68:1	clearly 60:22 97:10	123.23 124.9 124.9 124.9 124.9
93:7 93:23 94:12	129:20 129:23	68:10 103:20 116:1	cleaver 13:8 13:9	124.10 124.23
94:15 94:18 94:22	130:2 130:12	119:22 133:11	62:16 63:5 63:12	125:16 125:17
95:1 96:16 97:5	130:14 130:19	133:21	65:20 65:21	125.16 125.17 126:7 126:7 126:13
98:21 99:2 104:3	130:22 130:25	checked 58:25	click 115:19	120.7 120.8 120.13
104:8 104:15	131:3 131:6 131:18	checking 41:2 41:4	coach 131:21	130:8 131:2 131:5
104:22 105:7	132:4 132:14 133:1	95:8	code 3:23 8:18 10:20	131:13 131:14
105:11 105:14	133:13 133:17	checklist 53:23 61:12	56:11 60:1 100:12	131.13 131.14
105:17 107:1	133:20 134:8	61:15 91:10 95:15	119:11 120:19	132:25 143:22
107:10 107:12	134:12 134:17	95:20 104:4 104:14	124:16 128:22	commissioned
107:15 107:19	134:19 134:22	chemical 88:7	128:24 128:24	125:13 125:15
107:25 108:4 108:7		chief 3:10 4:6 4:20	130:22	123:13 123:13
108:10 108:13	136:3 138:15	7:4 9:23 10:13 11:9	codes 90:15 99:4	commissioner 140:1
108:20 109:4	138:25 139:2	11:11 58:3 58:20	101:20	140:8
109:11 109:24	139:12 139:16	75:2 78:7 80:14	coincide 109:21	commissioning 5:1
110:4 110:7 110:11	139:20 140:3 140:7	111:6 114:22	109:25	112:4 120:20 121:1
110:16 110:22	140:10 141:7	122:12 129:25	colored 27:23 28:2	
111:3 111:20	141:10 142:6 142:9	choice 21:13	28:8 95:18	124:12 124:20
-				

126:10 127:3	confirm 77:25	8:13 8:15 12:13	course 91:10 121:2	109:16 110:19
130:17	conflict 4:4 6:7 9:19	12:18 15:20 31:18	123:17 124:10	dave 7:14 140:12
committee 135:14	11:17 12:23 13:3	43:16 43:19 65:19	124:13 124:23	david 3:5 3:19 8:12
135:20 136:19	17:23 18:9 18:13	67:19 69:5 70:9	125:7 126:1 126:14	12:13 17:8 21:8
137:5 138:17	19:19 19:24 58:9	70:15 76:9 77:13	courses 125:6 125:9	45:24 56:2 87:5
138:18	conflicts 12:25 18:2	82:13 82:21 90:2	court 1:23 7:1 143:7	day 2:2 45:12 110:25
committees 135:12	59:11 65:6 109:18	90:8 90:12 90:20	cover 13:6 53:10	120:25 122:18
common 65:20	110:1	controller 96:5 96:8		123:14 123:16
communicate 117:12	confusion 86:16	controllers 65:16	covered 30:14 95:23	124:23 143:18
communication 16:3	connected 31:19	controls 12:16 31:1	114:22	deaf 135:8
37:13 38:16 41:24	71:12 143:15	31:16 31:16 32:6	covering 127:17	deal 71:10
65:16 68:4 68:19	connection 90:2	70:3 70:11 77:19	craftsman 93:9	dealing 86:12 86:15
68:21 89:23 102:25	conservative 67:6	77:22 77:25	crap 85:16	deborah 3:14 7:16
136:5 137:12	consider 43:15 69:15	conversation 83:4	credentials 91:18	75:21 141:21
communications	consideration 100:1		credit 88:10	december 1:11 2:2
15:7 65:17	considered 120:9	convey 27:11	creep 106:6	4:18 6:3 109:18
community 86:7	120:9	cool 123:19	criteria 42:21	133:14
companies 56:12	consistency 28:3	coordinating 112:2	critical 99:18	decide 15:4 114:15
80:11 116:5 138:1	consistent 54:8	copier 92:25	cropped 92:22 92:24	decision 18:11 19:5
company 3:17 3:22	112:18	copies 61:9 81:10	csd1 11:4	19:8 126:22
8:2 8:17 20:25	constantly 34:21	82:6 82:23 141:24	ct 5:5	declare 12:22
20:25 30:3 49:18	85:2	copy 59:3 62:1 62:23	culpa 60:20	declared 17:23 19:18
60:9 115:24 136:20		73:13 75:2 75:7	current 11:5 11:5	dedicated 44:18
complete 6:7 71:18	126:8 126:9	75:13 83:2	19:17 39:11 53:24	44:25
143:11	consult 104:19	correct 30:16 34:17	currently 29:20 30:6	
completed 121:7	contact 25:17 36:18	34:25 35:17 35:21	62:7 62:13 63:19	defined 97:10 113:18
components 65:12	66:6 76:20 83:15	35:24 36:17 43:4	cut 39:13	137:23
104:4	87:5 87:20 100:3	47:23 47:24 47:25	cv 77:23	definitely 20:11
composed 136:19	contacted 31:4	53:14 62:21 88:15	cyber 14:9	22:18 140:23
computer 90:20	136:20	103:10 106:11	cycle 10:22 128:20	degree 79:20
computerized 90:12	contained 89:22	108:8 108:9 118:16	cycles 60:12 72:17	delayed 111:1 111:2
concern 18:21 83:3	contains 83:15	120:1 129:17		delegation 112:3
83:8 83:14 83:17	content 19:4	corrected 62:22	D	delete 114:16
101:23 128:21	contingency 57:23	100:7 100:10	da 17:9 20:14 20:16	delinquent 10:18
129:24	contingent 58:2 64:3	100:17 100:21	20:21 33:23 34:1	10:19
concerned 79:19	74:9 108:7	102:3 103:25	78:17 78:18 78:19	demand 120:23
concerns 18:25 54:14	contingently 58:17	120:16	daily 85:18 95:3 95:5	
condition 11:5 61:21	108:22	corrections 9:4 92:3	95:7	department 1:1 2:4
66:5 66:9 66:15	continually 44:12	108:3 108:5	dairy 3:21 8:10	3:14 5:5 24:4 46:17
66:25 67:5 67:5	continue 142:1	correctly 17:12	12:10 12:15 13:7	127:23 140:2 140:6
67:8 67:9 68:12	continuous 40:15	87:15	22:4	depend 85:23 140:14
68:14 86:3 86:20	40:21 43:3 43:15	couldn 8:7 46:18	dan 3:12 7:20 139:25	_
100:1 103:3 106:16		91:6 135:4	141:20	77:19 79:13 126:15
106:17	continuously 25:22	counsel 3:12 7:21	data 32:24 33:9	128:18
conditions 71:14	36:5 37:20 37:21	19:11 143:14	62:12	depends 48:12
96:9 100:25	37:22 37:23 41:3	143:15	date 61:14 61:20	deputy 122:12
conducted 57:1 57:3	43:22 45:12 54:17	county 91:16 94:6	76:14 80:5 82:16	describe 15:16 65:11
62:6	contradict 53:25	101:25 143:3	109:21	100:24 103:12
conference 109:22	contradiction 130:20	couple 14:13 24:7	dated 11:3	described 68:17 81:7
134:5 141:22	control 3:19 3:20	61:24 71:7	dates 4:14 109:16	describing 104:2
	1011110101170110			

description 4:19 difficult 32:14 42:8 114:16 115:14 21:15 21:17 27:5 electrical 93:8 14:3 26:9 65:15 difficulty 26:18 115:24 119:1 28:5 28:16 28:22 electronic 90: 92:13 92:15 111:5 33:23 direct 6:21 68:20 dominique 1:23 6:23 30:18 32:3 32:8 electronically elects 21:2 54:19 92:17 93:11 direction 136:9 140:25 33:8 33:10 33:17 electronic 90: designate 94:1 directs 24:4 don 6:12 22:24 24:10 35:25 36:8 37:2 57:7 57:14 8 designated 122:3 disagree 18:16 25:2 32:24 33:1 37:5 38:15 38:18 86:13 86:20 123:1 101:18 102:18 33:10 36:2 37:5 38:24 39:5 39:8 112:18 115:5	12 118:1 0 1 46:14 3:10 107:25 5 22 :8
92:13 92:15 111:5 33:23 121:16 130:23 28:25 29:5 29:9 electronically elects 21:2 54:19 92:17 93:11 direct 6:21 68:20 6:25 11:21 143:6 32:11 32:15 32:20 electronically elects 21:2 93:14 140:25 33:8 33:10 33:17 33:8 33:10 33:17 else 10:24 29:1 designate 94:1 disagree 18:16 25:2 32:24 33:1 37:5 38:15 38:18 86:13 86:20 123:1 101:18 102:18 33:10 36:2 37:5 38:24 39:5 39:8 112:18 115:5	118:1 0 1 46:14 3:10 107:25 5 22 :8
descriptions 26:1 direct 6:21 68:20 dominique 1:23 6:23 30:18 32:3 32:8 elects 21:2 54:19 92:17 93:11 6:25 11:21 143:21 32:11 32:15 32:20 elects 21:2 designate 94:1 directs 24:4 don 6:12 22:24 24:10 35:25 36:8 37:2 57:7 57:14 86:13 86:13 86:20 123:1 101:18 102:18 33:10 36:2 37:5 38:24 39:5 39:8 112:18 115:5	0 1 46:14 3:10 107:25 5 22 :8
54:19 92:17 93:11 direction 136:9 6:25 11:21 143:6 32:11 32:15 32:20 elements 73:19 93:14 140:25 143:21 33:8 33:10 33:17 else 10:24 29:10 designate 94:1 directs 24:4 don 6:12 22:24 24:10 35:25 36:8 37:2 57:7 57:14 8 designated 122:3 123:1 101:18 102:18 33:10 36:2 37:5 38:24 39:5 39:8 112:18 115:5	1 46:14 3:10 107:25 5 22 :8
93:14	1 46:14 3:10 107:25 5 22 :8
designate 94:1 directs 24:4 don 6:12 22:24 24:10 35:25 36:8 37:2 57:7 57:14 8 designated 122:3 disagree 18:16 25:2 32:24 33:1 37:5 38:15 38:18 86:13 86:20 123:1 101:18 102:18 33:10 36:2 37:5 38:24 39:5 39:8 112:18 115:5	3:10 107:25 5 22 :8
designated 122:3 disagree 18:16 25:2 32:24 33:1 37:5 38:15 38:18 86:13 86:20 123:1 101:18 102:18 33:10 36:2 37:5 38:24 39:5 39:8 112:18 115:3	107:25 5 22 :8
123:1 101:18 102:18 33:10 36:2 37:5 38:24 39:5 39:8 112:18 115:5	5 22 :8
101.10 102.10	22 :8
	:8
designations 122:2 disaster 6:19 71:18 43:13 44:7 55:17 39:19 39:21 39:24 elsewhere 23:25	
desk 85:15 85:16 disclosure 4:4 59:14 67:15 74:12 41:23 43:9 44:14 emergence 14	
destroy 82:23 disconnected 30:25 75:25 76:21 76:24 45:9 47:7 48:5 emergency 6:3	
detail 25:20 57:20 discrepancy 55:1 79:16 82:16 82:17 49:22 52:12 52:16 13:12 16:23	17:2
79:18 95:11 discretion 20:19 85:12 90:6 91:3 53:11 55:15 56:7 25:19 27:20	27:25
detailed 65:15 discuss 11:22 13:16 92:9 92:15 94:20 56:17 56:20 57:6 67:4 68:14 7	
detected 96:19 99:5 13:17 65:1 95:9 98:11 98:12 57:9 59:7 85:5 95:16 9	5:19
99:20 100:12 discussed 14:7 17:15 104:1 107:6 115:5 during 10:22 30:12 97:23	
100:15 18:1 20:2 117:1 119:16 125:6 41:17 41:18 45:25 employee 52:1	.5
determine 119:9 discussing 73:25 126:24 126:25 46:11 47:21 61:9 143:15	
determined 119:11 discussion 4:13 130:2 135:22 137:5 78:1 93:25 99:21 employees 48:	22
develop 104:23 112:8 11:19 17:24 18:3 140:13 140:25 135:13 135:17 49:8 49:20 5	
133:22 135:14 18:10 19:25 57:23 done 16:19 16:21 139:6 139:8 139:10 51:2 51:3 51	
developed 75:21 58:9 61:10 64:25 52:10 52:11 57:11 duties 23:16 24:11 enabling 128:	
103.23 108.14 78:6 82:22 85:10 25:15 26:7 26:8 encompasses	
developing 14.9 109.8 109.14 91.3 103.10 133.24 26.10 84.8 93.10 encompassing	
development 1·1 2·4 109·15 111·9 112·4 134:10 95:5 114:12 127·10	
3:14 5:6 135:2 134:25 137:24 doubt 43:20 133:12 duty 35:3 35:11 end 20:12 77:1	13
140:24 139:13 139:15 down 12:5 15:10 37:16 42:6 55:8 138:10 142:	
device 44:18 45:1 140:15 140:19 22:17 31:12 35:17	1
$\begin{vmatrix} 48.25 \end{vmatrix} = \begin{vmatrix} 141.13 \end{vmatrix} = \begin{vmatrix} 35.20 & 36.14 & 38.25 \end{vmatrix} = \begin{vmatrix} 2 & 2 & 2 & 2 \\ 141.13 & 2 & 2 & 2 \end{vmatrix}$ endorsement	
diagnosed 100:7 discussions 134:14 38:25 42:3 46:6 e110 13:9 125:19 125:3	
100·10 100·16 137:25 46:19 63:25 66:6 each 11:16 53:25 endorsements	
100·20 102·3 dispatch 66:8 66:16 67:3 85:24 114:7 115:21 126·11	
103.25 disrupted 102:23 96:6 96:8 96:18 earner 83:4 84:10 endorsing 139	:21
diagram 61:6 disseminated 115:14 105:25 106:4 ears 135:9 engineer 3:7.8	
didn 8.7 19.18 23.20 distance 54.20 92.6 106:25 112:2 122:8 easily 27:24 32:8 engineering 3	
24.9 26.22 27.9 division 1.2 112.13 126:25 138:12 easy 95:17 8.11 12:14 2	
27:15 72:21 72:24 119:1 119:12 downtime 93:25 echo 21:9 enough 52:3 1	
73.22.73.22.78.7 document 49.12 dr 3:7 editorial 4:24.53:2 ensure 24.5.40	
83:6 89:19 93:1 49:15 73:6 draft 133:23 54:8 80:13 89:14 ensures 36:14	
93:16 93:19 106:11 documentation drip 99:13 92:3 113:4 118:23 entail 95:10	
119:6 120:14 14:14 87:25 90:17 drive 2:5 5:7 123:10 123:12 enter 56:4 56:	19
121:24 122:6 135:8 documents 6:7 74:16 dropped 106:11 effect 53:17 89:20	
137.23 76:2 104:16 128:21 dubois 1:23 6:25 effective 93:9 ontire 21:13	
difference 106:21 doesn 31:21 34:14 143:6 143:21 eight 69:13 92:4 95:3 entities 127:11	, I
different 15:4 17:19 50:6 52:10 54:12 due 4:25 102:24 109:14 119:1 equipment 60	1
23:18 25:6 42:1 82:24 85:18 92:13 120:19 119:12 equipment of	
42:4 72:16 92:8 doing 20:12 26:11 dunnavant 3:20 8:14 either 36:5 46:12 70:2 70:11 7	0.12
117:6 125:9 43:20 44:9 55:14 8:14 12:16 15:2 68:16 68:22 126:7 equipped 72:2	,
differently 124:2 63:3 75:22 113:5 15:18 16:7 17:14 129:17 equipped 72.2 errata 120:9	,5
Cliata 120.3	

error 120:14	exception 32:1 93:12	48:4 53:22 62:15	125:24 132:8	43:13 44:17 44:21
especially 85:17	excuse 72:24	79:10 79:16 79:18	132:15 138:13	44:25 45:3 45:10
esq 3:11 3:12	execute 55:9	90:1 95:8 115:22	fish 85:24	45:14 45:21 47:4
ethernet 31:19 31:22	1	127:21	fishing 85:10	47:10 47:12 47:14
eugene 3:4 7:8 25:5	exist 138:3	farm 3:21 12:10	five 9:22 10:21 31:13	47:25 48:2 48:6
26:6 27:14 95:21	existing 60:6 61:17	farms 8:10	36:25 38:8 38:12	48:23 49:5 49:14
even 15:21 20:13	62:1 63:4 64:13	fashion 43:23	39:7 48:14 62:2	49:21 49:23 50:8
20:16 45:16 67:23	72:15 72:19 119:8	fashioned 42:2	62:3 81:8 92:4	50:13 51:4 51:7
88:22 93:19 128:6	exit 6:21	faster 43:1	112:17 113:6	51:12 51:18 51:21
136:18 136:20	expand 48:20 50:22	fault 66:15 90:15	121:13 125:9	51:23 52:1 52:13
140:16	expanded 64:4	99:4 100:12 100:20	fixed 119:4	52:19 52:23 53:7
event 6:18 15:18	expect 107:6	100:25 101:7	flame 13:9 17:20	53:15 53:19 54:3
36:10 56:8 63:24	expense 6:8	101:19 101:23	96:19 99:5 99:13	54:24 55:19 57:12
64:4 67:5 102:22	experience 49:2	faults 65:24 101:3	99:20 100:12	59:2 59:6
ever 16:2 47:5 49:25		favor 9:6 58:11	100:14	folder 10:3
51:2 51:5 52:23	experts 19:1 19:3	108:15	flank 105:22	folks 30:11 46:16
84:18 107:6	expired 22:1	fax 83:16	flash 116:4	47:15 49:7 60:21
everbody 76:16	expires 143:22	features 96:3	flavor 72:16	71:7
every 15:22 30:7	explained 31:6	feed 54:11 106:10	fleetzoom 13:10 15:9	follow 23:10 56:1
41:2 41:4 67:25	explaining 42:2	feel 42:20	35:2 36:9	77:12 130:8
68:9 76:11 96:13	explains 129:15	feels 128:18	floor 2:5 13:22 65:5	followed 75:4
everybody 6:3 6:10	explanation 64:18	feet 54:22 142:10	florida 87:8	following 2:6
11:16 42:11 109:6	expressed 19:1	fenced 30:20	flow 73:23	followup 70:9
109:9 110:5 135:7	extending 138:4	ferret 98:23	flowers 3:19 8:12	foods 37:9
141:5 141:18	extent 56:1 101:21	few 20:15 21:20 53:2		forbidden 19:14
142:10	137:5	89:12 95:22 109:7	12:20 13:5 14:5	foregoing 143:10
everyone 8:21	external 56:6 56:16	field 55:14 76:16	14:19 14:24 16:10	forever 110:5
everything 15:19	externally 14:12	80:23	16:12 16:21 17:5	forget 118:12
16:4 46:25 58:25	eyeball 70:25	fieldstone 1:24	17:10 20:24 21:14	forgive 22:15
68:2 71:20 86:20	eyes 15:12 36:16	figure 86:10 92:5	21:22 21:24 22:4	form 43:23 77:22
101:22 112:18		101:5 106:1 106:5	22:6 22:23 23:2	104:14
127:17	F	figured 46:10 62:24	23:6 23:21 24:12	formal 136:25
exact 49:7	facets 137:18 138:5	financially 143:16	24:18 24:20 24:23	formatting 73:8
exactly 25:3 48:5	138:9	find 23:22 76:24	25:10 25:13 26:13	formed 135:14
50:5 85:9 110:21	facility 15:21 34:21	85:19 85:25 95:17	26:21 26:24 27:4 27:6 27:11 27:18	138:18 138:19
exam 5:1 112:4	37:8 40:7	118:4 119:2 119:3	27:21 28:4 28:8	138:21
120:21 120:21 121:1 122:19	fact 31:11 61:11	120:15	28:14 29:11 29:14	forming 136:18 forms 41:24
123:23 124:12	67:10 70:24 71:19	finding 101:12	30:5 30:17 30:20	forth 70:18 77:20
123.23 124.12	72:12 82:8 88:17	fine 106:8 124:21	31:23 32:19 32:22	83:16 88:4
129:25 130:7 130:8	91:16 99:12 106:11	fines 76:23 77:8	22.6 22.12 22.20	forward 21:3 64:16
130:10	Tanule 13.17 13.19	finish 133:24 134:20	33:25 34:3 34:5	76:10 76:15 133:3
examinations 122:12	fairly 65:19 88:6	finished 109:9	34:17 34:20 34:25	136:12 137:11
example 24:1 93:7	Tairness 12.5	fire 83:8 83:25	35:18 35:24 36:25	foster 63:4 63:24
96:7 96:19 97:23	fall 109:22 134:5	fireye 13:9	37:3 37:7 38:4	70:10
105:19 105:21	135:8 141:22	first 11:24 14:19	38:12 38:16 38:19	found 10:9 10:10
exams 126:10	familiar 100:13	60:5 62:4 62:8 65:9	39:23 40:4 40:17	61:4
exceeds 96:6	family 136:11	67:21 67:22 71:5	40:20 40:24 41:7	four 9:19 10:23
excellent 14:3 52:25	fantastic 134:10	97:25 98:1 105:24	41:9 41:16 42:14	19:20 27:1 41:5
109:24	far 6:22 15:5 15:5	109:15 110:18	42:20 43:4 43:10	51:13 51:15 52:6
100.2	15:25 22:2 25:16	110:20 110:25		51.15 51.15 52.0

61:13 67:25 103:20	73:17 76:13 76:14	116:4 116:12	116:22 118:21	51:3 138:1
111:5 125:9	76:14 80:17 84:17	117:10 118:9	132:4 134:25	
fourth 62:15 123:13	85:18 86:10 86:19	119:16 122:9 125:7		H
franklin 1:25	93:19 95:23 105:23			h3 81:1
frankly 82:8	109:6 109:8 110:19		141:7 141:10	hampshire 132:6
free 59:12	111:15 112:2 113:1		gosh 22:7	hand 9:23 61:8 61:16
french 2:5 5:6	113:11 115:16	goals 135:13	got 12:18 19:20 20:7	
frequency 14:15	119:3 120:16 121:7	\mathbf{c}	22:12 25:7 33:8	handed 63:1
frequent 16:20	125:24 127:23	44:19 44:23 46:4	33:22 35:9 41:1	handout 64:22 81:9
friday 139:4	129:1 131:12 132:2		41:3 41:5 42:16	hands 15:12 81:23
front 40:6 60:8 60:21	132:24 133:11	99:11	47:3 48:10 49:14	happen 30:23 32:9
61:2 61:17 62:19	135:4 137:1 138:9	going 6:4 6:16 9:5	50:25 53:2 54:1	32:12 82:24 116:10
62:20 73:18 138:10	139:25 140:13	12:1 12:9 17:18	54:2 54:23 55:22	128:1 140:21
full 106:4	gets 39:3 86:2 86:9	21:10 26:19 27:16	71:9 71:16 71:16	happened 54:25
function 68:13 99:8	101:2 115:17 129:3		73:18 73:25 77:16	happens 66:5 75:25
106:2 106:24	getting 9:21 58:20	32:13 33:22 35:20	77:18 86:4 89:10	happy 13:13 24:20
functional 73:17	75:23 76:9 90:6	36:4 38:2 40:5	89:12 91:17 95:5	27:7 27:12 28:15
	90:14 114:25 137:3		96:10 97:9 97:22	29:11 141:18
functioning 103:17	12.6 10.0 62.1	42:9 43:12 44:1	97:22 97:24 98:8	hard 31:1 31:16
functions 65:25 79:9	60.20 99.0 106.14	45:17 45:18 53:25	98:19 100:8 100:13	
further 51:23 137:24	130:4 136:16	55:1 55:12 57:25	100:18 101:23	hargrove 3:7 7:12
143:13	137:13	58:10 60:19 61:8	103:23 106:1	7:13 9:8 10:5 13:20
future 21:3 51:13	given 5:1 10:2 64:10		106:12 106:19	13:25 14:2 14:6
64:5 114:13	70:10 74:6 74:23	85:22 94:4 95:10	109:7 111:1 123:3	14:23 15:15 16:8
G	79:4 84:10 91:2	96:18 99:13 99:24	127:20 133:24	16:11 16:15 16:18
	109:3 120:21	101:20 102:3	136:20	17:4 41:12 41:21
gas 100:15 136:12	127:19 129:16	102:24 104:5	gotten 136:25	42:12 52:8 52:14
gave 22:19 81:9	gives 19:14 33:14	104:12 104:17	governing 130:18	52:17 52:22 52:25
ge 7:6	65:15 65:23 79:9	104:19 106:5 106:6		58:12 65:9 67:13
gen 87:7	83:12 101:22	106:7 106:25 108:4		67:17 67:22 68:16
general 50:9 50:10	115:20	108:14 109:12	grab 86:1	68:25 69:17 94:17
55:7 55:17 92:12	giving 10:16 10:18	109:22 113:20	grace 69:22 76:12	108:6 108:18
92:14 93:12 97:9	69:22 76:12	119:2 120:1 121:5	gracious 109:1	123:20 123:22
generality 127:16	glad 42:21 53:20	126:14 133:19	great 58:19 75:22	124:1 124:5 139:1
generally 85:14	go 6:6 6:16 6:23 7:22		86:14 122:16	139:7 139:10
128:4	10:5 15:5 16:17	140:17 140:21	greatest 82:15	hartford 3:22 3:22
generator 106:3	21:2 24:1 27:14	140:21	greatly 105:16	8:16 8:16 8:17
generators 105:24	29:1 30:10 31:15	golden 3:16 7:24	group 3:18 8:2 16:19	
generic 77:22 80:21	31:22 34:11 36:16	7:24	group 3.16 8.2 10.19	125:5 125:12
80:22	39:3 46:15 46:19	gone 46:10 49:24	groups 51:19	125:15 125:23
gentlemen 58:16	48:4 48:18 49:7	67:1	guarantee 48:24	126:3 126:12
59:5	55:25 59:1 63:24	good 6:2 7:12 10:11	guarantee 48:24 guess 42:21 43:14	126:3 126:12
george 1:23 7:1	68·1 69·15 74·8	11:12 12:12 20:10	43:16 64:18 89:5	120:17 120:21
get 6:4 6:8 12:6 17:9	74:10 74:12 74:16	21:6 21:8 23:7 33:2	98:13 98:14 109:20	
20:21 22:18 22:24	77:24 82:22 85:10	47:17 59:1 59:16	111:6 111:8 121:4	132:19 132:22
27:7 27:23 30:8	86:8 86:12 89:7	61:22 72:14 73:23	134:13	134:12 134:18
32:1 32:6 33:19	90:20 93:8 93:17	84:2 88:11 89:9	guidelines 75:24	134:21 135:11
39:25 44:2 44:6	93:19 96:9 98:24	91:12 91:18 94:24	C	135:21 136:1
46:18 51:2 51:5	100:14 102:2	110:2 110:5 110:8	guy 23:20 24:2 29:4	136:14 136:17
53:21 58:18 58:24	103:20 106:4 106:7		44:5 85:14 103:13	136:23 138:14
66:18 72:8 72:10	114:18 115:18	115:8 115:10	guys 20:22 29:15	150.25 150.17
	117.10 113.10	115.0 115.10		

138:19 138:23	64:1	included 21:5	75:3 75:7 77:7 78:4	internally 14:12
139:5 139:19	hour 44:8 103:20	including 71:25	inspections 10:14	internet 30:24 31:8
139:22 141:9	hours 30:13 41:5	inclusion 20:18	10:16 22:16 23:2	89:24
hasn 136:11 140:6	41:18 41:18 67:25	incoming 87:24	132:1 132:24	interpret 43:16
140:9	housekeeping 6:5	incomplete 98:1	inspector 3:10 4:6	interpretation 115:1
haven 10:2 117:19	how 5:1 14:15 15:5	inconsistency 54:23	_	_
136:25	15:15 21:21 24:11	incorporated 74:5	33:15 58:3 58:21	interpretations 5:2
having 11:5 30:7	38:2 38:6 39:20	incorrect 87:18	80:14 111:5 111:6	129:8 134:3 135:3
62:18 63:2 69:22	42:22 45:17 48:10	incorrectly 62:17	129:25 132:8	interval 64:16
85:10 85:24 101:22	48:24 49:3 49:4	independent 89:23	135:21 137:4	intimately 88:1
102:3 110:14	69:14 78:8 79:16	individual 80:16	inspectors 111:18	introduce 7:23 11:20
hawk 65:21 65:24	83:6 84:17 85:12	94:11 115:24	122:12 134:25	introductions 4:3
77:23 77:23	86:11 99:4 104:1	117:13 130:7	138:5	6:23
hear 8:8	104:6 104:12	individuals 68:17	installation 63:14	involved 22:25 42:7
heard 41:14 67:18	104:17 104:20	79:14 80:16	installed 63:6 64:7	42:10 67:18 82:13
hearing 2:2 9:5	115:15 119:3	indulgence 109:1	69:9 77:19 78:12	140:1
57:15 108:14 110:1	120:20 122:1	industry 115:16	installing 138:2	isn 87:6 140:20
114:18	129:15 129:21	138:12 141:3	138:6	isolated 31:25
help 112:23 114:12	however 38:1 44:11	infiltrated 31:12	instance 127:16	issuance 53:3
helps 91:19	80:10 129:11	influence 18:11	instances 53:13	issue 14:9 15:11 16:2
hereby 143:7	human 112:12	info 83:15	instant 43:17	16:3 16:3 16:4 35:0
hey 12:22 141:1	112:23	information 33:11	instantaneous 39:22	
hi 7:24		71:15 73:7 74:23	39:23	45:25 71:9 83:1
high 135:15 137:23	I	79:5 80:12 80:22	instantly 40:9	99:21 100:18
highlighted 85:25	idea 139:25	80:24 83:6 115:4	instead 53:5 69:16	103:24
95:17	identified 46:9 70:14	115:16 134:4	119:13 122:25	issued 63:15
himself 66:8	71:9	137:14	124:13	issues 14:6
hinky 101:11	identifies 46:7	ing 124:12	insurance 3:4 3:22	issuing 81:25
history 69:20 130:5	identify 27:24 36:17	initial 36:12	8:17 10:15 56:12	item 6:18 9:19 9:22
hit 38:17 39:12 47:14	47:20 65:25 66:9	initially 16:22 19:16	137:4	11:13 11:15 11:16
48:3 48:25	137:10	initiating 68:11	integrated 65:19	11:19 11:22 11:24
hitting 35:8	ii 4:3	input 137:6 140:16	intended 62:13 63:22	
hold 109:12	iii 4:4	140:22 140:23	79:23 101:14	12:25 13:16 19:4
holders 76:13 81:3	images 71:19	inputs 17:17 21:1	117:12	19:19 19:22 23:14
81:5 81:21 82:14	imagine 51:7	136:20	intent 64:11 100:23	53:23 55:6 56:2
82:15 98:3 98:6	imbalance 33:22	insert 124:13	104:2	59:9 59:11 81:1
115:25 116:8	immediately 38:18	inservice 121:1	intention 31:22	93:24 93:24 105:5
116:21 116:25	38:19 52:11 52:12	122:19 122:21	102:6	109:13 109:15
117:11	56:3 67:9 128:23	123:5 123:15	interacts 106:13	111:4 111:10 112:5
holed 82:17	implement 20:23	123:23 124:9	interest 4:4 6:7 9:20	112:9 113:9 114:20
homeland 31:5	implemented 74:20	124:24 126:7 126:9	11:17 12:3 12:25	118:19 118:23
honest 11:16 72:23	implementing 17:19	127:1 132:1	13:3 18:2 19:24	120:18 134:2
hope 67:15 109:12	42:18	inside 27:23 40:7	20:14 20:20 44:10	139:13 140:15
109:23 113:11	implied 94:21	56:5	58:9 59:11 137:3	140:20 141:16
142:1	improve 112:23	inspected 63:14 64:8	137:10	items 4:13 6:5 109:8
hopefully 30:9 52:11	inaudible 8:5	inspecting 138:8	interested 78:24 88:1	
109:22 137:12	incident 20:15 39:15	inspection 3:22 8:17	88:2 137:2 143:16	itself 15:3 78:20
horns 40:11	46:4 83:19	10:15 16:22 29:14	interesting 74:4 79:7	
horsepower 13:8	inclined 100:22	58:3 58:19 58:22	82:1	90:13 139:9
13:8 63:5 63:13	include 81:2 82:3	58:25 64:9 74:14	interface 89:24	iv 4:5

i 5.2	45.22 46.0 50.4	127.5 120.12	04.20 05.0 06.21	load 25,17 126,11
ix 5:2	45:23 46:9 50:4	127:5 128:13	94:20 95:9 96:21	lead 25:17 126:11
J	50:5 53:2 53:5 53:14 53:17 54:6	keeping 87:25	96:24 97:3 98:12 98:12 101:12 103:7	139:17
james 3:15 8:3	54:7 54:8 54:10	keeps 11:16 86:16	103:13 104:1 104:9	
january 143:18	54:12 55:7 55:11	keith 3:7 7:12	105:18 105:20	
jay 3:8	55:18 60:8 62:8	kept 79:20	105:18 105:20	leaking 100:15
1 9 9	62:23 62:25 63:1	kick 103:6	440 40 440 65	least 20:21 24:14
jefferson 3:11 7:18 7:18 109:23 111:19		kiddywampus 28:13		57:13 84:3 leave 20:18 20:22
111:22 111:25	71:20 72:5 73:7	kills 38:23	116:10 117:1 120:4	
112:11 112:16	73:8 73:10 73:21	kim 3:11 7:18	100 10 10 01	10.11 10.17 11.10
112:11 112:16	74:10 75:17 75:19	kind 14:16 46:3 69:4	120:12 120:24	74:4 74:13 109:13
113:22 113:1	76:1 77:23 79:2	76:17 76:23 86:14	131:19 131:25	111.7 112.7 120.17
114:3 114:6 114:11	79:7 79:17 80:20	90:7 101:9 101:13	132:1 135:8 135:22	123:16 124:9
114.3 114.0 114.11	i	103:12 106:13	136:19	127.10 133.0
128:9 139:23 140:4	1	106:19 125:7	knowledge 75:20	142:11
140:8	91:6 91:13 91:19	133:12 136:17	77:17 78:10	leaves 79:18 83:9
jesse 135:23 135:24	93:2 93:13 94:3	138:12	known 65:21	leaving 77:15
135:25 136:5 136:7		kinds 85:16		left 75:6 136:2
	95:1 95:7 95:10	kinser 3:21 8:5 8:9	L	legal 3:12 7:20 19:8
136:21 137:11 139:16 140:5	95:18 95:22 96:25	8:10 12:14 22:10	labeled 54:10	140:23 141:21
140:13	97:3 97:10 99:5	23:23 29:17 29:20	labor 1:1 2:4 3:14	legibility 73:6
jim 3:16 7:24	99:22 99:24 100:18	29:24 30:2 30:6	5:6 110:25	legislative 127:22
1 9	101:21 101:23	30.19 31.16 30.2	laboratories 59:9	127:23 128:1
job 4:19 26:1 26:8	102:2 102:18	46:12 47:24 48:12	60:2 86:25 88:7	128:16 129:2 133:6
26:9 36:12 38:6	102:21 103:23	54:1 55:4 57:2	lack 79:17 138:2	length 134:8
43:20 44:15 47:12 54:19 58:19 75:22	104:4 104:15 105:8	kis 96:25	laid 83:5	less 22:19 106:12
	106:17 106:18	KIIEW 47.0 00.1	landing 2:5 5:6	let 12:4 14:24 16:1
80:15 92:12 92:14 92:17 93:10 93:11	112:6 112:7 112:12	know 14:20 19:20	lapse 60:15	23:16 24:2 38:17
93:13 104:4 104:9	113:3 113:4 113:22	20:6 22:16 23:18	large 143:21	48:2 52:3 54:13
104:10 111:4 115:8	,,,,,,,,	24:11 24:15 26:23	C	55:5 60:7 60:21
115:10	114:11 114:23	27:1 30:21 30:24	last 31:6 50:24 50:25 55:6 59:19 60:11	01.1 03.2 00.2
john 3:23 8:18 60:1	115:20 117:24	30:24 31:2 32:11		71:15 71:16 76:13
joined 52:17	118:8 119:7 120:13	33:2 33:10 33:15	63:8 63:12 69:5	86:8 91:9 92:2
june 4:16 59:19 71:7	100 11 101 0	31.0 31.9 31.10	69:7 72:4 76:6 76:21 80:25 88:19	98:23 100:11
109:17 135:5	121:11 121:15	39:14 42:8 44:3		102:23 109:6 109:6
	122:5 122:8 122:22	44:8 45:6 46:18	98:22 110:14	109:13 110:19
jurisdiction 115:21	123:15 123:16	49:1 49:2 55:10	120:25 122:18 123:14 123:16	115:2 118:24 120:4
120:22 121:12 122:14 127:6	125:25 126:25	55:12 55:13 55:17	123.14 123.10	133:20 134:1
jurisdictions 113:5	127:12 127:13	57:13 59:14 60:21	135:13 138:19	134:19 134:22
°	120.12 120.6	61:1 66:2 68:22	138:24	140:13
113:7 115:4 115:19 116:25 117:14	130:19 133:2	72:10 74:4 74:7	late 61:20 75:6	letter 13:6 53:10
130:6	133:24 134:3 135:4	76:21 76:24 77:3	127:22 133:22	62:19 62:20
just 6:5 6:18 11:14	135:7 136:10	/8:8 /8:8 /8:21	later 44:8 52:15 86:5	level 15:3 76:16 88:3
1 9	137:23 140:1	78:24 79:2 79:7		100.5 100.6 100.20
11:17 12:7 15:24 18:23 19:8 19:14	140:21 141:11	79:16 80:15 80:20	110:25 latest 53:3 82:15	levels 15:4
20:1 22:11 28:23	141:25	82:17 83:6 84:5	law 64:17 76:1 76:25	license 94:5
29:3 30:10 34:15		85:9 85:12 85:14	77:4 121:5 129:4	ncciisca 07.21 71.17
36:9 38:19 39:12	K	85:25 86:6 86:9	laws 11:2 130:11	licensing 63:16
39:13 40:13 41:12	keep 11:18 53:24	88:1 88:2 89:13		life 136:11
44:11 45:18 45:18	63:25 75:2 79:15	90:5 90:7 90:16	lawyers 18:16	light 86:4
44.11 43.10 43.10	90:9 96:15 97:2	93:1 94:5 94:6	lcr 1:23 143:6 143:21	like 12:5 17:12 17:20

24:24 25:6 27:8	20:18 20:22 27:6	looked 17:15 122:20	42:10 42:15 46:24	88:21 89:20 90:18
27:19 28:9 28:10	27:7 27:12 28:15	looking 16:9 23:19	53:2 54:8 54:15	95:16 98:3 98:6
28:23 32:5 34:14	28:17 29:11 30:10	28:12 28:12 29:3	55:7 55:13 58:23	98:15 104:5 108:5
42:15 42:20 44:4	33:13 41:10 42:21	44:5 50:5 86:15	64:20 74:8 82:22	108:22 108:23
47:18 49:11 51:23	49:5 53:5 53:13	124:14 124:18	84:14 86:11 86:11	manuals 74:8 82:7
53:16 54:7 56:10	53:20 58:23 59:1	125:7 126:13	88:9 94:6 97:3	82:9 83:20
61:16 61:25 68:17	59:2 62:12 68:1	looks 80:21 92:21		manufacturer 3:9
73:21 77:12 77:24	69:5 84:10 86:10	92:23 111:14 133:3		' ' ' '
80:6 80:21 80:23	86:10 90:16 90:18	loop 131:25	141:5 141:11	manufacturers 7:7
82:22 84:12 85:6	96:11 97:12 98:23	loophole 57:4	makes 76:5 98:1	many 17:17 21:21
85:14 85:17 92:16	102:15 109:12	lose 19:3	making 20:17 60:18	l
92:21 92:24 95:2	110:9 110:12	lost 22:12	82:14	99:4
95:12 98:3 98:7	111:20 112:6 112:8	lot 26:18 28:16 38:10	man 25:17 87:5	march 4:15 5:3 5:5
101:9 102:18 105:8		38:11 42:10 46:15	management 31:24	109:16 111:10
109:8 111:7 111:8	119:22 120:17	73:9 73:16 79:15	60:14	112:9 120:4 120:17
112:12 113:4	121:8 128:13	88:9 91:11 96:10	manager 8:11 12:15	I I
115:22 128:25	128:13 131:12	97:22 97:22 134:25		137:13 140:14
132:8 133:4 136:19		140:22 140:22	46:14 82:21	141:16
liked 82:8	133:22 133:24	141:25	managers 37:17	mark 62:1
likely 22:10	134:20 135:5 135:6	love 28:1	manned 25:22 41:3	martin 116:7 131:9
limit 39:1 42:2	136:4 137:11	low 105:23 106:1	43:22 66:21 66:22	marty 3:17 8:1 75:1 2
137:24	137:12 140:14	lower 22:17	manning 34:19 36:6	ı *
limited 136:8	140:19	lung 31:3 31:10	44:13	matches 55:14
limits 96:6 96:7	llc 3:23 8:19 60:2		mans 68:8	material 61:20
line 35:20 93:3 113:7		M	manual 13:13 13:23	matter 19:1 19:3
123:13	locate 25:2	machine 143:9	15:24 16:13 21:5	mawp 77:5
lional 3:20 8:14	located 5:6 34:23	made 10:25 28:17	24:24 25:12 26:11	mawps 92:8
	1 242400214116			mawps /2.0
12:16 14:24 38:13	34:24 90:3 141:16	31:3 52:8 64:6	27:24 37:20 37:21	max 37:1
45:24 56:2	location 31:11 32:3	70:16 88:18 90:23	27:24 37:20 37:21 42:22 45:20 48:8	
45:24 56:2 list 10:19 24:10 26:8	location 31:11 32:3 83:13 89:16 132:12	70:16 88:18 90:23 97:11 97:18 99:5	27:24 37:20 37:21 42:22 45:20 48:8 49:25 50:5 53:6	max 37:1
45:24 56:2 list 10:19 24:10 26:8 32:23 34:4 46:19	location 31:11 32:3 83:13 89:16 132:12 locations 120:23	70:16 88:18 90:23 97:11 97:18 99:5 mail 22:12 41:25	27:24 37:20 37:21 42:22 45:20 48:8 49:25 50:5 53:6 53:24 55:14 58:23	max 37:1 maximum 119:9
45:24 56:2 list 10:19 24:10 26:8 32:23 34:4 46:19 65:24 79:8 79:9	location 31:11 32:3 83:13 89:16 132:12 locations 120:23 120:24 121:20	70:16 88:18 90:23 97:11 97:18 99:5 mail 22:12 41:25 44:4	27:24 37:20 37:21 42:22 45:20 48:8 49:25 50:5 53:6 53:24 55:14 58:23 58:24 61:3 61:7	max 37:1 maximum 119:9 may 19:3 47:18 51:9
45:24 56:2 list 10:19 24:10 26:8 32:23 34:4 46:19 65:24 79:8 79:9 79:12 79:12 79:16	location 31:11 32:3 83:13 89:16 132:12 locations 120:23 120:24 121:20 122:4 122:15	70:16 88:18 90:23 97:11 97:18 99:5 mail 22:12 41:25 44:4 mails 44:7	27:24 37:20 37:21 42:22 45:20 48:8 49:25 50:5 53:6 53:24 55:14 58:23 58:24 61:3 61:7 61:8 61:12 61:17	max 37:1 maximum 119:9 may 19:3 47:18 51:9 52:2 54:24 55:1
45:24 56:2 list 10:19 24:10 26:8 32:23 34:4 46:19 65:24 79:8 79:9 79:12 79:12 79:16 79:19 79:23 80:1	location 31:11 32:3 83:13 89:16 132:12 locations 120:23 120:24 121:20 122:4 122:15 lock 29:4 126:25	70:16 88:18 90:23 97:11 97:18 99:5 mail 22:12 41:25 44:4 mails 44:7 main 35:18 126:10	27:24 37:20 37:21 42:22 45:20 48:8 49:25 50:5 53:6 53:24 55:14 58:23 58:24 61:3 61:7 61:8 61:12 61:17 61:21 62:3 62:7	max 37:1 maximum 119:9 may 19:3 47:18 51:9 52:2 54:24 55:1 55:11 68:18 76:22
45:24 56:2 list 10:19 24:10 26:8 32:23 34:4 46:19 65:24 79:8 79:9 79:12 79:12 79:16 79:19 79:23 80:1 80:10 80:15 80:20	location 31:11 32:3 83:13 89:16 132:12 locations 120:23 120:24 121:20 122:4 122:15 lock 29:4 126:25 locked 90:5	70:16 88:18 90:23 97:11 97:18 99:5 mail 22:12 41:25 44:4 mails 44:7 main 35:18 126:10 maintain 28:2 40:14	27:24 37:20 37:21 42:22 45:20 48:8 49:25 50:5 53:6 53:24 55:14 58:23 58:24 61:3 61:7 61:8 61:12 61:17 61:21 62:3 62:7 62:10 62:23 62:24	max 37:1 maximum 119:9 may 19:3 47:18 51:9 52:2 54:24 55:1 55:11 68:18 76:22 77:20 77:25 78:25 79:19 80:3 80:5 89:5 93:25 95:6
45:24 56:2 list 10:19 24:10 26:8 32:23 34:4 46:19 65:24 79:8 79:9 79:12 79:12 79:16 79:19 79:23 80:1 80:10 80:15 80:20 80:21 83:17 98:14	location 31:11 32:3 83:13 89:16 132:12 locations 120:23 120:24 121:20 122:4 122:15 lock 29:4 126:25 locked 90:5 log 81:2 82:3 82:4	70:16 88:18 90:23 97:11 97:18 99:5 mail 22:12 41:25 44:4 mails 44:7 main 35:18 126:10 maintain 28:2 40:14 128:13	27:24 37:20 37:21 42:22 45:20 48:8 49:25 50:5 53:6 53:24 55:14 58:23 58:24 61:3 61:7 61:8 61:12 61:17 61:21 62:3 62:7 62:10 62:23 62:24 64:21 69:23 71:17	max 37:1 maximum 119:9 may 19:3 47:18 51:9 52:2 54:24 55:1 55:11 68:18 76:22 77:20 77:25 78:25 79:19 80:3 80:5 89:5 93:25 95:6 101:4 101:16 113:3
45:24 56:2 list 10:19 24:10 26:8 32:23 34:4 46:19 65:24 79:8 79:9 79:12 79:12 79:16 79:19 79:23 80:1 80:10 80:15 80:20 80:21 83:17 98:14 120:17 128:13	location 31:11 32:3 83:13 89:16 132:12 locations 120:23 120:24 121:20 122:4 122:15 lock 29:4 126:25 locked 90:5 log 81:2 82:3 82:4 82:7 87:25 95:6	70:16 88:18 90:23 97:11 97:18 99:5 mail 22:12 41:25 44:4 mails 44:7 main 35:18 126:10 maintain 28:2 40:14 128:13 maintaining 44:10	27:24 37:20 37:21 42:22 45:20 48:8 49:25 50:5 53:6 53:24 55:14 58:23 58:24 61:3 61:7 61:8 61:12 61:17 61:21 62:3 62:7 62:10 62:23 62:24 64:21 69:23 71:17 71:22 71:23 73:1	max 37:1 maximum 119:9 may 19:3 47:18 51:9 52:2 54:24 55:1 55:11 68:18 76:22 77:20 77:25 78:25 79:19 80:3 80:5 89:5 93:25 95:6 101:4 101:16 113:3 114:13 114:15
45:24 56:2 list 10:19 24:10 26:8 32:23 34:4 46:19 65:24 79:8 79:9 79:12 79:12 79:16 79:19 79:23 80:1 80:10 80:15 80:20 80:21 83:17 98:14 120:17 128:13 128:13	location 31:11 32:3 83:13 89:16 132:12 locations 120:23 120:24 121:20 122:4 122:15 lock 29:4 126:25 locked 90:5 log 81:2 82:3 82:4 82:7 87:25 95:6 logic 43:6	70:16 88:18 90:23 97:11 97:18 99:5 mail 22:12 41:25 44:4 mails 44:7 main 35:18 126:10 maintain 28:2 40:14 128:13 maintaining 44:10 maintenance 15:11	27:24 37:20 37:21 42:22 45:20 48:8 49:25 50:5 53:6 53:24 55:14 58:23 58:24 61:3 61:7 61:8 61:12 61:17 61:21 62:3 62:7 62:10 62:23 62:24 64:21 69:23 71:17 71:22 71:23 73:1 73:11 73:13 73:15	max 37:1 maximum 119:9 may 19:3 47:18 51:9 52:2 54:24 55:1 55:11 68:18 76:22 77:20 77:25 78:25 79:19 80:3 80:5 89:5 93:25 95:6 101:4 101:16 113:3 114:13 114:15 119:18 119:20
45:24 56:2 list 10:19 24:10 26:8 32:23 34:4 46:19 65:24 79:8 79:9 79:12 79:12 79:16 79:19 79:23 80:1 80:10 80:15 80:20 80:21 83:17 98:14 120:17 128:13 128:13 listed 62:12 62:17	location 31:11 32:3 83:13 89:16 132:12 locations 120:23 120:24 121:20 122:4 122:15 lock 29:4 126:25 locked 90:5 log 81:2 82:3 82:4 82:7 87:25 95:6 logic 43:6 long 38:9 39:20 43:6	70:16 88:18 90:23 97:11 97:18 99:5 mail 22:12 41:25 44:4 mails 44:7 main 35:18 126:10 maintain 28:2 40:14 128:13 maintaining 44:10 maintenance 15:11 22:20 23:16 24:3	27:24 37:20 37:21 42:22 45:20 48:8 49:25 50:5 53:6 53:24 55:14 58:23 58:24 61:3 61:7 61:8 61:12 61:17 61:21 62:3 62:7 62:10 62:23 62:24 64:21 69:23 71:17 71:22 71:23 73:1 73:11 73:13 73:15 73:17 74:6 74:11	max 37:1 maximum 119:9 may 19:3 47:18 51:9 52:2 54:24 55:1 55:11 68:18 76:22 77:20 77:25 78:25 79:19 80:3 80:5 89:5 93:25 95:6 101:4 101:16 113:3 114:13 114:15 119:18 119:20 130:9 131:16
45:24 56:2 list 10:19 24:10 26:8 32:23 34:4 46:19 65:24 79:8 79:9 79:12 79:12 79:16 79:19 79:23 80:1 80:10 80:15 80:20 80:21 83:17 98:14 120:17 128:13 128:13 listed 62:12 62:17 78:11 87:23 92:16	location 31:11 32:3 83:13 89:16 132:12 locations 120:23 120:24 121:20 122:4 122:15 lock 29:4 126:25 locked 90:5 log 81:2 82:3 82:4 82:7 87:25 95:6 logic 43:6 long 38:9 39:20 43:6 48:10 69:15 110:17	70:16 88:18 90:23 97:11 97:18 99:5 mail 22:12 41:25 44:4 mails 44:7 main 35:18 126:10 maintain 28:2 40:14 128:13 maintaining 44:10 maintenance 15:11 22:20 23:16 24:3 24:4 24:8 24:9	27:24 37:20 37:21 42:22 45:20 48:8 49:25 50:5 53:6 53:24 55:14 58:23 58:24 61:3 61:7 61:8 61:12 61:17 61:21 62:3 62:7 62:10 62:23 62:24 64:21 69:23 71:17 71:22 71:23 73:1 73:11 73:13 73:15 73:17 74:6 74:11 74:13 74:18 75:2	max 37:1 maximum 119:9 may 19:3 47:18 51:9 52:2 54:24 55:1 55:11 68:18 76:22 77:20 77:25 78:25 79:19 80:3 80:5 89:5 93:25 95:6 101:4 101:16 113:3 114:13 114:15 119:18 119:20 130:9 131:16 maybe 48:14 80:20
45:24 56:2 list 10:19 24:10 26:8 32:23 34:4 46:19 65:24 79:8 79:9 79:12 79:12 79:16 79:19 79:23 80:1 80:10 80:15 80:20 80:21 83:17 98:14 120:17 128:13 128:13 listed 62:12 62:17 78:11 87:23 92:16 93:11 96:9	location 31:11 32:3 83:13 89:16 132:12 locations 120:23 120:24 121:20 122:4 122:15 lock 29:4 126:25 locked 90:5 log 81:2 82:3 82:4 82:7 87:25 95:6 logic 43:6 long 38:9 39:20 43:6 48:10 69:15 110:17 longer 30:11 88:13	70:16 88:18 90:23 97:11 97:18 99:5 mail 22:12 41:25 44:4 mails 44:7 main 35:18 126:10 maintain 28:2 40:14 128:13 maintaining 44:10 maintenance 15:11 22:20 23:16 24:3 24:4 24:8 24:9 25:16 25:17 25:23	27:24 37:20 37:21 42:22 45:20 48:8 49:25 50:5 53:6 53:24 55:14 58:23 58:24 61:3 61:7 61:8 61:12 61:17 61:21 62:3 62:7 62:10 62:23 62:24 64:21 69:23 71:17 71:22 71:23 73:1 73:11 73:13 73:15 73:17 74:6 74:11 74:13 74:18 75:2 75:8 75:17 77:21	max 37:1 maximum 119:9 may 19:3 47:18 51:9 52:2 54:24 55:1 55:11 68:18 76:22 77:20 77:25 78:25 79:19 80:3 80:5 89:5 93:25 95:6 101:4 101:16 113:3 114:13 114:15 119:18 119:20 130:9 131:16 maybe 48:14 80:20 100:25 120:4
45:24 56:2 list 10:19 24:10 26:8 32:23 34:4 46:19 65:24 79:8 79:9 79:12 79:12 79:16 79:19 79:23 80:1 80:10 80:15 80:20 80:21 83:17 98:14 120:17 128:13 128:13 listed 62:12 62:17 78:11 87:23 92:16 93:11 96:9 listing 77:22 81:2	location 31:11 32:3 83:13 89:16 132:12 locations 120:23 120:24 121:20 122:4 122:15 lock 29:4 126:25 locked 90:5 log 81:2 82:3 82:4 82:7 87:25 95:6 logic 43:6 long 38:9 39:20 43:6 48:10 69:15 110:17 longer 30:11 88:13 88:22 120:21	70:16 88:18 90:23 97:11 97:18 99:5 mail 22:12 41:25 44:4 mails 44:7 main 35:18 126:10 maintain 28:2 40:14 128:13 maintaining 44:10 maintenance 15:11 22:20 23:16 24:3 24:4 24:8 24:9 25:16 25:17 25:23 26:3 26:7 30:11	27:24 37:20 37:21 42:22 45:20 48:8 49:25 50:5 53:6 53:24 55:14 58:23 58:24 61:3 61:7 61:8 61:12 61:17 61:21 62:3 62:7 62:10 62:23 62:24 64:21 69:23 71:17 71:22 71:23 73:1 73:11 73:13 73:15 73:17 74:6 74:11 74:13 74:18 75:2 75:8 75:17 77:21 80:12 80:17 81:2	max 37:1 maximum 119:9 may 19:3 47:18 51:9 52:2 54:24 55:1 55:11 68:18 76:22 77:20 77:25 78:25 79:19 80:3 80:5 89:5 93:25 95:6 101:4 101:16 113:3 114:13 114:15 119:18 119:20 130:9 131:16 maybe 48:14 80:20 100:25 120:4 133:21
45:24 56:2 list 10:19 24:10 26:8 32:23 34:4 46:19 65:24 79:8 79:9 79:12 79:12 79:16 79:19 79:23 80:1 80:10 80:15 80:20 80:21 83:17 98:14 120:17 128:13 128:13 listed 62:12 62:17 78:11 87:23 92:16 93:11 96:9 listing 77:22 81:2 lists 93:10	location 31:11 32:3 83:13 89:16 132:12 locations 120:23 120:24 121:20 122:4 122:15 lock 29:4 126:25 locked 90:5 log 81:2 82:3 82:4 82:7 87:25 95:6 logic 43:6 long 38:9 39:20 43:6 48:10 69:15 110:17 longer 30:11 88:13 88:22 120:21 121:11	70:16 88:18 90:23 97:11 97:18 99:5 mail 22:12 41:25 44:4 mails 44:7 main 35:18 126:10 maintain 28:2 40:14 128:13 maintaining 44:10 maintenance 15:11 22:20 23:16 24:3 24:4 24:8 24:9 25:16 25:17 25:23 26:3 26:7 30:11 34:14 35:12 36:15	27:24 37:20 37:21 42:22 45:20 48:8 49:25 50:5 53:6 53:24 55:14 58:23 58:24 61:3 61:7 61:8 61:12 61:17 61:21 62:3 62:7 62:10 62:23 62:24 64:21 69:23 71:17 71:22 71:23 73:1 73:11 73:13 73:15 73:17 74:6 74:11 74:13 74:18 75:2 75:8 75:17 77:21 80:12 80:17 81:2 81:2 81:3 81:5	max 37:1 maximum 119:9 may 19:3 47:18 51:9 52:2 54:24 55:1 55:11 68:18 76:22 77:20 77:25 78:25 79:19 80:3 80:5 89:5 93:25 95:6 101:4 101:16 113:3 114:13 114:15 119:18 119:20 130:9 131:16 maybe 48:14 80:20 100:25 120:4 133:21 mayfield 3:21 8:10
45:24 56:2 list 10:19 24:10 26:8 32:23 34:4 46:19 65:24 79:8 79:9 79:12 79:12 79:16 79:19 79:23 80:1 80:10 80:15 80:20 80:21 83:17 98:14 120:17 128:13 128:13 listed 62:12 62:17 78:11 87:23 92:16 93:11 96:9 listing 77:22 81:2 lists 93:10 little 22:17 25:20	location 31:11 32:3 83:13 89:16 132:12 locations 120:23 120:24 121:20 122:4 122:15 lock 29:4 126:25 locked 90:5 log 81:2 82:3 82:4 82:7 87:25 95:6 logic 43:6 long 38:9 39:20 43:6 48:10 69:15 110:17 longer 30:11 88:13 88:22 120:21 121:11 look 24:13 52:3	70:16 88:18 90:23 97:11 97:18 99:5 mail 22:12 41:25 44:4 mails 44:7 main 35:18 126:10 maintain 28:2 40:14 128:13 maintaining 44:10 maintenance 15:11 22:20 23:16 24:3 24:4 24:8 24:9 25:16 25:17 25:23 26:3 26:7 30:11 34:14 35:12 36:15 37:16 41:19 46:2	27:24 37:20 37:21 42:22 45:20 48:8 49:25 50:5 53:6 53:24 55:14 58:23 58:24 61:3 61:7 61:8 61:12 61:17 61:21 62:3 62:7 62:10 62:23 62:24 64:21 69:23 71:17 71:22 71:23 73:1 73:11 73:13 73:15 73:17 74:6 74:11 74:13 74:18 75:2 75:8 75:17 77:21 80:12 80:17 81:2 81:2 81:3 81:5 81:11 81:25 82:14	max 37:1 maximum 119:9 may 19:3 47:18 51:9 52:2 54:24 55:1 55:11 68:18 76:22 77:20 77:25 78:25 79:19 80:3 80:5 89:5 93:25 95:6 101:4 101:16 113:3 114:13 114:15 119:18 119:20 130:9 131:16 maybe 48:14 80:20 100:25 120:4 133:21 mayfield 3:21 8:10 12:10 12:15 13:7
45:24 56:2 list 10:19 24:10 26:8 32:23 34:4 46:19 65:24 79:8 79:9 79:12 79:12 79:16 79:19 79:23 80:1 80:10 80:15 80:20 80:21 83:17 98:14 120:17 128:13 128:13 listed 62:12 62:17 78:11 87:23 92:16 93:11 96:9 listing 77:22 81:2 lists 93:10 little 22:17 25:20 42:17 48:21 50:3	location 31:11 32:3 83:13 89:16 132:12 locations 120:23 120:24 121:20 122:4 122:15 lock 29:4 126:25 locked 90:5 log 81:2 82:3 82:4 82:7 87:25 95:6 logic 43:6 long 38:9 39:20 43:6 48:10 69:15 110:17 longer 30:11 88:13 88:22 120:21 121:11 look 24:13 52:3 65:14 69:14 74:12	70:16 88:18 90:23 97:11 97:18 99:5 mail 22:12 41:25 44:4 mails 44:7 main 35:18 126:10 maintain 28:2 40:14 128:13 maintaining 44:10 maintenance 15:11 22:20 23:16 24:3 24:4 24:8 24:9 25:16 25:17 25:23 26:3 26:7 30:11 34:14 35:12 36:15 37:16 41:19 46:2 46:14 46:16 47:15	27:24 37:20 37:21 42:22 45:20 48:8 49:25 50:5 53:6 53:24 55:14 58:23 58:24 61:3 61:7 61:8 61:12 61:17 61:21 62:3 62:7 62:10 62:23 62:24 64:21 69:23 71:17 71:22 71:23 73:1 73:11 73:13 73:15 73:17 74:6 74:11 74:13 74:18 75:2 75:8 75:17 77:21 80:12 80:17 81:2 81:2 81:3 81:5 81:11 81:25 82:14 82:15 82:16 83:5	max 37:1 maximum 119:9 may 19:3 47:18 51:9 52:2 54:24 55:1 55:11 68:18 76:22 77:20 77:25 78:25 79:19 80:3 80:5 89:5 93:25 95:6 101:4 101:16 113:3 114:13 114:15 119:18 119:20 130:9 131:16 maybe 48:14 80:20 100:25 120:4 133:21 mayfield 3:21 8:10 12:10 12:15 13:7 13:24 20:20 21:2
45:24 56:2 list 10:19 24:10 26:8 32:23 34:4 46:19 65:24 79:8 79:9 79:12 79:12 79:16 79:19 79:23 80:1 80:10 80:15 80:20 80:21 83:17 98:14 120:17 128:13 128:13 listed 62:12 62:17 78:11 87:23 92:16 93:11 96:9 listing 77:22 81:2 lists 93:10 little 22:17 25:20 42:17 48:21 50:3 57:20 63:3 76:4	location 31:11 32:3 83:13 89:16 132:12 locations 120:23 120:24 121:20 122:4 122:15 lock 29:4 126:25 locked 90:5 log 81:2 82:3 82:4 82:7 87:25 95:6 logic 43:6 long 38:9 39:20 43:6 48:10 69:15 110:17 longer 30:11 88:13 88:22 120:21 121:11 look 24:13 52:3 65:14 69:14 74:12 74:17 86:18 91:20	70:16 88:18 90:23 97:11 97:18 99:5 mail 22:12 41:25 44:4 mails 44:7 main 35:18 126:10 maintain 28:2 40:14 128:13 maintaining 44:10 maintenance 15:11 22:20 23:16 24:3 24:4 24:8 24:9 25:16 25:17 25:23 26:3 26:7 30:11 34:14 35:12 36:15 37:16 41:19 46:2 46:14 46:16 47:15 48:6 50:18 54:18	27:24 37:20 37:21 42:22 45:20 48:8 49:25 50:5 53:6 53:24 55:14 58:23 58:24 61:3 61:7 61:8 61:12 61:17 61:21 62:3 62:7 62:10 62:23 62:24 64:21 69:23 71:17 71:22 71:23 73:1 73:11 73:13 73:15 73:17 74:6 74:11 74:13 74:18 75:2 75:8 75:17 77:21 80:12 80:17 81:2 81:2 81:3 81:5 81:11 81:25 82:14 82:15 82:16 83:5 83:7 83:10 83:13	max 37:1 maximum 119:9 may 19:3 47:18 51:9 52:2 54:24 55:1 55:11 68:18 76:22 77:20 77:25 78:25 79:19 80:3 80:5 89:5 93:25 95:6 101:4 101:16 113:3 114:13 114:15 119:18 119:20 130:9 131:16 maybe 48:14 80:20 100:25 120:4 133:21 mayfield 3:21 8:10 12:10 12:15 13:7 13:24 20:20 21:2 22:4 49:6 49:17
45:24 56:2 list 10:19 24:10 26:8 32:23 34:4 46:19 65:24 79:8 79:9 79:12 79:12 79:16 79:19 79:23 80:1 80:10 80:15 80:20 80:21 83:17 98:14 120:17 128:13 128:13 listed 62:12 62:17 78:11 87:23 92:16 93:11 96:9 listing 77:22 81:2 lists 93:10 little 22:17 25:20 42:17 48:21 50:3 57:20 63:3 76:4 95:11 98:19 106:19	location 31:11 32:3 83:13 89:16 132:12 locations 120:23 120:24 121:20 122:4 122:15 lock 29:4 126:25 locked 90:5 log 81:2 82:3 82:4 82:7 87:25 95:6 logic 43:6 long 38:9 39:20 43:6 48:10 69:15 110:17 longer 30:11 88:13 88:22 120:21 121:11 look 24:13 52:3 65:14 69:14 74:12 74:17 86:18 91:20 93:17 106:7 116:13	70:16 88:18 90:23 97:11 97:18 99:5 mail 22:12 41:25 44:4 mails 44:7 main 35:18 126:10 maintain 28:2 40:14 128:13 maintaining 44:10 maintenance 15:11 22:20 23:16 24:3 24:4 24:8 24:9 25:16 25:17 25:23 26:3 26:7 30:11 34:14 35:12 36:15 37:16 41:19 46:2 46:14 46:16 47:15 48:6 50:18 54:18 56:10 56:14 79:10	27:24 37:20 37:21 42:22 45:20 48:8 49:25 50:5 53:6 53:24 55:14 58:23 58:24 61:3 61:7 61:8 61:12 61:17 61:21 62:3 62:7 62:10 62:23 62:24 64:21 69:23 71:17 71:22 71:23 73:1 73:11 73:13 73:15 73:17 74:6 74:11 74:13 74:18 75:2 75:8 75:17 77:21 80:12 80:17 81:2 81:2 81:3 81:5 81:11 81:25 82:14 82:15 82:16 83:5 83:7 83:10 83:13 83:15 83:18 83:19	max 37:1 maximum 119:9 may 19:3 47:18 51:9 52:2 54:24 55:1 55:11 68:18 76:22 77:20 77:25 78:25 79:19 80:3 80:5 89:5 93:25 95:6 101:4 101:16 113:3 114:13 114:15 119:18 119:20 130:9 131:16 maybe 48:14 80:20 100:25 120:4 133:21 mayfield 3:21 8:10 12:10 12:15 13:7 13:24 20:20 21:2 22:4 49:6 49:17 74:10 105:8
45:24 56:2 list 10:19 24:10 26:8 32:23 34:4 46:19 65:24 79:8 79:9 79:12 79:12 79:16 79:19 79:23 80:1 80:10 80:15 80:20 80:21 83:17 98:14 120:17 128:13 128:13 listed 62:12 62:17 78:11 87:23 92:16 93:11 96:9 listing 77:22 81:2 lists 93:10 little 22:17 25:20 42:17 48:21 50:3 57:20 63:3 76:4 95:11 98:19 106:19 115:20 130:5 133:2	location 31:11 32:3 83:13 89:16 132:12 locations 120:23 120:24 121:20 122:4 122:15 lock 29:4 126:25 locked 90:5 log 81:2 82:3 82:4 82:7 87:25 95:6 logic 43:6 long 38:9 39:20 43:6 48:10 69:15 110:17 longer 30:11 88:13 88:22 120:21 121:11 look 24:13 52:3 65:14 69:14 74:12 74:17 86:18 91:20 93:17 106:7 116:13 116:16 117:3	70:16 88:18 90:23 97:11 97:18 99:5 mail 22:12 41:25 44:4 mails 44:7 main 35:18 126:10 maintain 28:2 40:14 128:13 maintaining 44:10 maintenance 15:11 22:20 23:16 24:3 24:4 24:8 24:9 25:16 25:17 25:23 26:3 26:7 30:11 34:14 35:12 36:15 37:16 41:19 46:2 46:14 46:16 47:15 48:6 50:18 54:18 56:10 56:14 79:10 90:23 93:8 98:13	27:24 37:20 37:21 42:22 45:20 48:8 49:25 50:5 53:6 53:24 55:14 58:23 58:24 61:3 61:7 61:8 61:12 61:17 61:21 62:3 62:7 62:10 62:23 62:24 64:21 69:23 71:17 71:22 71:23 73:1 73:11 73:13 73:15 73:17 74:6 74:11 74:13 74:18 75:2 75:8 75:17 77:21 80:12 80:17 81:2 81:2 81:3 81:5 81:11 81:25 82:14 82:15 82:16 83:5 83:7 83:10 83:13 83:15 83:18 83:19 84:6 84:16 84:17	max 37:1 maximum 119:9 may 19:3 47:18 51:9 52:2 54:24 55:1 55:11 68:18 76:22 77:20 77:25 78:25 79:19 80:3 80:5 89:5 93:25 95:6 101:4 101:16 113:3 114:13 114:15 119:18 119:20 130:9 131:16 maybe 48:14 80:20 100:25 120:4 133:21 mayfield 3:21 8:10 12:10 12:15 13:7 13:24 20:20 21:2 22:4 49:6 49:17 74:10 105:8 mcgrew 24:25 54:3
45:24 56:2 list 10:19 24:10 26:8 32:23 34:4 46:19 65:24 79:8 79:9 79:12 79:12 79:16 79:19 79:23 80:1 80:10 80:15 80:20 80:21 83:17 98:14 120:17 128:13 128:13 listed 62:12 62:17 78:11 87:23 92:16 93:11 96:9 listing 77:22 81:2 lists 93:10 little 22:17 25:20 42:17 48:21 50:3 57:20 63:3 76:4 95:11 98:19 106:19 115:20 130:5 133:2	location 31:11 32:3 83:13 89:16 132:12 locations 120:23 120:24 121:20 122:4 122:15 lock 29:4 126:25 locked 90:5 log 81:2 82:3 82:4 82:7 87:25 95:6 logic 43:6 long 38:9 39:20 43:6 48:10 69:15 110:17 longer 30:11 88:13 88:22 120:21 121:11 look 24:13 52:3 65:14 69:14 74:12 74:17 86:18 91:20 93:17 106:7 116:13 116:16 117:3 117:10 118:9 121:8	70:16 88:18 90:23 97:11 97:18 99:5 mail 22:12 41:25 44:4 mails 44:7 main 35:18 126:10 maintain 28:2 40:14 128:13 maintaining 44:10 maintenance 15:11 22:20 23:16 24:3 24:4 24:8 24:9 25:16 25:17 25:23 26:3 26:7 30:11 34:14 35:12 36:15 37:16 41:19 46:2 46:14 46:16 47:15 48:6 50:18 54:18 56:10 56:14 79:10 90:23 93:8 98:13 make 6:13 12:1	27:24 37:20 37:21 42:22 45:20 48:8 49:25 50:5 53:6 53:24 55:14 58:23 58:24 61:3 61:7 61:8 61:12 61:17 61:21 62:3 62:7 62:10 62:23 62:24 64:21 69:23 71:17 71:22 71:23 73:1 73:11 73:13 73:15 73:17 74:6 74:11 74:13 74:18 75:2 75:8 75:17 77:21 80:12 80:17 81:2 81:2 81:3 81:5 81:11 81:25 82:14 82:15 82:16 83:5 83:7 83:10 83:13 83:15 83:18 83:19 84:6 84:16 84:17 84:25 85:2 85:7	max 37:1 maximum 119:9 may 19:3 47:18 51:9 52:2 54:24 55:1 55:11 68:18 76:22 77:20 77:25 78:25 79:19 80:3 80:5 89:5 93:25 95:6 101:4 101:16 113:3 114:13 114:15 119:18 119:20 130:9 131:16 maybe 48:14 80:20 100:25 120:4 133:21 mayfield 3:21 8:10 12:10 12:15 13:7 13:24 20:20 21:2 22:4 49:6 49:17 74:10 105:8 mcgrew 24:25 54:3 mckee 37:9 37:18
45:24 56:2 list 10:19 24:10 26:8 32:23 34:4 46:19 65:24 79:8 79:9 79:12 79:12 79:16 79:19 79:23 80:1 80:10 80:15 80:20 80:21 83:17 98:14 120:17 128:13 128:13 listed 62:12 62:17 78:11 87:23 92:16 93:11 96:9 listing 77:22 81:2 lists 93:10 little 22:17 25:20 42:17 48:21 50:3 57:20 63:3 76:4 95:11 98:19 106:19 115:20 130:5 133:2	location 31:11 32:3 83:13 89:16 132:12 locations 120:23 120:24 121:20 122:4 122:15 lock 29:4 126:25 locked 90:5 log 81:2 82:3 82:4 82:7 87:25 95:6 logic 43:6 long 38:9 39:20 43:6 48:10 69:15 110:17 longer 30:11 88:13 88:22 120:21 121:11 look 24:13 52:3 65:14 69:14 74:12 74:17 86:18 91:20 93:17 106:7 116:13 116:16 117:3	70:16 88:18 90:23 97:11 97:18 99:5 mail 22:12 41:25 44:4 mails 44:7 main 35:18 126:10 maintain 28:2 40:14 128:13 maintaining 44:10 maintenance 15:11 22:20 23:16 24:3 24:4 24:8 24:9 25:16 25:17 25:23 26:3 26:7 30:11 34:14 35:12 36:15 37:16 41:19 46:2 46:14 46:16 47:15 48:6 50:18 54:18 56:10 56:14 79:10 90:23 93:8 98:13	27:24 37:20 37:21 42:22 45:20 48:8 49:25 50:5 53:6 53:24 55:14 58:23 58:24 61:3 61:7 61:8 61:12 61:17 61:21 62:3 62:7 62:10 62:23 62:24 64:21 69:23 71:17 71:22 71:23 73:1 73:11 73:13 73:15 73:17 74:6 74:11 74:13 74:18 75:2 75:8 75:17 77:21 80:12 80:17 81:2 81:2 81:3 81:5 81:11 81:25 82:14 82:15 82:16 83:5 83:7 83:10 83:13 83:15 83:18 83:19 84:6 84:16 84:17	max 37:1 maximum 119:9 may 19:3 47:18 51:9 52:2 54:24 55:1 55:11 68:18 76:22 77:20 77:25 78:25 79:19 80:3 80:5 89:5 93:25 95:6 101:4 101:16 113:3 114:13 114:15 119:18 119:20 130:9 131:16 maybe 48:14 80:20 100:25 120:4 133:21 mayfield 3:21 8:10 12:10 12:15 13:7 13:24 20:20 21:2 22:4 49:6 49:17 74:10 105:8 mcgrew 24:25 54:3

me 10:2 11:16 12:14	merry 141:18	45:12	37:18 38:1 38:5	114:1 114:5 114:9
16:1 22:15 22:19	mess 73:5	monitoring 14:8	38:9 40:13 40:18	114:14 114:17
27:1 31:15 44:4	message 68:22	14:18 15:22 25:18	40:23 40:25 41:8	115:9 115:13
48:2 52:3 59:17	messenger 72:11	25:21 26:9 27:17	41:10 42:19 42:24	115:17 116:2 116:6
59:22 60:7 63:2	met 42:21	30:8 34:23 35:16	43:5 43:11 43:19	116:14 116:17
64:19 71:10 71:15	methods 14:16	36:23 40:2 40:15	44:16 44:19 44:23	116:20 117:2 117:7
71:15 71:16 71:17	michael 3:8	40:16 40:21 41:3	45:2 45:5 45:11	117:23 118:2 118:6
72:24 73:15 74:1	microprocessor 96:3	10010151010	45:15 45:22 48:18	118:8 118:14
76:25 79:18 99:23	might 13:14 22:11	43:21 44:13 45:7	50:11 50:15 51:14	118:18 118:21
101:23 110:2	34:24 46:13 46:17	50:16 65:11 68:7	51:16 51:20 52:4	119:7 119:15
134:19	64:4 87:19 93:18	81:13 84:1 84:22	53:1 53:9 53:12	119:19 119:21
mea 60:20	95:10 110:13 121:6	85:8 86:18 89:18	53:16 53:22 54:4	119:24 120:3 120:6
mean 18:16 18:19	mike 7:6 24:25 30:22	00 4 00 7 04 4	54:6 55:3 55:5	120:11 121:15
20:5 21:10 24:13	54:3	95:13 95:14 98:9	55:16 55:20 55:23	121:18 121:21
27:8 28:9 40:21	mind 11:18 27:9	103:1 103:14	55:25 56:23 57:14	121:23 122:5
41:25 42:24 43:13	96:15 102:21	monitors 91:14	57:17 57:19 57:24	122:10 122:17
44:4 44:6 44:8 45:6	105:19 127:5	month 110:18	58:2 58:5 58:8	122:24 123:2 123:5
72:25 78:23 96:18	127:13	110:20	58:15 59:4 59:8	123:8 123:12
99:12 104:3 104:8	mine 95:23	months 52:15	64:24 65:2 65:4	123:21 123:25
104:9 120:10	minimum 68:1	more 14:11 16:20	65:7 69:2 69:19	124:3 124:6 124:14
120:11 126:3	137:19 137:21	22:19 25:20 34:7	70:3 70:5 70:7 74:3	124:19 125:3
126:19 126:21	minor 61:24	40:2 50:3 57:20	74:21 74:24 75:5	125:11 125:19
126:24 128:1 128:8	minute 16:5 36:5	64:2 67:1 76:4 82:5		125:21 126:2 126:5
133:10	40:18 41:1 42:18	83:14 90:11 98:20	77:11 78:5 80:8	126:16 126:19
means 36:19 94:7	43:2 44:2 47:22	106:12 106:17	82:2 82:11 86:22	126:23 127:8
141:25	48:9 66:18 66:22	108:14 114:13	88:24 89:1 89:4	127:18 127:24
mechanical 3:7	67:15 68:8 89:15	121:7 137:12	89:8 89:11 90:11	128:17 129:13
20:25 31:14	95:23 103:6 103:21	137:13 137:14	90:25 91:5 91:9	129:20 129:23
medical 3:16 7:25	109:5 109:6 112:6	141:11	91:24 92:2 92:20	130:2 130:12
meeting 4:2 4:14 5:3	minutes 15:22 30:7	morelock 1:12 3:3	92:23 93:5 93:7	130:14 130:19
5:4 6:4 6:17 61:3	36:25 38:8 38:13	6:2 7:10 7:10 7:22	93:23 94:12 94:15	130:22 130:25
109:15 111:1	39:7 40:8 41:2 43:1	8:20 8:25 9:3 9:11	94:18 94:22 95:1	131:3 131:6 131:18
111:10 135:4	43:7 44:2 45:19	10:1 10:7 10:11	96:16 97:5 98:21	132:4 132:14 133:1
135:13 138:20	48:14 48:14 58:20	11:10 12:19 12:24	99:2 104:3 104:8	133:13 133:17
138:25 139:9	67:2 68:10 74:16	13:2 13:15 13:18	104:15 104:22	133:20 134:8
139:11 141:15	74:17 93:20 118:20	13:21 14:1 16:1	105:7 105:11	134:17 134:19
meetings 135:18	miscellaneous 11:8	16:14 16:16 17:6	105:14 105:17	134:22 135:19
member 3:4 3:5 3:7	misinterpreted	17:25 18:6 18:14	107:1 107:10 107:12 107:15	135:25 136:3 138:15 139:2
3:8 7:9 7:13 7:15	105:16	18:18 18:20 18:24	107:12 107:15	138:13 139:2
59:13 122:13	missed 72:17	19:10 19:12 19:16	100 1100 7 100 10	1
members 4:21 6:6	missing 93:3	20:4 20:8 21:7 21:9	108:4 108.7 108.10	140:10 141:7
9:20 14:7 59:17	mistaken 117:18	21:16 21:18 23:1	108.13 108.20	141:10 142:6 142:9
109:19 111:8 112:7	modifications 112:22	23:9 23:12 24:19 24:22 25:4 25:11	109:24 110:4 110:7	1
113:10 135:1	momentarily 6:10	24:22 25:4 25:11 25:14 26:16 26:20	110:11 110:16	morning 6:2 7:12
memory 117:18	monitor 25:8 43:7	27:3 27:10 27:13	110:11 110:10	12:12 59:16 59:18
memphis 60:3	54:21 67:19 91:21	28:6 28:19 28:21	111:20 111:23	most 9:15 56:12
mention 31:4 51:24	94:2	29:2 29:6 29:8	112:1 112:15	82:10 89:13 95:23
99:5 129:12	monitored 17:9	29:13 32:10 33:1	112:20 112:25	113:7 130:6
mentioned 31:10	20:21 25:22 37:20	34:8 34:11 35:14	113:3 113:15	motion 8:23 13:16
135:17	37:21 37:23 37:24	35:22 36:3 36:21	113:19 113:24	13:17 57:15 57:16
		33.44 30.3 30.41	= · - 2 = - 2 · - ·	13.17 37.13 37.10

57:20 57:22 64:25	28:25 29:3 29:5	49:21 49:22 49:23	81:17 81:19 81:20	108:2 108:6 108:9
65:1 108:1 142:3	29:7 29:9 29:10	50:2 50:4 50:8	81:22 82:1 82:5	108:12 108:16
move 12:5 12:9 97:3	29:11 29:14 29:15	50:13 50:17 50:19	82:12 82:19 82:20	108:17 108:18
108:5 109:13	29:17 29:19 29:20	50:21 50:22 50:24	82:25 83:1 83:3	108:19 108:21
134:15	29:22 29:24 30:1	51:4 51:5 51:7 51:9		108:25 110:2 110:6
moved 108:2 142:5	30:2 30:4 30:5 30:6		84:4 84:5 84:7	110:12 113:17
moves 9:22	30:15 30:17 30:18	51:21 51:22 51:23	84:12 84:14 84:16	113:20 114:2
moving 11:13 11:14	30:19 30:20 30:21	51:25 52:1 52:2	84:19 84:23 84:24	114:21 114:25
34:21 76:10 76:15	31:3 31:6 31:10	52:5 52:6 52:8	85:4 85:5 86:24	115:7 115:11
141:14	31:18 31:23 32:3	52:12 52:13 52:14	87:2 87:3 87:4 87:9	
mr 7:4 7:6 7:8 7:12	32:7 32:8 32:11	52:16 52:17 52:19	87:10 87:12 87:14	115:23 116:3
7:14 7:20 7:24 8:1	32:13 32:15 32:17	52:22 52:23 52:25	87:16 87:18 87:21	116:12 116:16
8:3 8:5 8:9 8:12	32:19 32:20 32:21	53:7 53:11 53:15	88:5 88:11 88:15	116:19 116:22
8:14 8:16 8:18 8:23		53:19 54:1 54:3	88:16 88:17 88:23	116:23 117:4 117:5
9:2 9:7 9:8 9:9 9:10			88:25 89:3 89:5	117:8 117:15
9:24 9:25 10:2 10:5	'	55:15 55:19 55:22	89:9 89:21 90:22	117:17 117:19
10:6 10:9 10:10	33:17 33:19 33:20	55:24 56:1 56:7	91:1 91:8 91:23	117:21 117:25
10:12 12:12 12:20	33:21 33:25 34:2	56:15 56:17 56:18	91:25 92:18 92:21	118:3 118:7 118:10
12:22 13:1 13:5	34:3 34:4 34:5 34:6		92:25 93:2 93:4	118:15 118:15
13:17 13:20 13:25	34:10 34:12 34:17	57:2 57:6 57:7 57:9		118:19 119:14
14:2 14:5 14:6	34:18 34:20 34:22	57:11 57:12 57:13	94:13 94:17 94:20	119:18 119:20
14:19 14:23 14:24	34:25 35:18 35:24	57:16 57:18 57:22	94:24 95:22 95:25	119:22 119:25
15:2 15:15 15:18	35:25 36:2 36:7	58:1 58:4 58:7	96:1 96:2 96:4 96:5	
16:7 16:8 16:10	36:8 36:25 37:2	58:12 58:13 58:14	96:12 96:15 96:17	121:8 121:14
16:11 16:12 16:15	37:3 37:5 37:7	58:18 59:2 59:6	96:21 96:22 96:24	121:17 121:19
16:18 16:21 17:4	37:25 38:4 38:8	59:7 59:10 59:12	97:1 97:2 97:6 97:7	
17:5 17:8 17:10	38:10 38:12 38:15	59:13 59:16 59:22	97:11 97:13 97:15	122:7 122:16
17:14 17:22 17:22	38:16 38:18 38:19	59:25 65:1 65:3	97:16 97:18 97:20	122:20 122:25
18:5 18:8 18:15	38:21 38:24 39:2	65:6 65:9 65:10	98:2 98:5 98:6	123:4 123:7 123:10
18:19 18:22 19:6	39:5 39:6 39:8	65:14 67:13 67:14	98:10 98:11 98:16	123:18 123:19
19:7 19:11 19:13	39:17 39:19 39:20	67:17 67:20 67:22	98:17 98:19 98:25	123:20 123:20
20:3 20:5 20:10	39:21 39:23 39:24	67:23 68:16 68:20	99:2 99:3 99:7 99:9	123:22 124:1 124:5
20:24 21:8 21:14	40:1 40:4 40:17	68:25 69:4 69:7	99:11 99:14 99:16	124:11 124:17
21:15 21:17 21:20	40:20 40:24 41:7	69:11 69:17 69:18	99:17 99:19 99:20	125:1 125:4 125:12
21:22 21:23 21:24	41:9 41:12 41:16	70:1 70:4 70:6 70:8	100:22 101:15	125:14 125:15
21:25 22:4 22:5	41:21 41:23 42:12	70:13 70:15 70:19	101:16 101:18	125:17 125:20
22:6 22:7 22:10	42:14 42:20 43:4	70:21 70:23 71:4	102:5 102:8 102:9	125:22 125:23
22:14 22:23 23:2	43:9 43:10 43:13	71:6 72:21 72:22	102:10 102:12	126:3 126:12
23:4 23:6 23:7	44:14 44:17 44:21	72:24 73:2 73:3	102:13 102:15	126:17 126:21
23:11 23:15 23:21	44:25 45:3 45:9	73:5 73:11 73:13	102:17 102:20	127:2 127:9 127:12
23:24 24:12 24:16	45:10 45:14 45:21	73:19 73:20 73:24	103:22 104:7	127:15 127:21
24:18 24:20 24:23	45:23 46:12 47:3	74:19 74:22 75:1	104:13 104:21	127:21 127:25
25:10 25:13 26:13	47:4 47:7 47:8	75:1 75:6 75:11	104:24 105:2 105:4	128:6 128:8 129:6
26:14 26:17 26:21	47:10 47:11 47:12	75:13 75:17 76:19	105:9 105:12	129:6 129:14
26:22 26:24 26:25	47:13 47:14 47:17	77:10 77:12 78:2	105:15 105:18	129:21 130:1 130:4
27:4 27:5 27:6	47:24 47:25 48:1	78:6 78:9 78:10	106:20 106:23	130:13 130:15
27:11 27:15 27:18	48:2 48:5 48:6	78:17 78:21 78:22	107:2 107:4 107:5	130:21 130:24
27:19 27:21 27:22	48:10 48:12 48:16	78:25 79:3 79:4	107:6 107:8 107:11	131:1 131:4 131:8
28:4 28:5 28:7 28:8	48:17 48:17 48:20	79:6 79:21 79:25	107:13 107:17	131:9 131:10
28:10 28:14 28:16	48:23 48:24 49:5	80:1 80:9 80:25	107:18 107:22	131:11 131:15
28:20 28:22 28:24	49:11 49:14 49:19	81:4 81:14 81:16	107:23 107:24	131:17 131:19

131:22 131:23	59:19 70:19 70:24	53:5 53:14 54:17	nine 53:7 53:24 54:7	11:7 23:16 24:1
132:3 132:5 132:15	70:25 71:22 72:14	57:19 57:20 64:4	54:20 61:15 92:4	56:2 56:3 60:5
132:18 132:19	74:19 76:8 78:10	71:9 76:10 80:9	99:23 134:2 134:18	
132:21 132:22	79:7 80:25 83:3	84:18 84:19 84:24	nobody 135:15	81:1 99:25 103:8
133:9 133:10	83:14 84:25 86:15	90:15 91:6 95:18	136:19	118:17 118:20
133:15 133:18	87:20 88:5 89:21	97:8 101:4 104:16	non 131:20 131:21	numbers 83:15
134:7 134:12	89:24 95:21 105:20	104:22 107:14	none 4:8 9:5 57:15	83:16
134:12 134:18	117:18 141:16	109:5 110:18	59:12 108:14	nuts 136:6
134:21 135:11	143:8 143:12	110:19 115:2 124:6	nonstandard 119:10	
135:21 135:23	143:22	124:7 126:15	noon 109:9	0
135:24 136:1 136:4	myself 137:10	127:18 128:12	nor 143:14 143:16	observed 109:10
136:14 136:15		128:21 139:25	normal 16:23 17:2	obsolete 82:16
136:17 136:21	N	140:11 140:16	17:20 25:15 47:15	obsoleted 70:17
136:23 136:24	na 81:3	140:23	95:3	obvious 96:13 98:9
137:15 137:17	name 30:2 31:6	needed 60:9 61:5	normally 27:22	104:19
138:14 138:16	59:21 59:24 75:10	73:9 82:10 141:2	85:18	obviously 23:3 27:9
138:19 138:21	87:2 87:5 88:19	needing 69:14 70:17	north 11:25	49:6 79:24 96:18
138:23 138:24	135:22	needs 4:23 23:4	notary 143:6 143:21	99:8 99:9 99:12
138:25 139:1 139:5	names 80:16	54:10 60:24 61:6	note 97:18	101:3 101:20 103:9
139:7 139:8 139:10	narrow 138:12	79:20 85:9 89:14	notebooks 113:14	110:24 126:21
139:14 139:15	nashville 2:6 5:7	92:13 93:13 101:21	noted 21:25 22:17	occupied 40:3
139:19 139:22	national 4:22 5:1	104:18 107:16	108:3	occur 53:13
140:18 141:9 142:5	11:1 62:16 111:16	107:20	notes 93:17	occurred 31:9
142:8	111:17 112:4 113:4	nervous 28:12	nothing 76:1	occurs 43:24 66:16
ms 7:2 7:16 7:18	114:21 115:18	network 15:8 15:16	noticed 23:15 90:10	october 128:5 128:12
10:4 17:25 19:17	116:23 117:9 117:9	15:19 16:4 30:25	92:8	off 9:24 25:5 25:14
59:15 109:23 110:9	118:4 118:10	31:25	notification 13:10	30:13 32:5 35:15
110:21 110:24	120:20 120:25	never 31:20 127:13	14:21 15:8 35:2	38:22 39:14 47:20
111:19 111:22	120:25 122:11	neville 3:15 3:15 8:3		58:25 86:4 92:24
111:25 112:11	122:13 122:18	8:3 8:3 88:19	45.1 45.17	96:11 101:7 102:17
112:16 112:21	122:21 122:22	new 4:9 11:15 13:6	notified 15:23 35:13	111:24 129:8
113:1 113:13	123:15 123:17	16:25 46:22 49:19	36:11 42:4	129:18 133:5 134:9
113:22 113:25	123:23 124:8	51:2 51:3 51:5	notify 17:13 66:10	138:1 138:9 140:9
114:3 114:6 114:11	124:10 124:20	51:10 51:10 51:13	116:8 116:21	offenses 77:8
114:15 119:5 128:3		52:9 52:15 53:6	notifying 15:10	office 5:6 7:17
128:7 128:9 139:23	125:8 125:25 127:2		now 12:4 18:4 27:25	119:25
140:4 140:8	128:19 130:9	69:14 69:15 69:23	30:23 31:2 31:15	officer 67:19 68:10
much 45:25 46:2	130:17 131:4	69:23 71:12 71:25	33:21 40:12 53:4	94:2 100:3 101:24
46:9 60:23 74:1	131:13 132:10	72:19 76:12 78:15	61:18 61:23 62:7	102:7 106:22
83:6 85:23 101:19	natural 6:19	79:1 81:9 83:1	64:14 66:15 69:10 70:23 72:8 72:16	106:24
108:25 112:18	navy 86:7 106:21	89:15 123:3 126:8	73:18 74:12 76:3	officers 94:16
131:24 133:24	nb 4:22 114:21	126:9 132:6 132:6	76:5 78:22 78:23	often 14:15 49:3
137:20 138:11	near 56:9 64:5	134:15 141:19	105:2 109:20 110:4	11 4 7 11 10 11 14
multiple 35:5 37:14	necessarily 102:2	next 5:4 27:17 47:17	105:2 109:20 110:4	42:2 61:13 69:21
100:25 101:19	104:9 137:22	59:9 72:3 111:4	117:24 126:7	76:13 82:23 86:6
125:6 137:18	necessary 24:5 60:17	113:9 114:20	127:10 129:1	once 16:19 29:23
must 22:8 67:1	64:2 65:13	118:23 120:18	130:15 135:10	30:8 38:22 39:3
my 10:2 18:15 19:19	need 6:6 26:4 26:6	128:2 128:16	nowhere 104:13	132:9 140:12
20:12 20:13 33:19	37:23 38:6 40:15	133:22 141:14	nuisance 39:14	one 9:14 13:3 13:7
40:14 45:24 47:17	44:11 44:12 46:20	141:16	number 10:17 10:20	
49:2 55:6 59:18			Humber 10.1 / 10.20	15.0 11.0 11.11

19:2 19:21 19:21	105:22 137:22	77:22 77:25 83:5	paragraph 50:25	performed 10:14
23:17 26:25 31:2	138:7	86:10 86:21 90:5	51:13 52:6 95:24	10:22
33:16 33:16 37:10	operation 13:23 24:6		95:25 96:2 97:25	period 46:11 47:21
39:12 42:15 45:20	93:10 93:14	106:1 106:5 109:12		97:24
46:17 46:19 46:22	operational 63:20	110:19 115:16	115:20	periods 93:25
47:12 48:13 51:15	64:8 70:11	116:4 116:8 120:15	I	permission 61:16
53:20 55:7 55:13	operations 16:24	123:15 124:8	pardon 59:22	permissive 66:11
55:22 56:3 56:13	17:2 65:20 81:24	124:11 124:12	parenthetical 124:24	permit 63:16 64:10
56:15 56:25 58:9	87:15 87:16 87:24	124:24 131:24	parks 6:22	114:24
61:5 61:11 63:13	operative 68:5	outcome 76:22	parkway 1:24	person 19:22 24:3
66:17 67:24 69:5	operator 15:20 65:18		part 17:1 17:24 19:3	24:9 36:15 36:16
72:14 73:15 75:14	66:2 66:5 66:7 66:7	118:11 130:16	20:16 21:4 21:11	42:6 49:13 55:8
80:4 80:23 81:5	66:13 66:17 66:23	136:1 138:4	22:13 26:3 36:12	67:2 87:4 87:20
81:6 81:11 81:12	67:1 67:11 68:8	overload 137:5	43:21 44:15 55:1	87:23 88:2 88:13
81:14 81:16 81:17	79:10 80:3 85:9	overlooked 61:23	60:23 60:24 62:7	95:14
82:21 83:7 83:9	85:21 86:17 86:25	overly 67:6	78:4 78:7 124:21	personally 18:17
83:9 83:13 83:18	87:1 87:13 92:12	overpressure 92:10	participate 18:2	70:25
83:18 83:25 84:20	92:14 93:12 101:1	overpressuring 33:3	participating 18:9	personnel 6:19 13:11
84:21 85:13 87:6	103:3 103:17	oversight 60:22	particular 60:4	15:11 16:23 16:25
87:10 88:8 91:15	105:20 135:15	overview 115:21	100:19 100:24	25:17 25:24 26:3
92:4 92:5 93:24	operators 65:22	overworked 64:1	102:19 105:5	34:13 34:15 34:16
94:9 95:15 96:13	67:21 67:21 84:5	own 20:19 114:3	126:13	34:19 34:24 35:7
102:7 106:4 114:7	91:15 91:17 97:9	130:7 130:10	particularly 35:10	35:11 35:16 36:10
114:7 119:1 119:12	102.1 130.13	owner 3:5 71:2 71:8	parties 143:14	36:22 37:16 39:8
126:17 128:5	opinion 18:5 18:7	ownership 60:15	parts 24:6 70:17	41:20 42:6 46:2
132:16	18:15 19:17 85:1		pass 128:22	46:2 46:5 47:5
ones 30:8 70:13	86:15	P	passed 64:23	47:19 48:3 48:21
ongoing 20:15	opposed 9:11 58:15	padlock 90:6	passing 11:2	49:3 49:9 51:6
online 117:4	108:20	padlocks 91:4	password 14:15	51:13 52:9 54:18
ooltewah 37:10	options 17:17 121:4	page 23:16 24:14	14:25 15:2 36:13	67:18 87:24 88:12
open 4:13 13:22	order 4:2 6:17 66:19		39:9 39:18 90:13	90:8 90:24 106:22
33:24 64:20 65:5	org 97:7 97:8	50:6 50:12 53:7	90:19	persons 128:15
109:14	organization 52:18	53:24 53:24 54:5	past 18:1 105:20	pertains 50:9
operate 14:21 47:22	136:25	54:6 54:7 54:10	path 120:16 133:3	pertinent 80:24
50:1 71:13 77:6	organizational 24:13	54:20 54:22 55:6	pdf 73:16	pg 119:3 119:13
94:4 103:2 104:6	25:5 26:2 26:5	56:2 56:25 62:2	pearl 2:5	phone 9:15 35:4 42:2
104:12	54:18 60:14 91:12	62:3 62:12 62:21	penalties 76:23 77:4	44:6 44:22 68:21
operated 63:10 63:19	91:20	79:8 81:8 86:1	77:9	phones 35:5 37:15
77:4	organizations 25:6	88:20 92:7 92:12	pending 63:19	phonetic 18:1 31:3
operating 17:1 63:6	original 71:23 73:15	92:18 93:21 93:22	people 16:5 19:20	31:5 87:6 135:23
63:7 63:16 63:18	77:23 81:23 83:5	93:23 95:3 95:18	26:11 27:1 45:7	physical 15:13 40:11
64:10 65:18 66:1	88:21	95:24 97:23 97:25	46:24 50:18 78:7	91:4 132:11
66:11 66:17 66:18	originally 78:23	99:23 111:15	90:20 91:6 110:19	physically 37:12
66:20 66:24 67:24	orlando 87:7	pager 68:18 68:22	137:7 137:21 138:6	1 20 10 20 2 10 7
68:3 68:5 80:2 80:5	others 91:1 112:3	pages 63:1 81:8 92:4	138:7 138:8 140:22	10 6 10 0
81:2 81:6 81:7	otherwise 30:14	panel 28:18 39:4	perceived 18:10	picked 111:14
81:12 81:14 84:20	out 9:16 19:3 23:17	85:15	percent 37:25 40:3	picture 19:3
84:21 84:22 85:7	29:4 45:7 46:10	panels 90:3 90:6 91:2	71:1	pile 85:20
85:13 89:23 90:3	49:3 56:11 61:8	91:4	perfect 28:20 28:24	piping 54:9 54:11
96:7 103:1 103:14	61:16 63:1 74:16	panic 29:5 86:17	perform 95:5	61:6
103:25 104:11		-	pc1101111 7J.J	01.0

10:10 12:22 48:17					
10:10 12:22 48:14 9:11 48:20 48:24 49:11 48:20 48:24 49:11 48:19 50:25 50:19 50:22 52:5 57:18 50:32 10:82 10:89 10:81 50:22 52:5 57:18 50:32 10:82 10:89 10:81 50:32 10:82 10:89 10:81 50:32 10:82 10:89 10:81 50:32 10:82 10:89 10:81 50:32 10:82 10:89 10:81 50:32 10:82 10:82 10:82 10:61 11:10 12:82 10:61 18:10 12:82 50:18 10:82 10:82 10:61 18:10 12:82 50:18 18:10 10:20 68:7 10:52 50:44 50:18 10:82 57:18 50:22 57:18 50:40 50:22 57:18 50:22 57:18 50:22 57:18 50:22 57:18 50:22 57:18 50:20 57:18	pischke 3:8 7:6 9:9	83:12 83:18 110:13	primary 26:18 87:20	provide 65:25 125:6	16:18 20:14 22:24
48:20 48:24 49:11 69:79 foresibly 48:11 100:2 58:758:13 93:2 100:6 118:10 1208 110:10 10:10 10:10 10:10 110:12 10:18 10:19 110:12	10:10 12:22 48:17	possible 31:8 66:10	, - •	1 -	43:14 47:18 58:10
4919 50:2 50:19 postibly 48:11 100:2 for:6 72:18 78:4 120:22 120:22 72:3 72:13 72:18 78:18 58:7 58:13 93:2 106:118:101 102:8 posted 80:2 80:4 postpone 5:3 foil:6 87:7 105:25 practical 131:12 produced 27:20 provision 11:21 foil:6 86:19 86:19 95:13 placarded 85:7 place 6:20 40:10 60:1 66:8 77:105:25 practical 131:12 present 11:22 15:20 75:14 prepared 6:14 preparing 6:12 projection 18:17 27:16 providing 114:7 providing 114:7 providing 114:7 provision 11:14 112:17 12:17 provision 84:25 production 8:14 projections 8:14 projection 18:17 27:16 providing 114:7 provision 11:14 112:17 12:17 provision 84:25 projections 18:17 27:16 provision 84:25 projections 18:17 27:16 provision 18:17 27:16 providing 114:7 provision 18:17 27:16 providing 114:7 provision 18:17 27:16 providing 114:7 provision 18:17 27:16 provision 18:17 27:16 providing 114:7 provision 18:17 27:16 provision 18:27 provision 18:17 27:16 provision 18:17 27:16 provision 18:28 projection 18:17 27:16 provision 18:28 projection 18:17 27:16 provision 18:17 27:16 provision 18:28 projection 18:17 27:16 provision 18:28 projection 18:17 27:17 12:12 provision 18:18 projection 18:17 27:17 12:17 27:17 12:17 12:17 12:17 12:17 12:17 12:17 12:17 12:17 12:17 12:17 12:17 12:17 12:17 12:17 12:17 12:17	48:20 48:24 49:11	68:7 101:4 109:9		provided 114:6	65:9 67:16 70:10
50:22 52:5 57:18 108:2 108:9 108:10 110:6 118:10 120:8 110:6 118:10 120:8 110:6 118:10 120:8 112:3 142:5 118:6 118:10 122:3 142:5 118:6 118:10 122:3 142:5 118:6 118:10 122:3 142:5 118:6 118:10 122:3 142:5 118:6 118:10 122:3 142:5 118:10 120:8 118:10 120:10 168:10 120:2 118:10 120:10 100:10 118:10 120:10 100:8 118:10 120:10	49:19 50:2 50:19	possibly 48:11 100:2			72:3 72:13 72:18
58:7 58:13 93:2	50:22 52:5 57:18	<u>*</u>		122:14	72:22 74:25 87:22
108:2 108:9 108:14 postpone 5:3	58:7 58:13 93:2			provider 122:14	108:15 121:14
10:12 10:6 118:10 120:8 power 7:5 54:9 54:10 folial field 8:7 placard 27:16 28:17 precedent 98:14 predecessors 31:3 precedent 98:14 predecessors 31:3 prepared 61:14 preparing 61:2 procedure 99:25 psilo 67:11 72:8 proceded 136:12 procedure 99:25 psilo 67:11 72:8 proceded 136:12 process 21:12 61:2 proceded 136:12 process 21:12 61:2 process 21:12 61:2 process 21:12 61:2 process 21:12 61:2 proceded 136:12 process 21:12 61:2 proceded 136:12 process 21:12 61:2 proceded 136:12 process 21:12 61:2	108:2 108:9 108:16	-	ı -	, -	121:17 125:2
12:17 13:14 13:22 pishke 7:6 pishke 7:6 pishke 7:6 pishke 7:6 pishke 7:6 pishke 7:6 pishke 7:6 pishke 7:6 secure 27:16 28:17 secure 48:19 secure 49:14 secure 49:19 secure 49:	110:6 118:10 120:8	1		, <u> </u>	questions 11:11
pishke 7:6 placard 27:16 28:17 practice 20:6 21:6 86:19 86:19 95:13 place 62:0 40:10 60:6 60:13 63:9 68:3 71:5 71:11 77:11 712 81:13 83:9 83:9 106:15 121:13 place 82:9 90:9 106:15 121:13 plane 81:0 plane 81:0 12:14 15:3 place 82:9 90:9 106:15 121:13 plane 81:0 12:14 15:3 place 82:9 90:9 106:15 121:13 plane 81:0 12:14 15:3 place 82:9 90:9 106:15 121:13 plane 81:0 12:14 15:3 place 82:9 90:9 106:15 121:13 plane 81:0 12:14 15:3 place 82:9 90:9 106:15 121:13 plane 81:0 12:14 15:3 place 82:9 90:9 106:15 121:13 plane 82:0 130:10 plane 81:0 12:14 15:3 place 82:9 90:9 11:19 59:10 67:11 72:8 plane 90:9 11:19 59:10 67:11 72:8 plane 11:25 133:21 plane 81:0 12:14 15:3 place 82:9 90:9 11:18 plane 81:0 12:14 15:3 place 82:9 90:9 11:18 plane 90:1 plane 11:25 133:21 plane 81:0 12:14 15:3 place 82:9 90:9 11:18 plane 81:0 12:2 plane 11:25 133:21 plane 81:0 12:2 plane 11:25 13:25 plane 60:13	122:3 142:5	ı -		1 -	12:17 13:14 13:22
Palarard 27:16 28:17 85:23 86:2 86:16 85:29 86:19 95:13 Sei:19 86:19 95:13 placa 62:0 40:10 60: 60:13 63:9 68:3	pishke 7:6	l .			14:13 17:7 21:19
88:12 86:16 86:19 95:16 precedent 98:14 predecessors 31:3 placarded 85:7 place 6:20 40:10 60:6 66:6 513 63:9 68:3 71:5 71:11 77:1 78:13 83:9 83:9 place 82:9 90:9 plane 92:5 133:21 planning 8:10 plane 92:5 133:21 planning 8:10 plane 92:5 133:21 planning 8:10 plane 12:2 present 11:22 15:20 plane 8:13 81:1 85:13 105:20 106:10 playing 76:16 plead 60:19 please 6:13 9:16 11:19 59:20 59:22 62:2 62:2 pressione 11:2 19:21 pleanure 59:18 please 6:13 9:18 please 6:13 9:16 11:19 59:20 59:23 62:2 62:2 problem 12:2 proces 13:12 proced 136:12 proced 136:12 proceed 136:1	placard 27:16 28:17		1 -	1 -	34:7 64:21 86:23
86:19 86:19 95:13 placacded 85:7 premises 56:9 75:20 143:7 143:2 publication 128:20 published 189:21 111:15 proceeded 136:12 proceed 13:4 56:3 point 8:10 plant 8:10 12:14 15:3 places 82:9 90:9 plan 92:5 133:21 planning 8:10 plant 8:10 12:14 15:3 15:25 25:22 46:13 sli:11 87:11 proceeded 136:12 proceedings 18:2:7 proceedings 18:2:1 proceedings 18:2:7 proceedings 18:2:1 proceedings 18:2:7 proceedings 18:2:1 proceedings 18:2:7 proceedings 18:2:1 pro	85:23 86:2 86:16		procedures 13:12	1 -	91:11 93:19 141:2
Placarded 85:7 Place 6:20 40:10 60:60 Promises 56:9.75:8 Prepared 6:1:14 Proposition 1:28:20 Proposition 4:20 49:25 Proposition 4:20	86:19 86:19 95:13	ı -	ı -	1 -	quick 39:24 39:25
Place 6:20 40:10 60:5 prepared 61:14 preparing 61:2 preceded 13:4 56:3 present 11:22 15:20 59:10 67:11 72:8 73:10 75:18 81:5 91:0 67:11 72:8 73:10 75:18 81:5 73:10 75:18 81:8 73:10 75:18 81:8 73:10 75:18 81:8 73:10 75:18 81:8 73:10 75:18 81:8 73:10 75:18 81:8 73:10 75:18 81:8 73:10 75:18 81:8 73:10	placarded 85:7				89:12 111:15
60:13 63:9 68:3 71:5 71:11 77:1 78:13 83:9 83:9 106:15 121:13 places 82:9 90:9 plan 92:5 133:21 planning 8:10 plant 8:10 12:14 15:3 15:25 25:22 46:13 81:11 85:13 105:20 106:10 playing 76:16 plead 60:19 please 6:13 9:16 11:19 59:20 59:23 feesure 59:18 plety 86:21 pomb 1:24 point 15:8 19:5 20:18 20:24 33:19 42:15 42:25 52:85 22:15 64:5 64:14 64:15 64:19 90:12 101:8 124:7 124:15 140:20 policy 4:4 polysilicon 11:25 polysilicon 11:25 polysilicon 12:20 policy 4:4 polysilicon 12:25	place 6:20 40:10 60:0	L -	l .	*	quicker 42:17
Till	60:13 63:9 68:3	^ ^	proceed 13:4 56:3	1 -	quickly 140:21
Trick Tric	71:5 71:11 77:1		ı -	, -	quite 49:3 109:7
Table Tabl	78:13 83:9 83:9	1 -			
places 82:9 90:9 plan 92:5 133:21 planning 8:10 plant 8:10 12:14 15:3 81:11 85:13 105:20 106:10 playing 76:16 plead 60:19 please 6:13 9:16 11:19 59:20 59:23 62:2 pleasure 59:18 plent 86:21 pmb 1:24 point 15:8 19:5 20:18 20:24 33:19 42:15 42:25 52:85 52:15 64:5 64:14 64:15 64:19 90:12 101:8 124:7 124:15 140:20 polity 4:4 polysilicon 11:25 polity 4:4 polysilicon 11:25 polity 4:4 polysilicon 11:25 polity 4:4 polysilicon 11:25 polity 4:4 polity 68:18 pose 109:18 pose 109:18 pose 109:18 position 4:20 49:25 52:24 66:12 99:15 103:15 111:6 81:10 81:11 87:11 137:1 prevents 90:14 prevents 90:15 professional 88:18 program 22:20 49:12 program 2	106:15 121:13	l		I	R
Dam 92:5 133:21 Daming 8:10 137:1 Diaming 8:10 12:14 15:3 88:18 Sit 18 5:23 25:22 46:13 13:15:25 25:22 46:13 13:16 Diaming 8:10 10:10 Diaming 76:16	places 82:9 90:9			, <u>.</u>	radio 68:18 68:23
Planning 8:10 Plant 8:10 12:14 15:3 Presentation 12:2 88:18 Presented 69:13 75:14 Presented 69:13 75:14 Presenters 9:17 11:18 Presenters 9:17 11:18 Presented 60:1 81:24 Presented 60:1 81:24 Presented 60:1 81:24 Presented 60:1 9 Presented 60:1 81:24 Presented 60:1 9 Presented 60:1 81:24 Presented 60:1 81:24 Presented 60:1 9 Presented 60:1 81:24 Presented 60:1 81:24 Presented 60:1 9 Presented 60:1 81:24 Pr	plan 92:5 133:21			1 -	ranges 113:6
Plant 8:10 12:14 15:3 88:18 presented 69:13 15:25 25:22 46:13 81:11 85:13 105:20 75:14 presenters 9:17 11:18 presented 69:13 75:14 presenters 9:17 11:18 presented 60:19 playing 76:16 plead 60:19 please 6:13 9:16 11:19 59:20 59:23 62:2 pressure 11:2 19:21 program 22:20 49:12 program 22:20	planning 8:10	= ' '	ı -	1	rapid 106:10
15:25 25:22 46:13 81:11 85:13 105:20 106:10 11:18 12:15 12:12 13:13 12:12 13:13 12:12 13:13 12:12 13:13 12:12 13:13 12:12 13:13 12:12 13:13 12:12 13:13 13		h ~	l	1	rat 82:17
81:11 85:13 105:20 106:10 playing 76:16 plead 60:19 please 6:13 9:16 11:19 59:20 59:23 62:2 pleasure 59:18 plenty 86:21 point 15:8 19:5 20:18 20:24 33:19 42:15 42:25 52:8 52:15 64:19 90:12 101:8 122:5 policy 4:4 polysilicon 11:25 portable 68:18 post 109:18 post 109:15 103:15 111:6 post 109:15 109:16 post 109:18 post 109:15 103:15 111:6 post 109:16 post 109:18 post 109:18 post 109:15 103:15 111:6 post 109:16 post 109:18 post 109:19 prevents 90:14 post 109:18 post 109:18 post 109:18 post 109:15 103:15 111:6 post 109:16 post 109:18 post 109:19 post 109:18 post 109:19 post 109:18 post 10	15:25 25:22 46:13		120:13 120:15	1	rather 62:23 67:8
presenters 9:17 11:18 presenters 129:25 production 35:17 33:4 36:16 51:11 52:23 56:8 57:2 33:4 36:16 51:11 52:23 56:8 57:2 33:4 36:16 51:11 52:23 56:8 57:2 33:4 36:16 51:11 52:23 56:8 57:2 33:4 36:16 51:11 52:23 56:8 57:2 66:11 68:13 70:25 71:18 80:11 80:22 79:11 93:25 79:1	81:11 85:13 105:20	(-	121:5		85:23 85:24 101:2
Title	106:10		proctor 112:3	1 -	rbi 12:2
plead 60:19 presently 138:3 president 60:1 81:24 president 60:1 68:13 70:25 president 60:1 68:13 70:25 president 60:1 68:13 70:25 president 60:1 68:13 70:25 president 60:1 68:13 80:22 president 60:1 68:13 80:22 president 60:1 68:14 90:21 president 60:1 68:16 90:21 president 60:1 68:16 90:21 preside	playing 76:16	1 -	proctors 129:25	1 -	re 6:4 6:12 12:4
please 6:13 9:16 11:19 59:20 59:23 62:2 pleasure 59:18 plenty 86:21 pmb 1:24 pmb 1:24 point 15:8 19:5 20:18 20:24 33:19 42:15 42:25 52:8 52:15 64:5 64:14 64:15 64:19 90:12 101:8 124:7 124:15 140:20 policy 4:4 polysilicon 11:25 pop 115:20 portable 68:18 pose 109:18 pose 109:18 pose 109:18 position 4:20 49:25 52:24 66:12 99:15 103:15 111:6 prevents 90:14 prevents 9	plead 60:19		production 35:17		15:10 15:22 17:18
Ti:19 59:20 59:23 Press 55:10 56:5 Pressure 11:2 19:21 19:23 19:25 22:1 19:23 19:25 22:1 19:23 19:25 22:1 19:23 19:25 22:1 19:23 19:25 22:1 19:23 19:25 22:1 19:23 19:25 22:1 19:23 19:25 22:1 19:23 19:25 22:1 19:23 19:25 22:1 19:23 19:25 22:1 19:23 19:25 22:1 19:23 19:25 22:1 19:23 19:25 22:1 19:23 19:25 22:1 19:23 19:25 22:1 19:23 19:25 22:1 19:23 19:25 22:1 19:23 19:25 22:1 10:25 12:25 12:25 12:25 12	please 6:13 9:16	, ~ ·	35:19 35:20 41:18		18:9 18:22 20:12
Pressure 11:2 19:21 19:23 19:25 22:1 22:25 77:5 77:6 92:10 106:12 11:17 119:1 119:9 19:01 119:10 119:10 13:15 13:25 23:15 13:17 19:11 11:15 140:20 140:20 120icy 4:4 polysilicon 11:25 pop 115:20 portable 68:18 pos 109:18 position 4:20 49:25 52:24 66:12 99:15 103:15 11:6 103:15 11:6 103:15 11:6 103:15 11:6 103:15 11:6 103:15 11:6 103:15 13:23 103:14 104:5 12:24 12:25	11:19 59:20 59:23	ı -		1	26:3 27:2 27:16
pleasure 59:18 plenty 86:21 pmb 1:24 point 15:8 19:5 20:18 20:24 33:19 42:15 42:25 52:8 52:15 64:5 64:14 64:15 64:19 90:12 101:8 124:7 124:15 140:20 policy 4:4 polysilicon 11:25 pop 115:20 portable 68:18 pose 109:18 position 4:20 49:25 52:24 66:12 99:15 103:15 111:6 position 4:20 49:25 52:24 66:12 99:15 103:15 111:6 plenty 86:21 22:25 77:5 77:6 92:10 106:12 111:17 119:1 119:9 119:10 119:10 135:15 137:23 pressures 95:9 pressurized 34:1 pretty 73:22 110:14 111:14 111:15 112:18 133:24 136:6 prevalent 14:11 prevent 89:19 90:19 protected 14:12 position 4:20 49:25 52:24 66:12 99:15 103:15 111:6 position 4:20 49:25 52:24 66:12 99:15 103:15 111:6 position 4:20 10:10 135:15 111:6 proposition 4:20 49:25 52:24 66:12 99:15 103:15 111:6 proposition 4:20 49:25 52:24 66:12 99:15 103:15 111:6	62:2	ı -	professional 88:18	1	29:20 30:5 30:22
plenty 86:21 pmb 1:24 22:25 77:5 77:6 50:6 76:14 90:21 121:25 121:25 33:22 36:4 36:23 point 15:8 19:5 20:18 111:17 119:1 119:9 programmed 96:7 124:6 126:23 37:3 37:11 38:2 20:24 33:19 42:15 42:25 52:8 52:15 64:5 64:14 64:15 64:19 90:12 101:8 pressures 95:9 properly 64:14 properly 64:14 proposal 121:25 proposal 121:25 proposed 4:14 12:18 proposal 121:25 proposal 121:25 proposal 121:25 proposal 121:25 qualifications 137:16 60:25 63:3 67:14 67:23 69:10 72:1 76:12 76:18 77:14 77:14 77:21 82:10 84:7 84:15 92:10 84:7 84:15 92:10 90:13 90:19 </th <th>pleasure 59:18</th> <th>l -</th> <th> -</th> <th>L</th> <th>32:2 33:2 33:15</th>	pleasure 59:18	l -	-	L	32:2 33:2 33:15
pmb 1:24 point 15:8 19:5 20:18 92:10 106:12 programmed 96:7 124:6 126:23 37:3 37:11 38:2 42:25 43:2 43:7 42:25 52:8 52:15 42:25 52:8 52:12 42:25 53:8 52:12 42:25 53:8 55:12 42:25 53:8 55:12 42:25 53:8 55:12 42:25 53:8 55:12 42:25 53:8 55:12 42:25 53:8 55:12 42:25 53:8 55:12 42:25 53:8 55:12 42:25 53:8 55:12 42:25 53:8 55:12 42:25 53:8 55:12 42:25 53:8 52:	plenty 86:21		-	10.10 12112.	33:22 36:4 36:23
point 15:8 19:5 20:18 111:17 119:1 119:9 progress 135:12 128:24 140:13 42:25 43:2 43:7 20:24 33:19 42:15 119:10 119:10 progress 135:12 progress 135:12 putting 136:12 43:11 43:17 44:9 42:25 52:8 52:15 64:19 90:12 101:8 pressurized 34:1 properly 64:14 proposal 121:25 putting 136:12 45:17 45:18 48:15 42:25 53:8 55:12 pressurized 34:1 proposal 121:25 proposal 121:25 proposed 4:14 12:18 proposal 121:25 proposed 4:14 12:18 proposition 17:9 qualification 137:16 67:23 69:10 72:1 76:12 76:18 77:14 77:14 77:21 82:10 84:7 84:15 92:10 84:7 84:15 92:10 84:7 84:15 92:10 84:7 84:15 92:10 92:18 98:23 101:6 92:18 98:23 101:6 92:18 98:23 101:6 92:18 98:23 101:6 92:18 98:23 101:6 92:18 98:23 101:6 92:18 98:23 101:6 92:18 98:23 101:6 92:18 98:23 101:6 92:18 98:23 101:6 92:18 98:23 101:6 92:18 98:23 10:6 92:18 98:23 10:6 92:18 98:23 10:6 92:18 98:23 10:6 92:18 98:23 10:6 92:18 98:23 10:6 92:18 98:23 10:6 92:18 98:23 10:6 92:18 98:23 10:6 92:18 98:23 10:6 92:18 98:23 10:6 92:18 98:23 10:6 92:18 98:23 10:	pmb 1:24		programmed 96:7		37:3 37:11 38:2
20:24 33:19 42:15 42:25 52:8 52:15 64:5 64:14 64:15 64:19 90:12 101:8 124:7 124:15 140:20 policy 4:4 polysilicon 11:25 pop 115:20 portable 68:18 postion 4:20 49:25 52:24 66:12 99:15 103:15 111:6 postion 4:20 49:25 52:24 66:12 99:15 103:15 111:6 promulgate 104:10 promulgate 104:10 proper 128:15 proper 128:15 properly 64:14 103:17 proposal 121:25 proposed 4:14 12:18 109:15 109:16 121:3 121:24 proposition 17:9 protected 14:12 position 4:20 49:25 52:24 66:12 99:15 103:15 111:6 promulgate 104:10 proper 128:15 properly 64:14 103:17 proposal 121:25 proposed 4:14 12:18 109:15 109:16 121:3 121:24 proposition 17:9 protected 14:12 90:13 90:19 protected 14:12 90:13 90:19 protection 14:15 14:25 15:3 qualified 46:15 47:23 94:10 101:25 quality 71:19 82:13 104:5 104:10 104:11 104:17 104:19 106:6 106:14 108:4 110:	1 ~	k	1		42:25 43:2 43:7
42:25 52:8 52:15 64:5 64:14 64:15 64:9 90:12 101:8 124:7 124:15 140:20 policy 4:4 polysilicon 11:25 pop 115:20 portable 68:18 pose 109:18 position 4:20 49:25 52:24 66:12 99:15 103:15 111:6 45:17 45:18 48:15 proper 128:15 properly 64:14 103:17 proposal 121:25 proposed 4:14 12:18 109:15 109:16 121:3 121:24 proposition 17:9 protected 14:12 position 4:20 49:25 52:24 66:12 99:15 103:15 111:6 45:17 45:18 48:15 48:25 53:8 55:12 55:13 57:25 59:12 60:25 63:3 67:14 67:23 69:10 72:1 76:12 76:18 77:14 77:14 77:21 82:10 qualifications 138:2 135:15 137:23 properly 64:14 103:17 proposal 121:25 proposed 4:14 12:18 109:15 109:16 121:3 121:24 proposition 17:9 protected 14:12 90:13 90:19 protected 14:12 90:13 90:19 protected 14:15 103:15 111:6 88:12	20:24 33:19 42:15		1 • 0		
64:5 64:14 64:15 64:19 90:12 101:8 pressures 95:9 properly 64:14 141:23 48:25 53:8 55:12 64:19 90:12 101:8 124:7 124:15 pretty 73:22 110:14 103:17 proposal 121:25	42:25 52:8 52:15	l	, .	1 -	
color="red">de:19 90:12 101:8 pressurized 34:1 pretty 73:22 110:14 103:17 proposal 121:25	64:5 64:14 64:15			, .	
124:7 124:15 140:20 pretty 73:22 110:14 111:14 111:15 policy 4:4 polysilicon 11:25 pop 115:20 portable 68:18 pose 109:18 pose 109:18 position 4:20 49:25 52:24 66:12 99:15 103:15 111:6 previous 24:14 73:1 103:15 111:6 88:12 pretty 73:22 110:14 proposal 121:25 proposed 4:14 12:18 109:15 109:16 121:3 121:24 proposed 4:14 12:18 109:15 109:16 121:3 121:24 proposition 17:9 protect 14:17 prevent 89:19 90:19 protected 14:12 90:13 90:19 protected 14:12 90:13 90:19 protection 14:15 88:12 104:17 104:17 104:17 104:19 106:6 106:14 108:4 110:	64:19 90:12 101:8	ı -	,	1	
140:20	124:7 124:15	ı -	proposal 121:25	^	
policy 4:4 polysilicon 11:25 pop 115:20 portable 68:18 pose 109:18 position 4:20 49:25 52:24 66:12 99:15 103:15 111:6 polysilicon 11:25 pop 115:20 prevalent 14:11 prevent 89:19 90:19 preventing 90:1 prevents 90:14 previous 24:14 73:1 88:12 polysilicon 11:25 pop 115:20 prevalent 14:11 prevent 89:19 90:19 protect 14:17 protected 14:12 90:15 109:16 121:3 121:24 proposition 17:9 protect 14:17 protected 14:12 90:13 90:19 protected 14:12 90:13 90:19 protected 14:15 14:25 15:3 qualification 137:16 qualification 137:16 70:12 76:18 77:14 77:14 77:21 82:10 84:7 84:15 92:10 92:18 98:23 101:6 101:12 103:12 104:5 104:10 104:11 104:17 104:19 106:6 106:14 108:4 110:	140:20	, I		QQ	
polysilicon 11:25 136:6 121:3 121:24 qualifications 138:2 7/:14 7/:21 82:10 pop 115:20 prevalent 14:11 proposition 17:9 proposition 17:9 qualifications 138:2 7/:14 7/:21 82:10 pose 109:18 prevent 89:19 90:19 protect 14:17 protected 14:12 94:10 101:25 94:10 101:25 104:5 104:10 position 4:20 49:25 previous 24:14 73:1 protection 14:15 82:21 104:11 104:17 103:15 111:6 88:12 14:25 15:3 quarter 110:23 106:14 108:4 110:	policy 4:4		^ -		
pop 115:20 prevalent 14:11 proposition 17:9 protect 14:17 protect 14:17 protected 14:12 protected 14:12 protected 14:12 protection 14:15 protection 14:15 <th< th=""><th>polysilicon 11:25</th><th></th><th>121:3 121:24</th><th>qualifications 138:2</th><th></th></th<>	polysilicon 11:25		121:3 121:24	qualifications 138:2	
portable 68:18 prevent 89:19 90:19 protect 14:17 qualified 46:15 47:23 92:18 98:23 101:6 pose 109:18 preventing 90:1 protected 14:12 94:10 101:25 101:12 103:12 position 4:20 49:25 prevents 90:14 protected 14:12 90:13 90:19 protection 14:15 104:11 104:17 103:15 111:6 88:12 14:25 15:3 qualified 46:15 47:23 101:12 103:12 104:11 104:17 104:11 104:17 104:19 106:6 106:14 108:4 110: 106:14 108:4 110:	pop 115:20			138:3	
pose 109:18 preventing 90:1 protected 14:12 94:10 101:25 104:5 104:10 position 4:20 49:25 prevents 90:14 protected 14:12 90:13 90:19 quality 71:19 82:13 104:5 104:10 103:15 111:6 88:12 protection 14:15 4:25 15:3 quarter 110:23 106:14 108:4 110:	portable 68:18	-	1	1	D
position 4:20 49:25 prevents 90:14 90:13 90:19 quality 71:19 82:13 104:5 104:10 52:24 66:12 99:15 previous 24:14 73:1 protection 14:15 82:21 104:11 104:17 103:15 111:6 88:12 14:25 15:3 quarter 110:23 106:14 108:4 110:	pose 109:18	ı -	-	1 -	101:12 103:12
52:24 66:12 99:15 previous 24:14 73:1 protection 14:15 82:21 104:17 104:17 104:19 106:6 106:14 108:4 110:	position 4:20 49:25		ı -	quality 71:19 82:13	
103:15 111:6 88:12 14:25 15:3 quarter 110:23 104:19 100:0	52:24 66:12 99:15	ı -		,	
n m. 17 16 106:14 108:4 110:	103:15 111:6	-	1 -	quarter 110:23	
F	possibility 17:16		l	1 -	100:14 108:4 110:
	-	r	•	_	

	1		1	
114:7 114:16	75:20	83:21 83:24 84:1	95:15 102:1 117:13	120:15
114:18 117:11	recorded 143:8	84:21 85:7 85:8	130:10 137:20	reviewed 61:3 72:25
118:25 119:2	records 114:4	86:17 89:18 90:4	137:21	140:9
121:16 125:7	recover 95:24	91:14 91:21 92:6	reread 93:20	revisal 72:19
126:13 126:14	rectified 46:9	93:14 94:3 95:13	reset 15:13 36:18	revise 60:5 69:5
127:10 127:14	red 28:9 28:13	95:14 97:9 100:3	36:19 36:20 46:10	74:11 80:17
127:15 127:17	redone 16:24	102:23 103:1	100:4 101:3 101:22	
130:23 132:23	reduce 105:25	103:13	101:24 102:2	61:7 62:4 62:9
133:2 133:18 135:9		remotely 36:13 39:9		62:23 64:12 69:17
139:21 140:15	84:24 85:2	remove 82:23	resolve 93:18	69:18 74:13 91:10
react 36:22 43:24	reference 34:12 92:4	renew 60:7 69:22	resources 112:13	105:6 107:16 115:1
reaction 43:25	references 118:17	75:25	112:23	118:24 121:10
reacts 42:17	referred 85:18	renewal 72:17	respect 9:17 20:22	129:3 133:7
read 23:18 25:11	refresher 62:5 62:9	renewed 60:11 64:14		
26:11 61:25 62:25	84:10	64:15 72:4 72:6	66:18 86:19	53:3 61:13 61:15
73:22 84:9 94:9	refreshments 6:15	76:10	responding 106:17	69:9 69:12 72:15
111:8 111:9	refrigeration 22:9	reorganized 89:17	response 15:16	108:23 118:23
readily 84:2	46:22	repair 11:9	106:19	120:18 124:15
reading 111:12	regarding 12:17	repaired 101:10	responsibilities	revisions 61:25 70:10
ready 72:1 91:2	registration 62:18	repairs 114:24 115:2		reword 104:1
133:23 135:4	regular 41:18	115:24	114:12	reworded 104:18
real 60:8 82:20	regulations 94:14	repeated 51:1	responsibility 4:21	rewriting 71:21
136:12	129:9	replicate 101:11	41:17 51:11 53:23	rhone 3:14 7:16 7:16
reappear 59:19	relate 26:19	report 4:6 9:23 10:13		10:4 119:5
reapproval 60:12	related 16:23 19:21	11:9 11:11 71:2	57:10 68:11	rick 3:21 8:10 12:14
reason 22:2 23:24	19:23 93:14 134:15	05 4 05 4 114 00	responsible 23:17	23:23 35:12 57:2
35:1 66:22 66:25	relative 143:14	reported 71:8	24:25 25:1 27:2	ride 45:17
68:4 68:9 87:21	release 36:19	reporter 6:25 8:6	35:8 36:15 42:5	right 9:5 10:8 10:13
98:4 98:7 99:10	reliable 24:5	59:20 59:23 75:9	47:5 49:10 54:1	12:4 13:3 16:7
105:23 110:14	relief 92:9	143:7	54:2 54:9 87:23	16:11 16:17 20:9
reasonable 81:24	reluctantly 72:11	reporting 1:23 7:1	98:15	23:1 23:1 26:14
reasons 87:6 87:11	remember 87:15	reports 6:8	restart 66:11 99:24	26:21 27:4 27:10
recall 25:2	117:16	represent 77:14	99:25 100:14 101:5	27:10 29:5 29:16
receive 39:25 118:4	remembered 65:8	representative 3:4	102:7 103:3 104:17	30:22 30:23 32:10
received 61:21	remote 14:8 14:18	3:6 3:7 3:9	104:25 105:5 107:2	33:17 38:15 42:12
recent 22:15 22:16	25:8 25:18 25:21	representing 7:7	restarted 15:14	42:19 43:9 44:20
88:6	25:21 26:9 34:23	60:2	66:13 100:5 100:6	45:9 45:14 47:11
recently 4:24 72:5	36:6 37:12 38:22	request 12:20 13:5	100:9 100:16	51:14 51:17 51:20
118:24	38:23 39:13 40:2	56:25 80:11	100:20 102:4	52:16 52:25 53:1
recess 109:10	40:16 40:22 41:2	requests 141:23	103:16	58:16 59:4 59:6
reciprocity 132:12	41:3 43:6 43:21	require 15:12 21:11	restarting 47:6 101:6	
recognized 60:9	44:13 50:15 54:16	62:9 85:1 115:22	restarts 107:11	62:15 65:14 67:20
60:10 60:16 60:22	54:21 63:6 63:18	130:7	result 88:8	68:20 70:5 73:10
recognizing 60:23	63:20 65:11 65:18	required 39:16 56:11	resume 109:6	73:18 75:5 77:10
recommendations	66:1 66:2 66:5	56:12 103:4 103:19	retired 88:22 89:6	80:4 81:19 82:25
113:2 128:4 128:14		requirement 21:4	89:6	83:22 86:1 86:11
128:14	67:24 68:2 68:5	62:5 95:20	revert 48:8	88:9 89:12 90:25
recommended 139:1		requirements 22:3	reverts 16:4	91:5 91:5 91:8
139:3 139:24		41:6 63:21 65:12	review 64:21 71:24	95:13 97:11 97:23
137.3 137.21	81:7 81:12 81:16	41.0 03.21 03.12		07 05 00 10 00 16
record 6:10 11:21	81:18 82:4 83:10	76:17 95:5 95:8	97:21 112:8 113:12	97:25 98:10 99:16

99:19 105:2 105:7	65:6 84:5 84:12	53:14 66:23 67:15	102:23 106:7	41:20 46:1 46:5
107:4 107:8 107:10		67:24 68:8 89:14	108:15 111:13	47:5 48:3 48:21
107:18 108:1	88:23 92:21 92:25	89:15 89:16 92:4	112:12 122:6	49:2 49:9 49:18
108:13 109:4 110:7		103:6 103:20	122:22 124:8 125:6	
111:3 111:24 113:5		103:21 118:24	125:25 133:19	51:10 52:1 57:5
113:8 113:15 114:9		129:18 134:2	134:4 134:24 137:9	
114:10 114:17	97:7 97:13 97:16	rulemaking 119:16	141:1	90:8 94:2 94:16
114:19 115:14	97:20 98:6 98:11	120:13	saying 19:13 20:6	100:3 101:24 102:6
116:11 117:15	98:17 105:2 107:4	rules 1:10 2:3 5:4 6:4		106:22 106:24
118:14 118:14	107:18 107:22	104:10 114:12	42:25 70:24 80:19	see 12:7 17:12 18:8
118:18 118:18	107:24 108:12	129:9 130:10	82:3 86:6 94:16	19:4 23:16 23:20
121:22 123:4	108:19 113:20	130:16 141:15	127:9 127:10	24:2 24:24 27:25
125:21 125:22	114:2 115:7 115:11	running 33:15 35:23		28:2 32:16 37:23
125:22 125:23	116:23 117:4	35:23 35:25 36:4	says 24:24 25:20	43:24 45:16 50:5
125:24 126:12	117:15 117:19	46:25 46:25 92:11	37:20 37:22 56:2	51:22 54:13 55:5
127:2 127:8 127:15		ruptured 103:1	62:16 68:5 79:12	57:1 62:12 68:17
127:20 131:6 131:7			79:12 81:10 93:25	71:15 71:16 74:17
132:14 132:22	121:22 122:1 122:7	SS	122:11 123:14	75:15 79:12 80:21
133:1 134:1 138:10	122:16 122:20	safe 6:20 24:5 56:4	124:15 124:21	89:19 90:16 91:9
140:3 140:7 140:7	122:25 123:4 123:7	67:7 86:3 86:12	129:24	91:20 92:2 92:6
140:10 141:11	123:19 125:20	104:25	scenario 45:24	92:15 93:7 95:14
141:12 141:14	125:22 127:2 127:9	safeguard 13:9 17:20	102:21	98:3 98:7 101:2
142:6 142:9	127:15 131:9	safely 104:11 104:17		101:5 111:13 113:6
robinson 3:4 7:8 7:8	131:11 131:22	safety 6:18 20:20	scheduled 5:5 58:19	119:25 121:4 126:6
8:23 9:10 13:17	132:3 133:9 135:24		141:15	131:1 133:11 134:1
21:20 21:23 21:25	137:15 139:15	65:25 96:6 97:13	scheme 12:18	135:5 139:21
22:5 22:7 22:14	role 4:21		8 scope 139:18 140:11	140:16
23:4 23:7 23:11	roles 113:9	38:14 41:14 53:17	140:12	seen 22:14 22:15
23:15 23:24 24:16	room 2:5 24:6 31:14	54:7 63:2 71:8	scrolled 22:17	22:20 37:8 117:19
26:14 26:17 26:22	38:13 44:2 56:4	71:14 71:24 72:3	search 117:24	139:17 139:18
26:25 27:15 27:19	56:6 56:11 56:13	72:5 72:7 73:3	second 9:1 9:2 13:19	self 89:22
27:22 28:7 28:10	56:19 66:8 66:13	73:21 76:21 80:23	13:20 16:18 57:18	send 71:15 111:21
28:20 28:24 29:3	66:19 66:24 67:3	83:4 93:4 112:13	58:6 58:7 60:7	116:8
29:7 29:10 29:15	67:11 68:1 81:6	133:3 143:10	61:11 65:2 65:3	sends 41:22
29:19 29:22 30:1	81:12 81:15 82:3	sam 3:10 7:4 75:20	94:8 108:11 108:12	sense 128:18
30:4 30:15 30:21	83:7 83:8 83:20	same 28:1 35:13	142:7 142:8	sent 41:14 64:22
32:7 32:13 32:17	83:21 84:20 84:21	46:23 46:24 47:1	secretary 3:13 7:3	71:17 71:23 73:15
32:21 32:23 33:4	92:6 95:4 101:2	49:7 70:13 71:14	119:23	74:14 74:15
33:7 33:9 33:14	102:25 103:18	93:11 97:25 127:16		sentence 62:4 62:8
33:19 33:21 34:2	136:2	satisfy 36:6 41:5	119:12	84:9 94:8 98:1
34:4 34:6 36:7	rosa 6:22	saw 111:24	secure 29:23 30:16	124:20 124:21
37:25 38:8 38:10	rotate 45:7 49:3	say 9:6 14:19 23:3	32:4 39:9	sentences 73:8
38:21 39:2 39:6	route 121:10	24:16 29:22 37:21	securitas 29:17 29:24	
39:17 39:20 40:1	routine 11:9 95:5	40:6 40:20 42:8	30:2	53:18 109:17
50:4 50:21 50:24	95:7 114:24 115:2	43:6 43:12 46:19	security 6:19 25:24	109:21 110:24
51:5 51:9 51:15	routing 6:9	48:7 48:13 50:7	29:16 31:5 34:13	128:4 128:12 133:6
51:22 51:25 52:2	rule 4:24 5:2 16:5	51:12 54:22 58:11	34:15 34:18 34:19	service 101:11
52:6 54:5 56:25	36:5 40:19 41:1	70:23 73:25 76:8	35:3 35:7 35:11	serving 25:7 25:8
57:7 57:11 57:13	42:18 43:2 47:22	76:8 79:22 90:18	35:15 36:10 36:13	91:21 91:21
57:16 57:22 58:1	48:9 53:3 53:4 53:5		36:18 36:22 37:15	session 128:16
58:4 58:14 65:1			30.10 20.22 37.13	

4 11 0 25 0 42 16		15 21 10 0	4 66 1 27 22	102 1 102 14
set 11:8 35:9 42:16	similar 37:11	someone 15:21 18:9	staffed 37:22	103:1 103:14
43:3 60:24 86:20	simple 85:1 97:2	32:5 36:15 40:5	stage 140:15	stationed 67:2
92:8 92:9 135:19	simply 15:10 121:11		stamp 115:25 116:8	stations 63:7 85:13
setting 137:19	since 20:15 60:11	something 10:24	116:21 116:24	status 12:2 76:17
seven 11:15 81:8	63:17 69:12 69:13	17:11 17:15 23:10	117:10	135:17
93:21 93:22 93:23	70:16 78:14 78:18	27:17 32:15 39:15	stamped 77:5 88:20	statute 129:10
several 22:1 22:18	88:21 111:7 139:24	43:23 43:25 44:4 46:4 49:12 51:10	stand 142:10	129:19
42:4 56:8 135:3	sir 8:6 17:4 17:5	60:16 61:22 85:22	standby 99:14 99:21	
shall 25:17 25:21	21:21 21:24 27:18	90:9 90:16 98:4	standing 40:6	stay 20:11
55:9 56:3 95:4 96:5		98:7 101:10 101:20	standpoint 77:24	steam 3:22 8:17 83:8
100:4 119:11	32:22 33:20 33:25	102:18 102:24	17.0	105:24 106:3 125:5
122:13	34:3 42:13 49:21	110:15 128:25	start 6:17 135:6	steaming 106:12
shape 43:23	49:22 51:8 52:22	134:13	started 6:5 129:7	step 47:15 72:25
sheet 6:9 27:23 28:2	57:17 58:4 68:25	sometime 128:2	136:22	steps 86:19
28:8 28:9 28:11	69:1 69:4 69:11	sometimes 44:7	starting 99:25	still 15:6 15:20 15:23
28:13 32:24 33:9	70:20 87:3 98:18		state 1:1 10:14 10:17	
49:15 59:14 62:12	98:25 99:1 121:18	128:6 128:7 128:9 137:25	16:12 22:2 59:20	63:9 69:11 70:11
95:6 97:17	123:21 134:11 138:15	somewhat 74:1 79:13	59:23 63:15 69:21	75:4 109:7 109:11
shelby 91:16 94:6	site 15:7 15:23 16:6	somewhat 74:1 79:16 somewhere 75:8	/1./ 00.10 /4.14	109:12 117:1
101:25		82:17 84:17 97:24	115:25 116:9	125:23 130:6
shift 23:15 24:3 24:8	55:12 58:3 58:18	son 88:23 89:1	116:20 119:23	134:13
25:16 25:16 25:23	58:22 58:24 64:9	son 88.23 89.1 sooner 128:6 128:7	121:11 130:7 131:2	
26:7 45:13 67:25	74:9 74:13 78:4		132:6 132:19	stonecrest 3:16 7:25
shifts 42:7	92:5 102:24 108:6	128:10	132:21 132:25	stood 23:17
shiply 31:5 31:6	108:8 108:23	sorry 8:6 8:9 10:12 16:17 29:19 29:22	135:21 143:2	stop 15:6 35:8 36:2
shop 33:13 56:10		51:4 55:24 59:25	143:21	36:13 36:18 36:19
56:14 98:13 101:10	situation 15:6 36:9	62:15 63:16 75:9	stated 13:6 21:3	38:17 39:1 39:4
short 6:18 134:11	39:14 46:8 66:19	75:11 119:5 119:6	23:21 85:6 123:22	39:9 39:10 39:11
shorthand 143:9	68:6 100:25 101:13		statement 40:2 40:14	
show 25:6 25:7 26:2	103:24 106:25	128:11	41:14 50:25 55:7	47:15 48:4 49:1
26:4 26:6 44:11	situations 17:19	sort 43:16	55:17 76:5 100:19	55:10 56:5 56:5
44:12 53:6 54:20		sorted 86:21	104:16 123:24	65:12 67:4 68:14
91:13 91:14 104:16	six 11:7 11:13 19:1	sound 34:14	statements 89:20	stops 56:10
showing 82:7 93:13	121:13	sounds 47:18 95:2	states 31:8 131:11	streamlined 121:7
shrink 106:2	. 70.10	speak 8:7 19:19 20:1	131:15 131:20	street 32:5
shut 46:6 66:6 66:16	sketch 54:9 54:11	110:4 134:22	101121	strictly 15:8
67:3 96:6 96:8		special 122:12	station 25:18 25:21	strike 123:15 124:4
96:11 96:18 105:25	slip 118:25	specials 71:7	25:21 27:17 34:19	124:8 124:24
106:25 shutdown 17:19	slowly 106:18	specific 26:8 80:12	36:6 36:24 37:12	structure 14:10
	software 91:7	127:14 130:10	40:3 40:7 40:22 43:21 44:13 45:8	60:14
36:11 67:7 68:11	solutions 3:19 3:20	specifically 45:3	54:25 65:18 66:1	stuck 12:4
68:14 96:17 100:4		51:24 81:10 135:13		stuff 113:4 135:10
side 6:22 20:13 136:2	somebody 23:19	137:15 137:18	80:3 80:5 81:7	141:24
137:4 137:4	31:4 36:5 37:12	specified 64:16	81:13 81:18 82:4	styled 2:1
sign 6:10 59:13	43:24 44:12 44:21	-	83:11 83:21 83:24	sub 106:21
102:17		spin 141:1	84:1 84:22 85:8	subcontracted 48:22
signed 140:9 143:18	54:17 90:5 90:10	split 126:6	86:18 90:3 90:4	48:23 49:2
significant 61:4	100:13 102:1 137:3	spoke 76:20	92:7 95:14 97:10	subject 19:1 19:2
78:14	somehow 102:23	~ F	98:9 100:3 102:23	108:23
silent 9:16	SUMEMUW 102.23	staff 41:19 79:9	70.7 100.3 102.23	subjected 76:23

submarine 86:7	83:22 83:24 84:7	T	tells 31:15 75:24	61:5 69:22 69:22
105:21	84:14 84:19 84:24	tab 85:25 95:18	76:25	71:23 76:13 82:8
submit 29:12 69:23	85:5 87:2 87:4	table 6:13 11:20 12:7	1	85:2 89:13 104:6
80:11 128:10	87:10 87:14 87:18	19:2 77:17 137:8	template 79:23	104:12 104:19
128:11 129:2	88:5 88:15 88:17	141:4	temple 87:5	104:20 109:13
133:25	88:25 89:3 89:5	tabled 136:9	ten 134:18	114:16 117:3
submitted 61:4	89:21 90:22 91:1	take 6:20 11:23 19:2		118:13 128:15
subsequently 64:15	91:8 91:23 91:25	30:11 39:6 60:13	tennessee 1:1 1:25	132:12 135:4
83:25	92:18 93:4 93:22	79:1 85:21 86:11	2:3 2:6 4:23 6:3 7:9	themselves 25:1 32:4
successful 114:25	94:8 94:13 94:20	95:19 97:12 100:11	12:11 60:3 62:18	77:14 85:6 101:4
134:6	94:24 95:25 96:4	101:9 109:5 120:16	1	104:23 116:3
sufficient 79:1	96:12 96:17 96:22	121:10 124:11	116:1 116:9 120:19	.
suite 1:24	97:1 97:6 97:11	124:10 124:11	124:16 126:14	they 6:12 12:1 12:4
supervisor 7:17 24:3	97:15 97:18 98:5	125:25 126:15	130:22 143:2	12:7 13:7 14:12
24:9 25:16 25:24	98:10 98:16 99:7	127:6 132:8 132:11	l	15:3 15:10 15:22
26:7 35:12 46:13	99:11 99:16 99:19	132:16 138:13	test 127:6 132:8	15:23 16:5 18:2
79:11 79:11	100:22 101:16	140.22	132:11 132:11	18:3 18:9 23:10
supply 3:17 8:1	102:5 102:9 102:12	takes 86:2 134:2	132:16	23:13 26:3 27:1
supposed 46:8	102:15 102:20	taking 68:3 88:8	text 39:25 39:25	27:2 29:20 30:5
101:25	105:9 105:12	138:9	41:14 41:22 41:24	30:7 30:10 31:12
sure 9:15 17:23 33:2	105:15 105:18	talk 14.25 25.15	44:3 68:22 71:20	31:13 34:20 36:2
42:10 46:24 54:8	106:23 107:2 107:6	26:19 63:3 86:8	texts 44:7	36:11 36:23 37:7
54:15 55:13 58:23	107:13 107:17	112:5 138:10	thank 8:25 10:6	37:11 37:19 37:19
78:9 82:14 82:19	108:21 108:25	talked 20:17 54:14	11:10 12:24 13:3	39:10 40:7 42:4
82:23 84:14 94:6	swing 42:7	89:13 112:12	14:5 17:4 21:17	46:18 46:18 46:19
104:4 104:10 123:9	switch 66:12 100:4	135:16 137:1	34:6 42:13 48:16	47:12 47:19 48:4
131:24 134:17	synopsis 4:22 10:25	137:19	50:2 59:5 59:6 59:7	48:15 48:22 48:22
138:14 140:2	114:21 117:12	talkie 68:23	59:15 59:17 68:25	48:23 48:25 49:4
140:19 140:25	117:12 118:12	talking 11:6 32:2	72:8 89:9 98:25	55:12 56:18 56:20
141:5 141:11	syntax 73:7	53:8 69:10 69:12	107:23 108:25	60:6 60:10 60:21
surface 86:9 86:10	system 13:10 13:10	99:3 102:21 117:11	109:3 111:22	60:23 68:18 71:10
survey 113:5	13:23 14:4 14:18	136:22	115:11 115:12	71:12 71:17 71:24
suspended 48:7	14:20 14:21 14:22	talks 62:3	115:13 120:6 132:3	72:5 73:15 74:10
swell 106:3	15:6 15:24 16:25	tamper 106:19	134:4 141:19	74:14 74:15 75:21
swezy 3:23 8:18 8:18	21:2 26:4 31:19	tank 33:23 35:19	141:20	75:22 77:14 77:14 77:20 78:19 80:9
59:10 59:12 59:13	31:20 31:24 32:1	78:17	thankful 111:13	80:20 82:10 84:7
59:16 59:22 59:25	35:2 37:11 37:13	team 15:16	thanks 20:10 21:8	84:8 84:10 84:12
60:1 65:10 65:14	38:17 41:3 41:21	tech 3:23 8:19 60:1	their 6:7 12:2 12:5	84:15 84:16 84:17
67:14 67:20 67:23	42:16 43:16 43:20 46:22 54:11 54:11	101:11	12:7 22:23 22:24	84:18 84:19 84:24
68:20 69:7 70:13	63:9 63:18 65:11	technical 12:17	22:25 23:10 26:6	90:7 90:8 91:6
70:19 70:23 71:6	65:13 65:19 65:21	20:13 69:24 69:24	26:9 36:11 36:19	91:17 91:19 92:10
72:22 73:2 73:5	65.05.66.4.67.4	70:1 77:24 79:7	37:20 40:11 40:11	98:11 98:12 98:23
73:13 73:20 74:19	60.15 60.21 60.22	technically 44:15	43:25 49:4 50:9	100:14 101:4 101:5
74:22 75:13 75:17	69:10 71:1 71:13	technician 12:16	60:23 69:8 69:9	101:6 103:2 103:8
76:19 77:10 78:2	78:18 81:1 89:18	teeth 76:4 77:4	72:25 76:14 104:6	103:9 103:12
78:6 78:10 78:21	89:23 90:13 90:14	telephone 83:15	130:7 130:7 130:9	104:10 104:16
78:25 79:4 79:21	103:16 106:17	tell 27:1 38:2 38:6	135:12 142:10	104.17 104.22
80:1 81:4 81:16	systems 14:9 14:11	45:17 71:10 100:23	them 6:21 12:3 12:6	112:13 115:21
81:19 81:22 82:5	22:9 65:17 82:13	104:6 104:12	26:4 37:19 44:7	115:22 117:1 117:1
82:12 82:20 83:1		104:20	58:19 60:18 60:19	125:5 125:8 126:6

126:15 127:18	49:7 49:24 67:4	75:1 75:6 75:11	107:21 143:11	42:15 42:25 44:9
128:3 128:10	68:14 71:21 74:8	75:12 114:25	try 27:23 105:25	53:18 71:4 72:6
128:11 130:9	102:3 119:16 120:1	116:12 116:16	106:4 127:13	73:24 127:14
131:25 132:6 132:7		116:19 117:8	133:23	133:14
133:18 140:4	130:17 132:9 135:6	117:17 117:21	trying 18:10 25:2	understanding 17:12
thing 9:14 22:12 35:	throughout 45:12	117:25 118:3	26:18 67:8 88:9	65:10 70:19 70:22
46:23 61:1 64:19	45:13	118:15 118:19	103:8 103:12	70:24 71:22 72:14
78:3 93:21 96:25	throw 64:20	125:14 125:17	127:15 133:2 138:8	74:19 78:11 88:6
103:12 103:15	tie 51:11	129:6 129:14	turn 28:11 62:2 86:1	89:22 89:25 106:15
107:3 111:14	tied 31:23 63:17	129:21 130:1 130:4	two 13:7 21:22 21:23	understood 45:21
111:24 112:13	ties 57:4	130:13 130:15	36:19 46:17 51:15	unfired 11:2 77:6
112:16 139:24	till 111:12	130:21 130:24	60:12 63:4 72:17	unforeseen 110:13
things 30:12 30:13	time 10:25 12:6	131:1 131:4 131:8	77:8 78:23 81:10	unique 91:15
35:20 46:6 54:15	17:17 20:18 28:1	131:10 131:15	82:6 82:9 83:20	unit 1:2 63:13 76:9
60:5 82:21 86:11	31:7 31:9 35:3	131:19 131:23	93:24 100:1 111:15	76:15 116:7 128:18
86:12 88:9 96:10	35:13 35:15 41:18	132:18 132:21	121:1 121:4 123:16	
96:13 112:23	42:6 44:6 46:11	138:16 138:21	124:25 126:10	141:19
115:22 137:7	47:4 47:10 47:21	138:24	128:20	united 31:8
141:21	48:7 48:11 49:8	towards 31:22	type 46:23	unless 67:14 83:25
think 18:11 18:16	49:23 52:19 60:11	135:12	typically 32:16 34:14	90:5 111:11
19:14 20:19 31:2	64:14 66:20 69:7	traction 137:13	90:16 92:5	until 5:3 46:8 52:10
31:13 33:1 37:6	72:4 78:12 79:13	traffic 12:4	typo 119:8 119:14	64:5 100:10 100:20
44:9 50:5 51:13	79:13 80:24 86:16	trained 13:11 17:3	119:15 120:1	139:21
55:4 78:2 78:3	86:21 93:16 101:8	25:25 36:16 48:25	typographical	unusual 68:6 109:2
89:12 90:22 91:24	111:7 111:11 134:9		120:14	up 8:7 11:19 11:20
91:25 93:2 94:24	134:11 136:6	57:9 66:6 67:3	typos 97:21 97:22	20:22 22:19 23:5
96:12 96:19 100:23	timeframe 36:22	68:13 84:7 86:18	98:22	23:10 35:9 37:10
101:13 103:7	135:6	94:10 94:17		39:6 40:15 40:19
103:11 104:18	times 28:16 47:18	training 3:18 8:2	U	41:11 42:17 58:22
109:5 110:6 113:14	67:12 67:25 105:21	16:19 16:21 42:10	ug 119:3 119:12	58:24 60:8 60:21
114:18 116:6	131:21	48:21 49:4 49:7	uhf 65:17 68:23	61:2 61:14 62:1
116:14 117:2	title 54:12 87:19	49:14 49:17 49:25	ultimately 19:5 19:7	71:5 73:9 73:16
117:23 119:16	92:13 129:10	50:6 50:10 50:10	25:1	75:23 76:14 77:13
122:8 125:9 126:12	titles 23:19 80:15	50:14 51:1 52:10	unauthorized 89:19	79:15 79:20 80:5
126:24 127:13	tn 4:24 5:7	54:14 57:1 57:3	90:1 90:19	82:16 103:23 106:6
127:22 133:10	today 9:18 11:6	62:4 62:5 62:10	unbelievably 71:20	109:6 111:14
133:18 139:25	21:12 60:25 75:15	84:10 87:23 88:3	uncommon 46:21	114:24 115:18
141:2 141:3	87:11	106:21 135:15	uncorrected 10:21	115:20 115:23
thinking 45:23	together 71:19 92:11	107 01 100 4	under 11:7 17:2	116:16 117:3
third 62:14 78:24	97:24 106:13 138:9	137:21 138:4	47:22 50:1 63:7	117:10 124:7 130:8
106:4	142:1	138:11 141:2	67:14 67:24 68:8	133:2 133:24
thoroughly 52:20	told 60:19 74:10	transcript 1:8 143:10	11.13 10.7 01.1	134:14 135:5
thought 24:2 75:15	76:21	143:10 143:11 transient 106:10	86:3 93:23 96:3	135:20 136:24
89:6 113:17 115:7	took 78:13 106:15	transient 106:10	98:22 99:25 101:25	
threats 31:7	118:11 139:16	106:15	103:21 105:5 107:8	
three 24:1 44:2 51:1:	top 77.23	triggers 43:25	134:13	update 53:5 53:14
64:16 76:11 95:24	tosses 30:1	trip 99:7 101:1	underlying 101:7	98:3 114:20 115:3
95:24 96:2 throttles 105:25	total 10:16 10:16	tripped 42:3 101:7	understand 18:25	121:16
throttles 105:25	10:18	trouble 11:6 86:9	25:10 26:21 27:4	updated 4:23 80:2
through 15:7 23:18	toth 3:17 8:1 8:1	true 94:15 101:6	27:7 34:13 38:20	80:10 83:17

updates 69:25	69:15 69:23 70:14	19:23 19:25 23:2	94:3 94:23 95:2	76:20 77:19 83:1
updating 61:22	71:11 71:14 72:4	77:5 77:7 111:17	99:22 130:20	84:8 86:7 91:19
upgraded 70:18	72:16 72:19 72:20	119:2 119:10	134:14 134:24	95:23 96:9 99:3
77:20	75:25 76:2 76:12	vessels 10:17 10:19	135:7 138:12	100:1 101:1 101:9
upgrades 70:4 70:17		22:1 119:9	washing 35:19	106:3 111:15 112:1
upon 64:21 74:9	108:22	vi 4:7	wasn 71:18 73:21	115:18 116:7
74:22 77:15 77:19	variances 37:9 69:21	l	79:4 87:11 118:13	117:11 128:23
79:13 99:22	75:22 76:6 76:10	view 78:8	watching 85:15	129:2 138:10 140:0
urgency 128:19	various 13:11 116:25	l	101:5	where 2:6 11:8 15:9
us 8:21 9:15 9:22	ve 12:18 17:15 18:1	viii 4:13	water 105:23 106:1	22:11 22:14 22:15
10:16 10:18 12:15	19:20 20:2 20:14	violations 10:20	106:5 106:7 106:12	24:8 24:16 24:24
25:9 31:6 31:11	20:17 22:14 22:15	visibly 28:11	way 12:18 14:20	27:24 30:23 34:23
38:17 74:8 74:15	22:20 25:6 33:8	visit 55:12 59:19	15:24 18:11 42:16	35:9 36:9 37:11
76:14 83:9 83:12	33:22 37:8 37:13	74:9 108:6 108:8	46:25 66:4 80:6	37:11 46:1 46:4
111:11 120:4	41:1 41:2 41:5	108:24	85:19 86:14 102:10	46:23 48:14 52:5
129:24 134:2 136:7	42:16 42:20 49:14	visitor 7:22	104:25 105:2	53:13 54:25 62:3
141:4	50:25 53:2 54:1	visitor 7.22 visitors 6:13	106:13 106:15	62:15 68:6 73:17
use 13:11 14:8 75:15	l	visitors 0.13 vital 26:3 31:7	112:21 120:12	76:18 82:10 82:13
122:6	54:23 55:22 61:7	vote 57:16 57:22	ways 42:1 42:4 67:6	83:20 90:13 91:2
used 64:4 75:2	61:14 64:23 71:8	57:25 142:10	website 11:1 110:10	91:6 100:25 103:3
110:17 114:24	71:9 71:16 71:16	voted 110:8 140:17	115:19 117:9 118:5	103:5 105:21
116:24 117:16	71:24 72:1 73:18	voting 9.12 18.3 18.4	wednesday 4:15 4:16	106:17 113:21
117:17 127:5	74:24 75:21 77:16	20:13 58:16 108:21	4:17 4:18 5:5	121.23 123.14
128:23 129:21	77:18 78:18 78:24	vp 87:14 87:16	110:18 110:20	124:15 124:17
user 3:5	82:12 82:22 86:4	vulnerability 14:10	week 30:12 46:1	126:7 130:11
uses 13:9	89:10 89:11 89:12	14:17 15:1 15:5	76:21 87:7 111:1	whether 20:19 20:23
using 37:11 43:2	91:10 91:10 91:17		111:2 121:1 123:16	140:24
43:17	95:5 96:10 97:9	\mathbf{W}	124:25	who 11:21 12:14
usually 30:12 90:17	97:22 97:22 97:24	wacker 11:25 109:12	weekend 46:11 48:3	13:11 15:4 25:7
132:9	98:8 98:19 100:8	wait 52:10	weekends 30:13	25:8 25:24 26:11
utilities 79:10 86:24	100:13 100:15	walk 32:5 46:24	34:15 35:1 35:11	26:19 36:18 41:15
86:25 87:13	100:18 101:23	walkie 68:23	37:15 40:4 41:19	46:6 46:10 49:24
	103:9 103:23	walking 44.5	45:25 46:1	52:20 53:23 53:25
V	106:18 109:2 109:7	wall 85:24	welcome 6:3 8:21	54:9 55:10 55:17
vague 136:16	110:17 111:7		went 53:17 71:21	59:14 67:2 81:23
valid 77:7	113:11 123:3 126:6	20:11 22:18 24:1	137:25 138:1	81:24 82:7 86:17
valve 100:15	127:20 131:24	20.2 44.11 45.10	whatever 16:4 76:24	86:24 86:25 87:20
valves 32:24 33:5	133:23 136:5 136:9	51:9 54:15 55:11	100:12 132:13	88:1 91:14 91:20
97:13	139:17 139:18	55:12 55:13 58:23	wheeler 63:4 63:24	91:21 98:14 100:2
variable 137:7	141:13 141:25	80:14 94:6 95:7	70:10	115:25 118:12
variance 10:22 13:6	vendor 22:24 30:5	95:10 98:12 106:18	wheels 141:1	129:16 132:23
16:3 17:1 20:17	49:6	111:11 121:15	when 2:6 11:19	135:19 136:18
21:5 21:12 36:6	verbatim 47:2	121:16 126:17	19:17 22:20 25:11	136:18 137:1 137:2
43:2 48:7 49:8	verified 71:1	126:25 134:4 137:5	26:10 30:10 30:13	138:16 138:17
49:10 50:1 50:13	verifying 80:6	137:6 137:23	35:16 35:18 36:8	whoever 35:3 41:17
55:9 58:17 60:6	vermont 132:6	139:24 140:4 141:1	40:20 41:13 41:13	57:7 118:11
60:7 60:9 62:14	version 61:13 61:15	141:5 141:11	43:1 43:23 52:9	whole 28:9 28:9
63:8 63:20 64:12	82:16	141:18 141:19	55:11 56:4 60:20	62:24 120:1
64:13 64:13 69:6	versus 52:14 131:4	141:20	61:21 67:23 70:23	wholly 89:22
69:9 69:12 69:14	vessel 11:3 19:22	wanted 48:20 71:13	71:6 71:8 72:4 75:1	whose 88:19
				why 17:16 22:21
•	•	•	•	•

23:24 37:13 42:3	141:25	107:12 107:15	1089 1:25	2017 4:14 5:3 5:5
42:7 50:19 98:8	workforce 1:1 2:4	107:17 113:14	109 4:25 120:19	109:15 109:16
106:1 106:24	3:14 5:6	115:9 117:5 117:21	1	109:22 112:9 133:7
140:12	working 9:20 49:5	118:2 118:2 118:6		142:2 143:18
wide 137:7	53:19 88:22 119:10		79:8 141:17	2018 143:22
will 6:9 6:20 6:23	135:2 135:6	122:10 123:6 124:7		2020 1:24
11:16 13:11 13:12	works 66:4	124:17 124:19	11a 53:4 89:15	20th 4:17 109:17
14:20 15:4 16:5	world 115:3	127:18 128:8	12 116:11 119:8	109:21 143:18
16:21 16:24 33:6	worry 86:3	128:10 130:24	122 4:25 76:6 120:19	
35:4 35:4 35:6	worst 37:2 37:4	130:25 131:3	129:10 133:7	22 53:4 53:5 54:22
37:14 38:17 40:10	wouldn 99:6 103:20	134:19 137:9	125 .10 133.7 125 33:16	220 2:5 5:6
42:22 44:17 49:6	122:21 137:22	139:12	13th 4:18 109:18	221 1:25
49:7 49:15 49:17	wow 22:21 73:19	year 16:19 63:12	14 1:11	234 1:24
49:24 55:2 56:10	119:21	64:16 76:7 110:14	14th 2:2 4:16 109:17	
56:13 58:21 61:1	wrc 3:14	118:19 128:2	15 4:10 5:3 5:5 10:21	
65:14 65:25 68:24	write 133:4	128:20 133:11	11:25 82:13 82:14	250 33:16
72:11 79:22 85:8	written 75:24 104:25	100 00 106 6	11:25 82:13 82:14 150 54:21	250 55.10 27 119:3 119:3
85:16 95:19 96:8	105:3 124:1 129:3	141:19	150 34:21 15th 4:15 109:17	119:12 119:13
100:3 105:9 109:20	wrong 87:19 101:3	years 20:16 31:4	15th 4:15 109:17 141:16	291 10:17
109:21 109:25	wrong 67.19 101.3	69:13 76:11 112:17	16 4:10 4:11 4:11	291 10.17
111:13 112:7	X	112:18 113:6		3
115:20 119:3	xi 5:8	117:16 117:20	4:12 11:25 12:10	300 13:8 32:19 32:20
120:15 128:15	AI 3.0	121:13	12:10 59:9	32:21
128:22	Y	york 132:6	17 4:12 59:9	32 .21 32 81:1
williamson 143:3	yards 54:22	yule 17:25 19:17	18 100:12	34 54:22
wish 110:5 141:18	yeah 13:25 21:7	yup 98:16	19304 62:17	35 53:24 54:7
wit 2:7	21:14 23:12 23:12		1955 11:3	350 32:18 63:13
within 20:11 20:19	23:13 24:19 24:22	Z	1960 70:10 77:18	37 23:16 24:1
32:4 40:8 51:2	25:4 26:16 26:20	zoom 15:9	1993 77:18	370 4:22 114:21
63:12 117:13	27:3 27:13 28:10		1st 2:5	37069 1:25
118:20 129:11	28:10 28:11 28:21	0	2	
129:14 137:25	29:7 29:10 31:23	00 5:5		38 25:15
138:11	36:2 37:5 37:18	03 4:24 4:24 53:4	20 15:22 16:5 30:7	39 54:5
won 44:21	41:23 42:14 44:17	53:4 53:4 53:4	36:5 40:18 41:1	4
wondering 50:20	45:2 45:5 45:5 47:4	89:15 89:15 118:24	41:2 42:18 43:1	40 50:6
135:11 135:16	47:10 47:25 50:4	118:24 119:8 119:8	43:2 43:7 47:22	
136:18	50:24 51:16 51:22	129:11 129:11	48:9 48:14 66:22	41 50:12 52:7 56:25
word 119:8 124:12	52:4 53:12 54:4	133:5 133:5	67:1 67:15 68:8	43 25:20 55:6 56:2
124:13	54:6 67:17 70:7	08 53:4 89:15 93:17	68:9 89:15 103:6	45 109:5
worded 102:11	74:24 75:16 81:4	0800 4:24 53:4 53:4	103:21	5
105:12	82:5 82:11 83:3	89:15 118:24 119:8	2007 75:7	
wording 107:9	88:5 88:24 89:4	129:11 133:5	2008 60:12 63:9 69:6	
107:16 121:3	89:21 90:22 92:3		70:14 70:16 73:12	55 109:7
words 14:10 24:10	92:23 94:22 94:22	1	73:14 74:5 74:17	6
73:4 73:20 101:24	95:1 96:12 96:16	10 41:25 97:23 109:5	74:18 78:13 88:13	600 63:5 64:1
121:10 128:23	97:1 97:5 97:16	109:5 109:7 112:17	88:17 93:20	
work 58:18 73:9	97:18 97:21 98:21	113:6	2011 72:7	615 1:25
73:17 110:15 112:2		100 37:25 40:3 54:22	2012 118:16	635 10:17
136:10	105:11 105:14	71:1	2014 72:7	68 4:25 76:6 120:19
worked 110:14	105:17 107:1	101 10:15	2015 77:18	129:10 133:7
		107596 62:20	2016 1:11 2:2 142:1	686 1:23 143:6

			Page 167
143:21			
7			
709 10:15			
8			
810 10:16			
9			
900 1:24			
926 10:18			
	İ	İ	i